

- New Product / Replacement
- End of Sales
- Price update

	Model code	Short description	Series	Resolution/Channels	Type	Notes	Full Description	Prod. page	MSRP, €
Hanwha Product									
Camera - Network	XNV-9083R	8MP AI IR Outdoor Vandal Dome	X Series	8MP	Vandal Dome	NDAAs compliant	X series powered by Wisenet 7 AI network IR outdoor vandal dome camera. Modular structure X PLUS, 8MP @30fps, 4.4 - 9.3mm motorized varifocal lens (2.1x) (112.1°~47.5°), triple codec H.265H.264 MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 50m, Analytics events based on AI engine (NPU) : Object Detection (Person /Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, Direction, Intrusion) Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, HLC, Digital Image Stabilization with Gyro sensor, Bi-directional audio and dual microSD/SDHC /SDXC slot, ONVIF S/G/T, USB port for easy installation, IP67/IP66/IP68, IK10+, Nema 4X, PoE+/12VDC, white colour skins included	tds	€ 1 950,00
Camera - Network	XNV-9083RZ	8MP AI IR Vandal Dome	X Series	8MP	Vandal Dome	NDAAs compliant	X series powered by Wisenet 7 AI network IR vandal dome camera. Modular structure X PLUS, 8MP @30fps, 4.4 - 9.3mm motorized varifocal lens (2.1x), Colour 0.03 Lux (F1.3, 1/30Sec, 30IRE), BW 0 Lux (IR LED on), IR viewable length: 30m(98.43ft) based on scene, Day & Night (ICR), High Powered IR LEDs (120 dB), WiseNet IR, WiseStream III, Analytics events based on AI engine (NPU) : Object Detection (Person /Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, Direction, Intrusion) Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, IP66/IP67/IP68K, NEMA4X, IK10+, Hard-coated dome bubble	tds	€ 2 050,00
Camera - Network	XNV-9082R	4K IR Outdoor Vandal Dome	X Series	4K	Vandal Dome	NDAAs compliant	X series powered by Wisenet 7 network outdoor vandal dome camera. Modular structure X PLUS, 4K @30fps, 2.8-8.4mm motorized varifocal lens (3x), triple codec H.265H.264 MJPEG with WiseStream II, Multiple streaming, extreme WDR (120dB), Auto Day & Night (ICR), IR viewable length 40m, Next level Cybersecurity, Licence-free onboard Advanced Video Analytics and Business Analytics, Sound Classification, Shock Detection, Audio Playback, Hallway View, Motion detection, Fog detection, Face/body detection, Digital Image Stabilization with Built-in Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, IP66/IP67/IP68K, IK10+, NEMA4X, PoE+/12VDC	tds	€ 1 750,00
Camera - Network	XNV-C9083R	8MP AI IR Vandal Dome	X Series	8MP	Vandal Dome	NDAAs compliant	X series powered by Wisenet 7 AI network IR outdoor vandal dome camera. 8MP @30fps, 4.4 - 9.3mm motorized varifocal lens (2.1 x) (112.1°~47.5°), triple codec H.265H.264 MJPEG with WiseStream III, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 40m, Analytics events based on AI engine (NPU) : Object Detection (Person /Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, Direction, Intrusion) Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, HLC, Digital Image Stabilization with Gyro sensor, Bi-directional audio and single microSD/SDHC /SDXC slot, ONVIF S/G/T, USB port for easy installation, IP67/IP66, IK10, Nema 4X, PoE+/12VDC, white colour skins included	tds	€ 1 750,00
Camera - Network	XND-C9083RV	8MP AI IR Dome	X Series	8MP	Dome	NDAAs compliant	X series powered by Wisenet 7 AI network IR indoor vandal dome camera. 8MP @30fps, 4.4 - 9.3mm motorized varifocal lens (2.1x) (112.1°~47.5°), triple codec H.265H.264 MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 40m, Analytics events based on AI engine (NPU) : Object Detection (Person /Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, Direction, Intrusion) Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, HLC, Digital Image Stabilization with Gyro sensor, Bi-directional audio and single microSD/SDHC /SDXC slot, ONVIF S/G/T, USB port for easy installation, IP62, IK10, PoE+/12VDC, white skins included	tds	€ 1 550,00
Camera - Network	PND-A9081RF	8MP AI IR Flush Mount Indoor Dome	P Series	8MP	Dome	NDAAs compliant	P series network 4K AI IR indoor flush mount dome camera. Modular structure X PLUS, 8MP @30fps, 4.5-10mm motorized varifocal lens (2.2x), triple codec H.265H.264 MJPEG with WiseStream II, Multiple streaming, 120dB WDR, Auto Day & Night (ICR), IR viewable length 30m, Classified object type : Person/Face/Vehicle/License plate with attributes, BestShot per object, Analytics events based on AI engine : Object detection, Directional detection, Digital auto tracking, Enter/Exit, Loitering, Virtual line/Area, Analytics events based on AI engine (NPU) : Object Detection (Person /Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, Direction, Intrusion) Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, HLC, Digital Image Stabilization with Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, IP52, IK10, Plenum rate, PoE+/12VDC	tds	€ 1 950,00
Camera - Network	PND-A9081RV	8MP AI IR Indoor Dome	P Series	8MP	Dome	NDAAs compliant	P series network 4K AI IR indoor dome camera. Modular structure X PLUS, 8MP @30fps, 4.5-10mm motorized varifocal lens (2.2 x), triple codec H.265H.264 MJPEG with WiseStream II, Multiple streaming, 120dB WDR, Auto Day & Night (ICR), IR viewable length 30m, Classified object type : Person/Face/Vehicle/License plate with attributes, BestShot per object, Analytics events based on AI engine : Object detection, Directional detection, Digital auto tracking, Enter/Exit, Loitering, Virtual line/Area, Analytics events based on AI engine (NPU) : Object Detection (Person /Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, Direction, Intrusion) Analytics events : Defocus detection, Motion detection, Tampering, Audio detection, Sound classification, Shock detection, Business Analytics, Hallway view, Bi-directional audio and dual microSD/SDHC/SDXC slot, IP52, IK10, PoE+/12VDC	tds	€ 1 950,00
Camera - Network	XND-9083RV	8MP AI IR Dome	X Series	8MP	Dome	NDAAs compliant	X series powered by Wisenet 7 AI network IR indoor vandal dome camera. Modular structure X PLUS, 8MP @30fps, 4.4 - 9.3mm motorized varifocal lens (2.1x) (112.1°~47.5°), triple codec H.265H.264 MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 40m, Analytics events based on AI engine (NPU) : Object Detection (Person /Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, Direction, Intrusion) Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, HLC, Digital Image Stabilization with Gyro sensor, Bi-directional audio and dual microSD/SDHC /SDXC slot, ONVIF S/G/T, USB port for easy installation, IP52, IK10, PoE+/12VDC, white colour skins included	tds	€ 1 750,00
Camera - Network	XND-9082RF	4K IR Flush Mount Indoor Dome	X Series	4K	Dome	NDAAs compliant	X series powered by Wisenet 7 network IR indoor flush mount dome camera. Modular structure X PLUS, 4K @30fps, 2.8-8.4mm motorized varifocal lens (3x), triple codec H.265H.264 MJPEG with WiseStream II, Multiple streaming, extreme WDR (120dB), Auto Day & Night (ICR), IR viewable length 40m, Next level Cybersecurity, Licence-free onboard Advanced Video Analytics and Business Analytics, Sound Classification, Shock Detection, Audio Playback, Hallway View, Motion detection, Fog detection, Face/body detection, Digital Image Stabilization with Built-in Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, IP52, IK10, Plenum rate, PoE+/12VDC	tds	€ 1 500,00
Camera - Network	XND-9082RV	4K IR Indoor Dome	X Series	4K	Dome	NDAAs compliant	X series powered by Wisenet 7 network indoor vandal dome camera. Modular structure X PLUS, 4K @30fps, 2.8-8.4mm motorized varifocal lens (3x), triple codec H.265H.264 MJPEG with WiseStream II, Multiple streaming, extreme WDR (120dB), Auto Day & Night (ICR), IR viewable length 40m, Next level Cybersecurity, Licence-free onboard Advanced Video Analytics and Business Analytics, Sound Classification, Shock Detection, Audio Playback, Hallway View, Motion detection, Fog detection, Face/body detection, Digital Image Stabilization with Built-in Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, IP52, IK10, PoE+/12VDC	tds	€ 1 500,00
Camera - Network	XNP-9300WR	4K 30x IR Outdoor PTZ	X Series	4K	PTZ	NDAAs compliant	X series powered by Wisenet 7 network IR outdoor PTZ camera with built-in wiper, 4K @30fps, 30x Optical Zoom Lens (5 - 150mm) (57.42° - 2.71°), 360° Endless Pan range, 700°/sec Pan speed, Tilt: -20° - 90°, triple codec H.265H.264 MJPEG with WiseStream II, Multiple streaming, 120dB WDR (120dB), True Day & Night (ICR), IR viewable length 200m, Analytics events based on AI engine (NPU) : Object Detection (Person /Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, Direction, Intrusion) Analytics events : Defocus detection, Motion detection, Tampering, Fog detection, HLC, Digital Image Stabilization with Built-in Gyro sensor, 2x Micro SD/SDHC/SDXC slots up to 1TB, IP66, IK10, NEMA4X, HPiE * Alarm outputs, Audio detection, Sound classification with NW IO Box which can be purchased separately	tds	€ 5 010,00
Camera - Network	XNP-9250R	4K 25x IR Outdoor PTZ	X Series	4K	PTZ	NDAAs compliant	X series powered by Wisenet 7 network IR outdoor PTZ camera, 4K @30fps, 25x Optical Zoom Lens (5 - 125mm) (57.42° - 2.71°), 360° Endless Pan range, 700°/sec Pan speed, Tilt: -20° - 90°, triple codec H.265H.264 MJPEG with WiseStream II, Multiple streaming, extreme WDR (120dB), True Day & Night (ICR), IR viewable length 200m, Intelligent Video Analytics, Motion detection, Fog detection, Tampering, Object auto tracking (Person/Vehicle), Target lock tracking, Digital Image Stabilization with Built-in Gyro sensor, 2x Micro SD/SDHC/SDXC slots up to 1TB, IP66, IK10, NEMA4X, NEMA-TS2, HPiE * Alarm outputs, Audio detection, Sound classification with NW IO Box which can be purchased separately	tds	€ 4 790,00
Camera - Network	XNP-9250	4K 25x Outdoor PTZ	X Series	4K	PTZ	NDAAs compliant	X series powered by Wisenet 7 network outdoor PTZ camera, 4K @30fps, 25x Optical Zoom Lens (5 - 125mm) (57.42° - 2.71°), 360° Endless Pan range, 700°/sec Pan speed, Tilt: -20° - 90°, triple codec H.265H.264 MJPEG with WiseStream II, Multiple streaming, extreme WDR (120dB), True Day & Night (ICR), Intelligent Video Analytics, Motion detection, Fog detection, Tampering, Object auto tracking (Person/Vehicle), Target lock tracking, Digital Image Stabilization with Built-in Gyro sensor, 2x Micro SD/SDHC/SDXC slots up to 1TB, IP66, IK10, NEMA4X, NEMA-TS2, HPiE * Alarm outputs, Audio detection, Sound classification with NW IO Box which can be purchased separately	tds	€ 4 430,00
Camera - Network	XNP-C9253	8MP 25x AI PTZ	X Series	8MP	PTZ	NDAAs compliant	X series powered by Wisenet 7 network outdoor AI PTZ camera, 8MP @30fps, 25x Optical Zoom Lens (5 - 125mm) (57.42° - 2.71°), 360° Endless Pan range, 700°/sec Pan speed, Tilt: -20° - 90°, triple codec H.265H.264 MJPEG with WiseStream II, Multiple streaming, extreme WDR (120dB), True Day & Night (ICR), Analytics events based on AI engine, Defocus / Motion / Fog / Shock detection, Tampering, Virtual area, Classified object (Person/Face/Vehicle/License plate), Attributes (Vehicle type), Object auto tracking (Person/Vehicle), Target lock tracking, Digital Image Stabilization with Built-in Gyro sensor, 2x Micro SD/SDHC/SDXC slots up to 1TB, IP66, IK10, NEMA4X, PoE+, * Alarm outputs, Audio detection, Sound classification with NW IO Box which can be purchased separately	tds	€ 4 500,00
Camera - Network	XNP-C9253R	8MP 25x IR AI PTZ	X Series	8MP	PTZ	NDAAs compliant	X series powered by Wisenet 7 network outdoor IR AI PTZ camera, 8MP @30fps, 25x Optical Zoom Lens (5 - 125mm) (57.42° - 2.71°), 360° Endless Pan range, 700°/sec Pan speed, Tilt: -20° - 90°, triple codec H.265H.264 MJPEG with WiseStream II, Multiple streaming, extreme WDR (120dB), True Day & Night (ICR), IR viewable length 200m, Analytics events based on AI engine (NPU) : Defocus / Motion / Fog / Shock detection, Tampering, Virtual area, Classified object (Person/Face/Vehicle/License plate), Attributes (Vehicle type), Object auto tracking (Person/Vehicle), Target lock tracking, Digital Image Stabilization with Built-in Gyro sensor, 2x Micro SD/SDHC/SDXC slots up to 1TB, IP66, IK10, NEMA4X, NEMA-TS2, PoE+ * Alarm outputs, Audio detection, Sound classification with NW IO Box which can be purchased separately	tds	€ 4 750,00
Camera - Network	XNP-C9303WR	8MP 30x IR AI PTZ with built-in wiper	X Series	8MP	PTZ	NDAAs compliant	X series powered by Wisenet 7 network outdoor IR AI PTZ camera, 8MP @30fps, 30x Optical Zoom Lens (5 - 150mm) (57.42° - 2.71°), 360° Endless Pan range, 700°/sec Pan speed, Tilt: -20° - 90°, triple codec H.265H.264 MJPEG with WiseStream II, Multiple streaming, extreme WDR (120dB), True Day & Night (ICR), IR viewable length 200m, Analytics events based on AI engine (NPU) : Defocus / Motion / Fog / Shock detection, Tampering, Virtual area, Classified object (Person/Face/Vehicle/License plate), Attributes (Vehicle type), Object auto tracking (Person/Vehicle), Target lock tracking, Digital Image Stabilization with Built-in Gyro sensor, 2x Micro SD/SDHC/SDXC slots up to 1TB, IP66, IK10, NEMA4X, NEMA-TS2, PoE+, Built-in wiper * Alarm outputs, Audio detection, Sound classification with NW IO Box which can be purchased separately	tds	€ 5 100,00
Camera - Network	XNP-C9310R	8MP 31x AI Focus IR PTZ	X Series	8MP	PTZ	NDAAs compliant	X series Powered by WN7 and AI.8MP (4K UHD) @ 30FPS resolution, 6.1mm~214.64mm (31x) lens with Wise AF intelligent autofocus, adaptive Wide IR (250m), extreme WDR 120dB, Day & Night (ICR), H.265, H.264, MJPEG triple codec with WiseStream III (based on AI engine) support, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), Virtual line (Crossing Direction), Virtual area (Loitering/Intrusion/Enter/Exit), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification (with NW IO box), AI object auto-tracking (Person/Vehicle) with target lock tracking, B.L.C, H.L.C, S.SDR, lens heater for water/snow removal, IP66, IP67, IK10, NEMA4X, NEMA-TS2 (2.2.2.2.2.9), FIPS 140-2, HPiE injector included, Operating Temperature -50°C~+55°C (-58°F ~ +131°F), (Compatible with I/O Box SPM-4210)	tds	€ 5 100,00
Camera - Network	TNF-9010	12MP Sensor Fisheye Parking Guidance	T Series	12MP	Fisheye	NDAAs Compliant	T series powered by Wisenet 7 network 12MP sensor Fisheye Camera - For parking guidance, 12MP @30fps, Stereographic type lens, 360° monitoring with onboard dewarping, triple codec H.265H.264 MJPEG with WiseStream II, Multiple streaming, extreme WDR (120dB), up to 10 lbs, various LED colors & single/light mode, Centras AI based installation, AI based motion detection, Motion, Variable View Mode, Digital PTZ, Defocus/audio detection and tampering, microSD/SDHC/SDXC 1 slot up to 512GB, PoE+/12VDC	tds	€ 1 200,00
Camera - Network	XNF-9010RVM	12MP IR Fisheye Camera	X Series	12MP	Fisheye	NDAAs compliant	X series powered by Wisenet 7 network 12M AI IR fisheye camera, 12MP @30fps, 1.08mm fixed lens, simple focus, triple codec H.265H.264 MJPEG with WiseStream II, Multiple streaming, extreme WDR (120dB), True Day & Night (ICR), IR viewable length 10m, Next level Cybersecurity, Licence-free onboard Intelligent Video Analytics, People counting, Heatmap, Queue management, Handover, Variable View Mode, On Board Dewarping, Digital PTZ, Bi-directional audio, 2x microSD/SDHC/SDXC slots up to 1TB, IP66, IK10, NEMA-4X, PoE+/12VDC, M12 Connector	tds	€ 1 260,00
Camera - Network	XNF-9010RV	12MP IR Fisheye Camera	X Series	12MP	Fisheye	NDAAs Compliant	X series powered by Wisenet 7 network 12M AI IR fisheye camera, 12MP @30fps, 1.08mm fixed lens, simple focus, triple codec H.265H.264 MJPEG with WiseStream II, Multiple streaming, extreme WDR (120dB), True Day & Night (ICR), IR viewable length 10m, Next level Cybersecurity, Licence-free onboard Intelligent Video Analytics, People counting, Heatmap, Queue management, Handover, Variable View Mode, On Board Dewarping, Digital PTZ, Bi-directional audio, 2x microSD/SDHC/SDXC slots up to 1TB, IP66, IK10, NEMA-4X, PoE+/12VDC	tds	€ 1 200,00
Camera - Network	XNF-9013RV	12MP AI IR Fisheye Camera	X Series	12MP	Fisheye	NDAAs compliant	X series powered by Wisenet 7 network 12M AI IR fisheye camera, 12MP @30fps, 1.08mm fixed lens, simple focus, triple codec H.265H.264 MJPEG with WiseStream II (based on AI engine), Multiple streaming, extreme WDR (120dB), True Day & Night (ICR), IR viewable length 8m with PoE 12m with PoE+, Wise IR, Next level Cybersecurity, Licence-free onboard Intelligent Video Analytics, People counting, Heatmap, Queue management, Handover, Variable View Mode, On Board Dewarping, Digital PTZ, Bi-directional audio, 2x microSD/SDHC/SDXC slots up to 1TB, IP66, IK10, NEMA-4X, PoE+/12VDC	tds	€ 1 380,00
Camera - Network	QNF-9010	12MP Indoor Fisheye	Q Series	12MP	Fisheye	NDAAs compliant	Q series network indoor fisheye, 12MP CMOS sensor, 300x300 @ 30fps, 1.08mm fixed lens (87°), triple codec H.265H.264 MJPEG with WiseStream II technology, 120dB WDR, defocus, motion detection, tampering, people counting, heatmap, SD/SDHC/SDXC slot, H.L.C, PoE, IP42	tds	€ 874,00
Camera - Network	PNB-A9001LP	8MP AI ANPR Box	P Series	8MP	Box	NDAAs compliant	P series network 8MP AI box camera with embedded Wisenet Road AI application for ANPR, MMCR (make, model, colour recognition) and vehicle classification analytics, smart search, black/white list, statistics, barrier control, VMS/JSON integration protocol, Pre-installed with 32GB Micro SD to support 10.000 images, 10.000 frames, 10.000 frames, 10.000 frames, 10.000 frames, DC auto iris, P iris, Manual I-C.S, triple codec H.265H.264 MJPEG with WiseStream II, Multiple streaming, Auto Day & Night (ICR), other analytics events: Shock detection, Motion detection, Tampering, defocus, Defocus detection, Audio detection, Sound classification, Bi-directional audio, 1 Input/1 Output, PoE+/12VDC ※ The lens is not included	tds	€ 2 290,00

- New Product / Replacement
- End of Sales
- Price update



	Model code	Short description	Series	Resolution/Channels	Type	Notes	Full Description	Prod. page	MSRP, €
Hanwha Product									
Camera - Network	PNB-9001	BMP AI Box	P Series	8MP	Box	NDAA compliant	P series network BMP AI box camera, 8MP @30fps, triple codec H.265H.264/MJPEG with WiseStream II, WiseStream III, Multiple streaming, 120dB WDR, Auto Day & Night (ICR), Classified object type: Person/Face/Vehicle/License plate with attributes, BestShot per object, Analytics events based on AI engine - Object detection, Directional detection, Digital auto tracking, Enter/Exit, Loftering, Virtual line, Analytics events - Defocus detection, Motion detection, Appear/Disappear, Tampering, Audio detection, Sound classification, Shock detection, Business Analytics, Hallway View, Bi-directional audio and dual microSD/SDHC/SDXC slot, PoE/12VDC ⚡ The lens is not included	Link	€ 1 500,00
Camera - Network	XNB-9002	4K Box	X Series	4K	Box	NDAA compliant	X series powered by Wisenet 7 network box camera, 4K @30fps, triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, extremeWDR, Auto Day & Night (ICR), Next level Cybersecurity, Licence-free onboard Advanced Video Analytics and Business Analytics, Sound Classification, Shock Detection, Audio Playback, Hallway View, Motion detection, Fog detection, Face/lupper body detection, Digital Image Stabilization with Built-in Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, PoE/12VDC/24VAC ⚡ The lens is not included	Link	€ 1 000,00
Camera - Network	XNB-9003	BMP AI Box	X Series	8MP	Box	NDAA compliant	X series AI powered by Wisenet 7 network box camera, 1/1.8" progressive CMOS, 8MP @30fps, 0.03 Lux@F1.2 (Color), 0.03 Lux@F1.2 (B/W), 30IRE simple focus, triple codec H.265H.264/MJPEG with WiseStream III, Multiple streaming, 120dB WDR, True Day & Night (ICR), Analytics events based on AI engine (NPU) - Object detection (Person/Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate), IVA (Virtual line/Area), Enter/Exit, Loftering, Direction, Intrusion, Analytics events based on AI engine (NPU) - Object detection (Person/Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate), IVA (Virtual line/Area), Enter/Exit, Loftering, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, Digital Image Stabilization with built-in Gyro sensor, Bi-directional audio and dual SD/SDHC/SDXC slot, USB port for easy installation, PoE/12VDC ⚡ The lens is not included	Link	€ 1 150,00
Camera - Network	PNM-9000QB	4x 2MP Covert Main Module	P Series	8MP	Box	NDAA compliant	P series powered by Wisenet 7 remote head cam, 4CHx 2MP @60fps, triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, Advanced Video Analytics and Sound Classification and Business Analytics, Motion detection, Fog detection, HLC, Handover, Digital Image Stabilization, Bi-directional audio and SD/SDHC/SDXC slot, USB port for easy installation, PoE/12VDC, Compatible with following lens modules SLA-12480A, SLA-12480V, SLA-1480A, SLA-1480VA, SLA-1480FA, SLA-11080FA (not included) ⚡ The lens is not included	Link	€ 670,00
Camera - Network	PNM-9031VR	15MP IR Panoramic Outdoor Vandal Dome	P Series	15MP	Multi-Sensor	NDAA compliant	P series network panoramic multi-sensor outdoor dome camera, 4 sensors x 5MP, 150° panoramic stitching, WiseIR 20m, 15MP @20fps, 4.3mm fixed lens, triple codec H.265H.264/MJPEG with WiseStream II, 120dB WDR, Auto Day & Night (ICR), Advanced Video Analytics, Motion detection, Handover to PTZ, Sound classification, Heatmap, LDC (Lens Distortion Correction), Audio In/Out, dual SD card slot, PoE+, 12VDC, IP66, IK10, NEMA4X	Link	€ 2 950,00
Camera - Network	QNV-C9119R	8MP IR AI Micro Vandal Dome	Q Series	8MP	Vandal Dome	NDAA compliant	Q series AI network IR Micro vandal dome camera, 8MP @30fps, 3.2mm fixed lens, triple codec H.265H.264/MJPEG, Multiple streaming up to 5 profiles, 120dB WDR, Day & Night (ICR), High Powered IR LEDs with IR viewable length 20m, Analytics events based on AI engine: Object detection (Person/Vehicle - car, truck, bus, bicycle, motorcycle), IVA (Virtual line/Area), Enter/Exit, Loftering, Direction, Intrusion, Analytics events - Defocus detection, Motion detection, Tampering, single microSD/SDHC/SDXC slot, ONVIF S/G/T, USB port for easy installation, IP66, IK10, NEMA4X, PoE, white	Link	€ 648,00
Camera - Network	QNV-C9083R	8MP IR AI Vandal Dome	Q Series	8MP	Vandal Dome	NDAA compliant	Q series AI network IR outdoor vandal dome camera, 8MP @30fps, 3.2 - 10.2mm motorized varifocal lens (3.2x), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, Auto Day & Night (ICR), IR viewable length 30m, Object detection (Person/Vehicle), Vehicle Type AI attributes, Analytics events based on AI engine (motion detection, object detection, virtual line, virtual area), Wisenet (AI Motion detection), LDC (Lens Distortion Correction), Hard coated dome bubble, Core value, SD/SDHC/SDXC slot, IP66, IK10, PoE	Link	€ 930,00
Camera - Network	QNO-C9083R	8MP IR AI Bullet	Q Series	8MP	Bullet	NDAA compliant	Q series AI network IR outdoor bullet camera, 8MP @30fps, 3.2 - 10.2mm motorized varifocal lens (3.2x), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, Auto Day & Night (ICR), IR viewable length 30m, Object detection (Person/Vehicle), Vehicle Type AI attributes, Analytics events based on AI engine (motion detection, object detection, virtual line, virtual area), Wisenet (AI Motion detection), LDC (Lens Distortion Correction), Hard coated dome bubble, Core value, SD/SDHC/SDXC slot, IP66, IK10, PoE	Link	€ 930,00
Camera - Network	QNE-C9013RL	8MP Dual Light AI Outdoor FlatEye	Q Series	8MP	FlatEye	NDAA compliant	Q series network outdoor flat-eye camera, 4K @ 30fps, 3mm fixed focal lens (H: 108°/V: 59°), triple codec H.265H.264/MJPEG with WiseStream III, 120dB WDR, Dual Light - White LED range 30m (88ft), IR viewable length 30m (98ft), Motion Detection based on AI engine, Classified object type: Person/Vehicle (vehicle type: car/truck/bus/bicycle/motorcycle); IVA events based on AI engine: Virtual line (Crossing/Direction), Virtual area (Lofting/Direction), Enter/Exit, Defocus detection, HLC, Digital Image Stabilization with Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, ONVIF S/G/T, USB port for easy installation, IP66/IP67, IK10, PoE, Operating temperature -40°C~+60°C/-40°F ~ +140°F white color	Link	€ 750,00
6MP Cameras									
Camera - Network	PNM-8082VT	3x 2MP Outdoor Dome	P Series	6MP	Multi-Sensor	NDAA compliant	P series powered by Wisenet 7 network outdoor Multi-Sensor Multi-Directional dome camera, 3 sensors x 2MP, max 6MP @30fps, 3 x 3 - 9.3mm motorized varifocal lenses (2.1x), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, extremeWDR (120dB), Auto Day & Night (ICR), IR viewable length 150dB, Auto Day & Night (ICR), Advanced Video Analytics, Motion detection, Hallway view, HLC, Digital Image Stabilization, 2x SD/SDHC/SDXC slot, IP66, IK10, NEMA4X, PoE+	Link	€ 1 870,00
Camera - Network	XNO-C8083R	6MP AI IR Bullet	X Series	6MP	Bullet	NDAA compliant	X series AI powered by Wisenet 7 network outdoor vandal bullet camera, 6MP @30fps, 4.4-9.3mm motorized varifocal lens (2.1x), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, extreme WDR (120dB), Auto Day & Night (ICR), IR viewable length 40m, Next level Cybersecurity, Analytics events based on AI engine (NPU) - Object detection (Person/Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate), IVA (Virtual line/Area), Enter/Exit, Loftering, Direction, Intrusion, Analytics events - Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, Digital Image Stabilization with Built-in Gyro sensor, Bi-directional audio and microSD/SDHC/SDXC slot, IP66/IP67, IK10, NEMA4X, PoE+/12VDC	Link	€ 1 550,00
Camera - Network	XNO-8083R	6MP AI IR Bullet	X Series	6MP	Bullet	NDAA compliant	X series AI powered by Wisenet 7 network outdoor vandal bullet camera, 6MP @30fps, 4.4-9.3mm motorized varifocal lens (2.1x), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, extreme WDR (120dB), Auto Day & Night (ICR), IR viewable length 50m, Next level Cybersecurity, Analytics events based on AI engine (NPU) - Object detection (Person/Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate), IVA (Virtual line/Area), Enter/Exit, Loftering, Direction, Intrusion, Analytics events - Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, Digital Image Stabilization with Built-in Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, IP66/IP67, IK10, NEMA4X, PoE+/12VDC	Link	€ 1 800,00
Camera - Network	XNO-8082R	6MP IR Bullet	X Series	6MP	Bullet	NDAA compliant	X series powered by Wisenet 7 network outdoor vandal bullet camera, 6MP @30fps, 2.8-8.4mm motorized varifocal lens (3x), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, extreme WDR (120dB), Auto Day & Night (ICR), IR viewable length 40m, Next level Cybersecurity, Licence-free onboard Advanced Video Analytics and Business Analytics, Sound Classification, Shock Detection, Audio Playback, Hallway View, Motion detection, Fog detection, Face/lupper body detection, Digital Image Stabilization with Built-in Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, IP66/IP67, IK10, NEMA4X, PoE/12VDC/24VAC	Link	€ 1 550,00
Camera - Network	XNV-8093R	6MP AI IR Vandal Dome	X Series	6MP	Vandal Dome	NDAA compliant	X series powered by Wisenet 7 AI network IR outdoor vandal dome camera, Modular structure X PLUS, 6MP @30fps, 10.9 - 29mm motorized varifocal lens (2.7x) (42°-15°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 70m, Analytics events based on AI engine (NPU) - Object detection (Person/Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate), IVA (Virtual line/Area), Enter/Exit, Loftering, Direction, Intrusion, Analytics events - Defocus detection, Motion detection, Tampering, Fog detection, HLC, Digital Image Stabilization with Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, ONVIF S/G/T, USB port for easy installation, IP67/IP68/IP69K, IK10+, Nema 4X, PoE+/12VDC, white colour skins included	Link	€ 2 000,00
Camera - Network	XNV-8083R	6MP AI IR Vandal Dome	X Series	6MP	Vandal Dome	NDAA compliant	X series powered by Wisenet 7 AI network IR outdoor vandal dome camera, Modular structure X PLUS, 6MP @30fps, 4.4 - 9.3mm motorized varifocal lens (2.1x) (11.1°-47.5°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 50m, Analytics events based on AI engine (NPU) - Object detection (Person/Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate), IVA (Virtual line/Area), Enter/Exit, Loftering, Direction, Intrusion, Analytics events - Defocus detection, Motion detection, Tampering, Fog detection, HLC, Digital Image Stabilization with Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, ONVIF S/G/T, USB port for easy installation, IP67/IP68/IP69K, IK10+, Nema 4X, PoE+/12VDC, white colour skins included	Link	€ 1 800,00
Camera - Network	XNV-8083RZ	6MP AI IR Vandal Dome	X Series	6MP	Vandal Dome	NDAA compliant	X series powered by Wisenet 7 AI network IR vandal dome camera, Modular structure X PLUS, 6MP @30fps, 4.4 - 9.3mm motorized varifocal lens (2.1x), Colour 0.03 Lux (F1.3, 1/30sec, 30IRE), BW 0 Lux (IR LED on), IR viewable length 30m(98.43ft) based on scene, Day & Night (ICR), extremeWDR (120 dB), WiseNR II, WiseStream III, Analytics events based on AI engine (NPU) - Object detection (Person/Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate), IVA (Virtual line/Area), Enter/Exit, Loftering, Direction, Intrusion, Analytics events - Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, IP66/IP67/IP69K, NEMA4X, IK10+, Hard-coated dome bubble	Link	€ 1 850,00
Camera - Network	XNV-8083Z	6MP AI Vandal Dome	X Series	6MP	Vandal Dome	NDAA compliant	X series powered by Wisenet 7 AI network non IR vandal dome camera, Modular structure X PLUS, 6MP @30fps, 4.4 - 9.3mm motorized varifocal lens (2.1x), Colour 0.03 Lux (F1.3, 1/30sec, 30IRE), BW 0 Lux (IR LED on), IR viewable length 30m(98.43ft) based on scene, Day & Night (ICR), extremeWDR (120 dB), WiseNR II, WiseStream III, Analytics events based on AI engine (NPU) - Object detection (Person/Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate), IVA (Virtual line/Area), Enter/Exit, Loftering, Direction, Intrusion, Analytics events - Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, IP66/IP67/IP69K, NEMA4X, IK10+, Hard-coated dome bubble	Link	€ 1 850,00
Camera - Network	XNV-8082R	6MP IR Outdoor Vandal Dome	X Series	6MP	Vandal Dome	NDAA compliant	X series powered by Wisenet 7 network outdoor vandal dome camera, Modular structure X PLUS, 6MP @30fps, 2.8-8.4mm motorized varifocal lens (3x), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, extreme WDR (120dB), Auto Day & Night (ICR), IR viewable length 40m, Next level Cybersecurity, Licence-free onboard Advanced Video Analytics and Business Analytics, Sound Classification, Shock Detection, Audio Playback, Hallway View, Motion detection, Fog detection, Face/lupper body detection, Digital Image Stabilization with Built-in Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, IP66/IP67/IP69K, IK10+, NEMA4X, PoE/12VDC	Link	€ 1 550,00
Camera - Network	XND-8082RF	6MP IR Flush Mount Dome	X Series	6MP	Dome	NDAA compliant	X series powered by Wisenet 7 network indoor flush mount dome camera, Modular structure X PLUS, 6MP @30fps, 2.8-8.4mm motorized varifocal lens (3x), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, extreme WDR (120dB), Auto Day & Night (ICR), IR viewable length 40m, Next level Cybersecurity, Licence-free onboard Advanced Video Analytics and Business Analytics, Sound Classification, Shock Detection, Audio Playback, Hallway View, Motion detection, Fog detection, Face/lupper body detection, Digital Image Stabilization with Built-in Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, IP52, IK10, Plenum rate, PoE/12VDC	Link	€ 1 350,00
Camera - Network	XND-8082RV	6MP IR Indoor Dome	X Series	6MP	Dome	NDAA compliant	X series powered by Wisenet 7 network indoor vandal dome camera, Modular structure X PLUS, 6MP @30fps, 2.8-8.4mm motorized varifocal lens (3x), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, extreme WDR (120dB), Auto Day & Night (ICR), IR viewable length 40m, Next level Cybersecurity, Licence-free onboard Advanced Video Analytics and Business Analytics, Sound Classification, Shock Detection, Audio Playback, Hallway View, Motion detection, Fog detection, Face/lupper body detection, Digital Image Stabilization with Built-in Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, IP52, IK10, PoE/12VDC	Link	€ 1 350,00
Camera - Network	XND-8083RV	6MP AI IR Dome	X Series	6MP	Dome	NDAA compliant	X series powered by Wisenet 7 AI network IR indoor vandal dome camera, Modular structure X PLUS, 6MP @30fps, 4.4 - 9.3mm motorized varifocal lens (2.1x) (11.1°-47.5°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 50m, Analytics events based on AI engine (NPU) - Object detection (Person/Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate), IVA (Virtual line/Area), Enter/Exit, Loftering, Direction, Intrusion, Analytics events - Defocus detection, Motion detection, Tampering, Fog detection, HLC, Digital Image Stabilization with Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, ONVIF S/G/T, USB port for easy installation, IP67/IP68/IP69K, IK10, PoE+/12VDC, white colour skins included	Link	€ 1 550,00
Camera - Network	XND-8093RV	6MP AI IR Dome	X Series	6MP	Dome	NDAA compliant	X series powered by Wisenet 7 AI network IR indoor vandal dome camera, Modular structure X PLUS, 6MP @30fps, 10.9 - 29mm motorized varifocal lens (2.7x) (42.0-15.0°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 70m, Analytics events based on AI engine (NPU) - Object detection (Person/Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate), IVA (Virtual line/Area), Enter/Exit, Loftering, Direction, Intrusion, Analytics events - Defocus detection, Motion detection, Tampering, Fog detection, HLC, Digital Image Stabilization with Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, ONVIF S/G/T, USB port for easy installation, IP67/IP68/IP69K, IK10+, PoE+/12VDC, white colour skins included	Link	€ 1 800,00
Camera - Network	XNV-C8083R	6MP AI IR Vandal Dome	X Series	6MP	Vandal Dome	NDAA compliant	X series powered by Wisenet 7 AI network IR outdoor vandal dome camera, 6MP @30fps, 4.4 - 9.3mm motorized varifocal lens (2.1x) (11.1°-47.5°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 40m, Analytics events based on AI engine (NPU) - Object detection (Person/Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate), IVA (Virtual line/Area), Enter/Exit, Loftering, Direction, Intrusion, Analytics events - Defocus detection, Motion detection, Tampering, Fog detection, HLC, Digital Image Stabilization with Gyro sensor, Bi-directional audio and single microSD/SDHC/SDXC slot, ONVIF S/G/T, USB port for easy installation, IP67/IP66, IK10, Nema 4X	Link	€ 1 550,00
Camera - Network	XND-C8083RV	6MP AI IR Dome	X Series	6MP	Dome	NDAA compliant	X series powered by Wisenet 7 AI network IR indoor vandal dome camera, 6MP @30fps, 4.4 - 9.3mm motorized varifocal lens (2.1x) (11.1°-47.5°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 40m, Analytics events based on AI engine (NPU) - Object detection (Person/Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate), IVA (Virtual line/Area), Enter/Exit, Loftering, Direction, Intrusion, Analytics events - Defocus detection, Motion detection, Tampering, Fog detection, HLC, Digital Image Stabilization with Gyro sensor, Bi-directional audio and single microSD/SDHC/SDXC slot, ONVIF S/G/T, USB port for easy installation, IP62, IK10, PoE/12VDC, white skins included	Link	€ 1 350,00
Camera - Network	XNB-8002	6MP Box	X Series	6MP	Box	NDAA compliant	X series powered by Wisenet 7 network box camera, 6MP @30fps, triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, extreme WDR (120dB), Auto Day & Night (ICR), Next level Cybersecurity, Licence-free onboard Advanced Video Analytics and Business Analytics, Sound Classification, Shock Detection, Audio Playback, Hallway View, Motion detection, Fog detection, Face/lupper body detection, Digital Image Stabilization with Built-in Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, PoE/12VDC/24VAC ⚡ The lens is not included	Link	€ 950,00

- New Product / Replacement
- End of Sales
- Price update

	Model code	Short description	Series	Resolution/Channels	Type	Notes	Full Description	Prod. page	MSRP, €
Hanwha Product									
Camera - Network	XNB-8003	6MP AI Box	X Series	6MP	Box	NDA4 compliant	X series AI powered by Wisenet 7 network box camera, 1/1.8" progressive CMOS, 6MP @30fps, 0.03 Lux@F1.2 (Color), 0.03 Lux@F1.2 (B/W) 30fps; simple focus; triple code H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), Analytics events based on AI engine (NPU), Object detection (Person/Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, Direction, Intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog, Sound classification, Target lock tracking, Digital Image Stabilization with Built-in Gyro sensor, Bi-directional audio and dual SD/SDHC/SDXC slot, USB port for easy installation, PoE/12VDC. The lens is not included.	link	€ 1 050,00
Camera - Network	XNP-8300RW	6MP 30x IR Outdoor PTZ	X Series	6MP	PTZ	NDA4 compliant	X series powered by Wisenet 7 network IR outdoor PTZ camera with built-in wiper, 6MP @30fps, 30x Optical Zoom Lens (5 - 150mm) (57.42° - 2.19°), 360° Endless Pan speed, 500°/sec Pan speed, Tilt: -20° - 90°, triple code H.265H.264/MJPEG with WiseStream II, Multiple streaming, extreme WDR (120dB), True Day & Night (ICR), IR viewable length 200m, Intelligent Video Analytics, Motion detection, Tampering, Object auto tracking (Person/Vehicle), Target lock tracking, Digital Image Stabilization with Built-in Gyro sensor, 2x Micro SD/SDHC/SDXC slots up to 1TB, IP66, IK10, NEMA4X, NEMA-TS2, HPoE. * Alarm outputs, Audio detection, Sound classification(with NW IO Box which can be purchased separately)	link	€ 4 580,00
Camera - Network	XNP-8250R	6MP 25x IR Outdoor PTZ	X Series	6MP	PTZ	NDA4 compliant	X series powered by Wisenet 7 network IR outdoor PTZ camera, 6MP @30fps, 25x Optical Zoom Lens (5 - 125mm) (57.42° - 2.71°), 360° Endless Pan range, 1200°/sec Pan speed, Tilt: -20° - 90°, triple code H.265H.264/MJPEG with WiseStream II, Multiple streaming, extreme WDR (120dB), True Day & Night (ICR), IR viewable length 200m, Intelligent Video Analytics, Motion detection, Tampering, Object auto tracking (Person/Vehicle), Target lock tracking, Digital Image Stabilization with Built-in Gyro sensor, 2x Micro SD/SDHC/SDXC slots up to 1TB, IP66, IK10, NEMA4X, NEMA-TS2, HPoE. * Alarm outputs, Audio detection, Sound classification(with NW IO Box which can be purchased separately)	link	€ 4 350,00
Camera - Network	XNP-8250	6MPK 25x Outdoor PTZ	X Series	6MP	PTZ	NDA4 compliant	X series powered by Wisenet 7 network outdoor PTZ camera, 6MP @30fps, 25x Optical Zoom Lens (5 - 125mm) (57.42° - 2.71°), 360° Endless Pan range, 700°/sec Pan speed, Tilt: -20° - 90°, triple code H.265H.264/MJPEG with WiseStream II, Multiple streaming, extreme WDR (120dB), True Day & Night (ICR), Intelligent Video Analytics, Motion detection, Tampering, Object auto tracking (Person/Vehicle), Target lock tracking, Digital Image Stabilization with Built-in Gyro sensor, 2x Micro SD/SDHC/SDXC slots up to 1TB, IP66, IK10, NEMA4X, NEMA-TS2, HPoE. * Alarm outputs, Audio detection, Sound classification(with NW IO Box which can be purchased separately)	link	€ 4 030,00
Camera - Network	XNP-C8253	6MP 25x AI PTZ	X Series	6MP	PTZ	NDA4 compliant	X series powered by Wisenet 7 network outdoor AI PTZ camera, 6MP @30fps, 25x Optical Zoom Lens (5 - 125mm) (57.42° - 2.71°), 360° Endless Pan range, 1200°/sec Pan speed, Tilt: -20° - 90°, triple code H.265H.264/MJPEG with WiseStream II, Multiple streaming up to 10 profiles, extreme WDR (120dB), True Day & Night (ICR), Analytics events based on AI engine, Defocus / Motion / Fog / Shock detection, Tampering, Virtual area, Classified object (Person/Face/Vehicle/License plate), Attributes (Vehicle type), Object auto tracking (Person/Vehicle), Target lock tracking, Digital Image Stabilization with Built-in Gyro sensor, 2x Micro SD/SDHC/SDXC slots up to 1TB, IP66, IK10, NEMA4X, NEMA-TS2, HPoE. * Alarm outputs, Audio detection, Sound classification(with NW IO Box which can be purchased separately)	link	€ 4 200,00
Camera - Network	XNP-C8253R	6MP 25x IR AI PTZ	X Series	6MP	PTZ	NDA4 compliant	X series powered by Wisenet 7 network outdoor IR AI PTZ camera, 6MP @30fps, 25x Optical Zoom Lens (5 - 125mm) (57.42° - 2.71°), 360° Endless Pan range, 1200°/sec Pan speed, Tilt: -20° - 90°, triple code H.265H.264/MJPEG with WiseStream II, Multiple streaming, extreme WDR (120dB), True Day & Night (ICR), Viewable IR length 200m, Analytics events based on AI engine, Defocus / Motion / Fog / Shock detection, Tampering, Virtual area, Classified object (Person/Face/Vehicle/License plate), Attributes (Vehicle type), Object auto tracking (Person/Vehicle), Target lock tracking, Digital Image Stabilization with Built-in Gyro sensor, 2x Micro SD/SDHC/SDXC slots up to 1TB, IP66, IK10, NEMA4X, NEMA-TS2, HPoE. * Alarm outputs, Audio detection, Sound classification(with NW IO Box which can be purchased separately)	link	€ 4 450,00
Camera - Network	XNP-C8303RW	6MP 30x IR AI PTZ with built-in wiper	X Series	6MP	PTZ	NDA4 compliant	X series powered by Wisenet 7 network outdoor IR AI PTZ camera, 6MP @30fps, 25x Optical Zoom Lens (5 - 150mm) (57.42° - 2.19°), 360° Endless Pan range, 350°/sec Pan speed, Tilt: -20° - 90°, triple code H.265H.264/MJPEG with WiseStream II, Multiple streaming, extreme WDR (120dB), True Day & Night (ICR), Viewable IR length 200m, Analytics events based on AI engine, Defocus / Motion / Fog / Shock detection, Tampering, Virtual area, Classified object (Person/Face/Vehicle/License plate), Attributes (Vehicle type), Object auto tracking (Person/Vehicle), Target lock tracking, Digital Image Stabilization with Built-in Gyro sensor, 2x Micro SD/SDHC/SDXC slots up to 1TB, IP66, IK10, NEMA4X, NEMA-TS2, HPoE. * Alarm outputs, Audio detection, Sound classification(with NW IO Box which can be purchased separately)	link	€ 4 750,00
Camera - Network	XNF-8010RW	6MP Mobile IR Vandal Fisheye	X Series	6MP	Fisheye	NDA4 compliant	X series AI powered by Wisenet 5 network mobile vandal fisheye, 6MP CMOS sensor, 2048x2048 @ 30fps, 1.6mm fixed lens (192°), triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video, sound classification and business analytics, high powered IR LEDs range of 49', simple focus, dual SD card, HLC, defog detection, For Mobile Application (M12 Connector) RJ45 to M12 adapter is NOT included, 12VDC/PoE, IP66, IK10, -40°C ~ +55°C (-40°F ~ +131°F)	link	€ 1 028,00
Camera - Network	XNF-8010RV	6MP IR Vandal Fisheye	X Series	6MP	Fisheye	NDA4 compliant	X series powered by Wisenet 5 network outdoor vandal fisheye, 6MP CMOS sensor, 2048x2048 @ 30fps, 1.6mm fixed lens (192°), triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video, sound classification and business analytics, high powered IR LEDs range of 49', simple focus, dual SD card, HLC, defog detection, DIS, 12VDC/PoE, IP66, IK10, -40°C ~ +55°C (-40°F ~ +131°F)	link	€ 964,00
Camera - Network	XNF-8010R	6MP IR Indoor Fisheye	X Series	6MP	Fisheye	NDA4 compliant	X series powered by Wisenet 5 network indoor fisheye, 6MP CMOS sensor, 2048x2048 @ 30fps, 1.6mm fixed lens (192°), triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, USB port for easy installation, advanced video, sound classification and business analytics, high powered IR LEDs range of 49', simple focus, dual SD card, HLC, defog detection, DIS, 12VDC/PoE	link	€ 900,00
Camera - Network	QNF-8010	6MP Indoor Fisheye	Q Series	6MP	Fisheye	NDA4 compliant	Q series network indoor fisheye, 6MP CMOS sensor, 2048x2048 @ 30fps, 1.4mm fixed lens (187°), triple code H.265H.264/MJPEG with WiseStream II technology, 120dB WDR, defocus, motion detection, tampering, people counting, heatmap, SD/SDHC/SDXC slot, HLC, PoE, IP64	link	€ 621,00
Camera - Network	QNV-C8011R	5MP IR AI Micro Vandal Dome	Q Series	5MP	Vandal Dome	NDA4 compliant	Q series AI network IR Micro vandal dome camera, 5MP @30fps, 3.0mm fixed lens, triple code H.265H.264/MJPEG, Multiple streaming up to 5 profiles, 120dB WDR, Day & Night (ICR), High Powered IR LEDs with IR viewable length 20m, Analytics events based on AI engine, Object detection (Person/Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, Direction, Intrusion), Analytics events: Defocus detection, Motion detection, Tampering, single microSD/SDHC/SDXC slot, ONVIF S/G/I/T, USB port for easy installation, IP66, IK10, NEMA4X, PoE, white	link	€ 549,00
Camera - Network	QNV-C8012	5MP IR AI Micro Vandal Dome	Q Series	5MP	Vandal Dome	NDA4 compliant	Q series AI network Micro vandal dome camera, 5MP @30fps, 3.0mm fixed lens, triple code H.265H.264/MJPEG, Multiple streaming up to 5 profiles, 120dB WDR, Day & Night (ICR), Analytics events based on AI engine, Object detection (Person/Vehicle - car, truck, bus, bicycle, motorcycle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, Direction, Intrusion), Analytics events: Defocus detection, Tampering, single microSD/SDHC/SDXC slot, ONVIF S/G/I/T, USB port for easy installation, IP66, IK10, NEMA4X, PoE, white	link	€ 549,00
5MP Cameras									
Camera - Network	XNV-8081Z	5MP Outdoor Vandal PTRZ Dome	X Series	5MP	Vandal Dome	NDA4 compliant	X series powered by Wisenet 5 network outdoor vandal dome camera, Modular structure X PLUS, 5MP @30fps, 3.6 - 9.4mm motorized varifocal lens (2.6x) (102.5°-38.7°), Motorized Pan/Tilt/Rotate/Zoom, triple code H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), Advanced Video Analytics and Sound Classification and Business Analytics, Shock Detection, Audio Playback, Halfway View, Motion detection, Fog detection, HLC, Digital Image Stabilization with built-in Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, ONVIF S/G/I/T, USB port for easy installation, IP67/IP66/IP69K, IK10+, Nema 4X, PoE/12VDC, optional 24VAC, white & ivory colour skins included, optional black skin cover	link	€ 1 613,00
Camera - Network	XNV-8081RE	5MP IR Outdoor Vandal Dome	X Series	5MP	Vandal Dome	NDA4 compliant	X series powered by Wisenet 5 network IR outdoor vandal dome camera, Modular structure X PLUS, PoE+ in / PoE out, 5MP @30fps, 3.9 - 9.4mm motorized varifocal lens (2.4x) (92.1°-38.7°), triple code H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 50m, Advanced Video Analytics and Sound Classification and Business Analytics, Shock Detection, Audio Playback, Halfway View, Motion detection, Fog detection, HLC, Digital Image Stabilization with built-in Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, ONVIF S/G/I/T, USB port for easy installation, IP67/IP66/IP69K, IK10+, Nema 4X, PoE+	link	€ 1 474,00
Camera - Network	XNV-8081R	5MP IR Outdoor Vandal Dome	X Series	5MP	Vandal Dome	NDA4 compliant	X series powered by Wisenet 5 network IR outdoor vandal dome camera, Modular structure X PLUS, 5MP @30fps, 3.9 - 9.4mm motorized varifocal lens (2.4x) (92.1°-38.7°), triple code H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 50m, Advanced Video Analytics and Sound Classification and Business Analytics, Shock Detection, Audio Playback, Halfway View, Motion detection, Fog detection, HLC, Digital Image Stabilization with built-in Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, ONVIF S/G/I/T, USB port for easy installation, IP67/IP66/IP69K, IK10+, Nema 4X, PoE/12VDC, optional 24VAC, white & ivory colour skins included, optional black skin cover	link	€ 1 403,00
Camera - Network	XND-8081VZ	5MP PTRZ Indoor Dome	X Series	5MP	Dome	NDA4 compliant	X series powered by Wisenet 5 network indoor vandal dome camera, Modular structure X PLUS, 5MP @30fps, 3.6 - 9.4mm motorized varifocal lens (2.6x) (102.5°-38.7°), Motorized Pan/Tilt/Rotate/Zoom, triple code H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), Advanced Video Analytics and Sound Classification and Business Analytics, Shock Detection, Audio Playback, Halfway View, Motion detection, Fog detection, HLC, Digital Image Stabilization with Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, ONVIF S/G/I/T, USB port for easy installation, IP62, IK10, PoE/12VDC, white & ivory colour skins included, optional black skin cover	link	€ 1 387,00
Camera - Network	XND-8081FZ	5MP Flush Mount PTRZ Dome	X Series	5MP	Dome	NDA4 compliant	X series powered by Wisenet 5 network flush mount indoor dome camera, Modular structure X PLUS, 5MP @30fps, 3.6 - 9.4mm motorized varifocal lens (2.6x) (102.5°-38.7°), Motorized Pan/Tilt/Rotate/Zoom, triple code H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), Advanced Video Analytics and Sound Classification and Business Analytics, Shock Detection, Audio Playback, Halfway View, Motion detection, Fog detection, HLC, Digital Image Stabilization with Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, ONVIF S/G/I/T, USB port for easy installation, IP52, Plenum rate (UL2820), PoE/12VDC	link	€ 1 387,00
Camera - Network	XND-8081REV	5MP IR Indoor Vandal Dome	X Series	5MP	Dome	NDA4 compliant	X series powered by Wisenet 5 network IR indoor vandal dome camera, Modular structure X PLUS, PoE+ in / PoE out, 5MP @30fps, 3.9 - 9.4mm motorized varifocal lens (2.4x) (92.1°-38.7°), triple code H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 50m, Advanced Video Analytics and Sound Classification and Business Analytics, Shock Detection, Audio Playback, Halfway View, Motion detection, Fog detection, HLC, Digital Image Stabilization with Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, ONVIF S/G/I/T, USB port for easy installation, IP52, IK10, PoE+	link	€ 1 325,00
Camera - Network	XND-8081RV	5MP IR Indoor Vandal Dome	X Series	5MP	Dome	NDA4 compliant	X series powered by Wisenet 5 network IR indoor vandal dome camera, Modular structure X PLUS, 5MP @30fps, 3.9 - 9.4mm motorized varifocal lens (2.4x) (92.1°-38.7°), triple code H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 50m, Advanced Video Analytics and Sound Classification and Business Analytics, Shock Detection, Audio Playback, Halfway View, Motion detection, Fog detection, HLC, Digital Image Stabilization with Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, ONVIF S/G/I/T, USB port for easy installation, IP52, IK10, PoE/12VDC, white & ivory colour skins included, optional black skin cover	link	€ 1 261,00
Camera - Network	XND-8081RF	5MP IR Flush Mount Dome	X Series	5MP	Dome	NDA4 compliant	X series powered by Wisenet 5 network IR flush mount dome camera, Modular structure X PLUS, 5MP @30fps, 3.9 - 9.4mm motorized varifocal lens (2.4x) (92.1°-38.7°), triple code H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), Advanced Video Analytics and Sound Classification and Business Analytics, Shock Detection, Audio Playback, Halfway View, Motion detection, Fog detection, HLC, Digital Image Stabilization with Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, ONVIF S/G/I/T, USB port for easy installation, IP52, Plenum rate (UL2820), PoE/12VDC	link	€ 1 261,00
Camera - Network	XNO-8080R	5MP IR Bullet	X Series	5MP	Bullet	NDA4 compliant	X series powered by Wisenet 5 network IR outdoor vandal bullet camera, 5MP @30fps, 3.7 - 9.4mm motorized varifocal lens (2.5x) (100.2°-38.7°), triple code H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 50m, Advanced Video Analytics and Sound Classification, Halfway View, Motion detection, Fog detection, HLC, Handover, Digital Image Stabilization, Bi-directional audio and dual SD/SDHC/SDXC slot, USB port for easy installation, IP67, IK10, Nema 4X, PoE/12VDC/24VAC	link	€ 1 220,00
Camera - Network	XNO-8020R	5MP IR Bullet	X Series	5MP	Bullet	NDA4 compliant	X series powered by Wisenet 5 network IR outdoor vandal bullet camera, 5MP @30fps, 3.7mm fixed lens (97.5°), triple code H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 30m, Advanced Video Analytics and Sound Classification and Business Analytics, Halfway View, Motion detection, Fog detection, HLC, Handover, Digital Image Stabilization, Bi-directional audio and dual SD/SDHC/SDXC slot, USB port for easy installation, IP67, IK10, Nema 4X, PoE/12VDC	link	€ 720,00
Camera - Network	XNO-8030R	5MP IR Bullet	X Series	5MP	Bullet	NDA4 compliant	X series powered by Wisenet 5 network IR outdoor vandal bullet camera, 5MP @30fps, 4.6mm fixed lens (77.9°), triple code H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 30m, Advanced Video Analytics and Sound Classification and Business Analytics, Halfway View, Motion detection, Fog detection, HLC, Handover, Digital Image Stabilization, Bi-directional audio and dual SD/SDHC/SDXC slot, USB port for easy installation, IP67, IK10, Nema 4X, PoE/12VDC	link	€ 720,00
Camera - Network	XNO-8040R	5MP IR Bullet	X Series	5MP	Bullet	NDA4 compliant	X series powered by Wisenet 5 network IR outdoor vandal bullet camera, 5MP @30fps, 7mm fixed lens (50.7°), triple code H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 30m, Advanced Video Analytics and Sound Classification and Business Analytics, Halfway View, Motion detection, Fog detection, HLC, Handover, Digital Image Stabilization, Bi-directional audio and dual SD/SDHC/SDXC slot, USB port for easy installation, IP67, IK10, Nema 4X, PoE/12VDC	link	€ 720,00

- New Product / Replacement
- End of Sales
- Price update

	Model code	Short description	Series	Resolution/Channels	Type	Notes	Full Description	Prod. page	MSRP, €
Hanwha Product									
Camera - Network	XNV-808RSA	SMP Stainless Steel IR Dome	X Series	SMP	Vandal Dome	NDA compliant	X series powered by Wisenet 5 network IR outdoor stainless steel vandal dome camera, SMP @30fps, 3.9 - 9.4mm motorized varifocal lens (2.4x) (93°-38°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 50m, Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and dual microSD/SDHC/SDXC slot, USB port for easy installation, IP66, IP69K, IK10+, Nema 4X, PoE/12VDC/24VAC	info	€ 2 293,00
Camera - Network	XNV-808BR	SMP IR Outdoor Dome	X Series	SMP	Vandal Dome	NDA compliant	X series powered by Wisenet 5 network IR outdoor vandal dome camera, SMP @30fps, 3.9 - 9.4mm motorized varifocal lens (2.4x) (92°-38.7°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 50m, Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and dual microSD/SDHC/SDXC slot, USB port for easy installation, IP67, IK10, Nema 4X, PoE/12VDC/24VAC	info	€ 1 220,00
Camera - Network	XNV-8020R	SMP IR Outdoor Vandal Dome	X Series	SMP	Vandal Dome	NDA compliant	X series powered by Wisenet 5 network IR outdoor vandal dome camera, SMP @30fps, 3.7mm fixed lens (97.5°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 30m, Advanced Video Analytics and Sound Classification and Business Analytics, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and dual microSD/SDHC/SDXC slot, USB port for easy installation, IP67, IK10, PoE/12VDC	info	€ 720,00
Camera - Network	XNV-8030R	SMP IR Outdoor Dome	X Series	SMP	Vandal Dome	NDA compliant	X series powered by Wisenet 5 network IR outdoor vandal dome camera, SMP @30fps, 4.6mm fixed lens (77.9°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 30m, Advanced Video Analytics and Sound Classification and Business Analytics, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and dual microSD/SDHC/SDXC slot, USB port for easy installation, IP67, IK10, PoE/12VDC	info	€ 720,00
Camera - Network	XNV-8040R	SMP IR Outdoor Dome	X Series	SMP	Vandal Dome	NDA compliant	X series powered by Wisenet 5 network IR outdoor vandal dome camera, SMP @30fps, 7mm fixed lens (50.7°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 30m, Advanced Video Analytics and Sound Classification and Business Analytics, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and dual microSD/SDHC/SDXC slot, USB port for easy installation, IP67, IK10, PoE/12VDC	info	€ 720,00
Camera - Network	XND-8080VR	SMP IR Indoor Vandal Dome	X Series	SMP	Dome	NDA compliant	X series powered by Wisenet 5 network IR indoor vandal dome camera, SMP @30fps, 3.9 - 9.4mm motorized varifocal lens (2.4x) (92°-38.7°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 30m, Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and dual microSD/SDHC/SDXC slot, USB port for easy installation, IK08, PoE/12VDC	info	€ 1 146,00
Camera - Network	XND-8080R	SMP IR Indoor Dome	X Series	SMP	Dome	NDA compliant	X series powered by Wisenet 5 network IR indoor dome camera, SMP @30fps, 3.9 - 9.4mm motorized varifocal lens (2.4x) (92°-38.7°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 30m, Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and dual microSD/SDHC/SDXC slot, USB port for easy installation, IK08, PoE/12VDC	info	€ 1 050,00
Camera - Network	XND-8020R	SMP IR Indoor Vandal Dome	X Series	SMP	Dome	NDA compliant	X series powered by Wisenet 5 network IR indoor dome camera, SMP @30fps, 3.7mm fixed lens (97.5°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 30m, Advanced Video Analytics and Sound Classification and Business Analytics, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and dual microSD/SDHC/SDXC slot, USB port for easy installation, IK08, PoE/12VDC	info	€ 634,00
Camera - Network	XND-8030R	SMP IR Indoor Vandal Dome	X Series	SMP	Dome	NDA compliant	X series powered by Wisenet 5 network IR indoor dome camera, SMP @30fps, 4.6mm fixed lens (77.9°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 30m, Advanced Video Analytics and Sound Classification and Business Analytics, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and dual microSD/SDHC/SDXC slot, USB port for easy installation, IK08, PoE/12VDC	info	€ 634,00
Camera - Network	XND-8040R	SMP IR Indoor Vandal Dome	X Series	SMP	Dome	NDA compliant	X series powered by Wisenet 5 network IR indoor dome camera, SMP @30fps, 7mm fixed lens (50.7°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 30m, Advanced Video Analytics and Sound Classification and Business Analytics, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and dual microSD/SDHC/SDXC slot, USB port for easy installation, IK08, PoE/12VDC	info	€ 634,00
Camera - Network	XND-8020F	SMP Flush Mount	X Series	SMP	Dome	NDA compliant	X series powered by Wisenet 5 network flush mount dome camera, SMP @30fps, 3.7mm fixed lens (97.5°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 30m, Advanced Video Analytics and Sound Classification and Business Analytics, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Built-in Mic, 1-way audio and microSD/SDHC/SDXC slot, PoE	info	€ 576,00
Camera - Network	XNB-8000	SMP Box	X Series	SMP	Box	NDA compliant	X series powered by Wisenet 5 network box camera, SMP @30fps, simple focus, triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and dual microSD/SDHC/SDXC slot, USB port for easy installation, PoE/12VDC/24VAC. ⚠️ The lens is not included	info	€ 778,00
Camera - Network	QNB-8002	SMP Box	Q Series	SMP	Box	NDA compliant	Q series network box camera, SMP @30fps, triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Tampering, Defocus detection, Bi-directional audio and dual SD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), PoE/12VDC. ⚠️ The lens is not included	info	€ 365,00
Camera - Network	TNV-8011C	SMP Corner Mount	T Series	SMP	Corner Camera	NDA compliant	T series network outdoor anti-ligature corner mount camera, SMP @30fps, 2.3mm fixed lens, triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, Auto Day & Night (ICR), Advanced Video Analytics, Hallway View, Motion detection, Lens Distortion Correction, Digital Image Stabilization, Audio In/Out, 1 Input/1 Output, SD Card slot, PoE, IP66, IK10, IP69K	info	€ 1 000,00
Camera - Network	TNV-C8011RW	SMP AI Panoramic IR	T Series	SMP	Wall Camera	NDA compliant	T Series, wall mount AI panoramic camera, SMP @ 30 FPS, 1.6mm fixed focal lens (Fov: 175°, Fov: 125°), Triple CODEC (H.265H.264/MJPEG/WiseStream II (based on AI engine) support, 120dB WDR, IR viewable length 15m (49ft), WideMO based on AI engine, Classified object type: Person/Vehicle (vehicle type: car/bus/truck/motorcycle/bicycle), IVA events based on AI engine, Virtual line (Crossing/Direction), Virtual area (Loitering/Intrusion/Enter/Exit/Dis/Appear), virtual area (intrusion/enter/exit), virtual line (crossing/direction), Business analytics: People Counting, Queue Management, Heatmap, Occupancy, Tamper detection, built-in mic, SD card, IP66, PoE, white.	info	€ 860,00
Camera - Network	QNO-8080R	SMP IR Bullet	Q Series	SMP	Bullet	NDA compliant	Q series network IR outdoor vandal bullet camera, SMP @30fps, 3.2 - 10.0mm motorized varifocal lens (3.14x) (100°-30.0°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, Auto Day & Night (ICR), IR viewable length 30m, Advanced Video Analytics, Hallway View, Motion detection, LDC (Lens Distortion Correction), SD/SDHC/SDXC slot, CVBS for easy installation, IP66, IK10, PoE	info	€ 646,00
Camera - Network	QNO-8010R	SMP IR Bullet	Q Series	SMP	Bullet	NDA compliant	Q series network IR outdoor vandal bullet camera, SMP @30fps, 2.8mm fixed lens (104.7°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, Auto Day & Night (ICR), IR viewable length 20m, Advanced Video Analytics, Hallway View, Motion detection, LDC (Lens Distortion Correction), SD/SDHC/SDXC slot, CVBS for easy installation, IP66, IK10, PoE	info	€ 412,00
Camera - Network	QNO-8020R	SMP IR Bullet	Q Series	SMP	Bullet	NDA compliant	Q series network IR outdoor vandal bullet camera, SMP @30fps, 4.0mm fixed lens (79.8°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, Auto Day & Night (ICR), IR viewable length 25m, Advanced Video Analytics, Hallway View, Motion detection, LDC (Lens Distortion Correction), SD/SDHC/SDXC slot, CVBS for easy installation, IP66, IK10, PoE	info	€ 412,00
Camera - Network	QNV-8080R	SMP IR Outdoor Vandal Dome	Q Series	SMP	Vandal Dome	NDA compliant	Q series network IR outdoor vandal dome camera, SMP @30fps, 3.2 - 10.0mm motorized varifocal lens (3.1x) (100.3°-31.2°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, Auto Day & Night (ICR), IR viewable length 30m, Advanced Video Analytics, Hallway View, Motion detection, LDC (Lens Distortion Correction), SD/SDHC/SDXC slot, CVBS for easy installation, IP66, IK10, PoE	info	€ 646,00
Camera - Network	QNV-8010R	SMP IR Outdoor Vandal Dome	Q Series	SMP	Vandal Dome	NDA compliant	Q series network IR outdoor vandal dome camera, SMP @30fps, 2.8mm fixed lens (104.7°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, Auto Day & Night (ICR), IR viewable length 20m, Advanced Video Analytics, Hallway View, Motion detection, LDC (Lens Distortion Correction), SD/SDHC/SDXC slot, CVBS for easy installation, IP66, IK10, PoE	info	€ 412,00
Camera - Network	QNV-8020R	SMP IR Outdoor Vandal Dome	Q Series	SMP	Vandal Dome	NDA compliant	Q series network IR outdoor vandal dome camera, SMP @30fps, 4.0mm fixed lens (79.8°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, Auto Day & Night (ICR), IR viewable length 25m, Advanced Video Analytics, Hallway View, Motion detection, LDC (Lens Distortion Correction), SD/SDHC/SDXC slot, CVBS for easy installation, IP66, IK10, PoE	info	€ 412,00
Camera - Network	QND-8080R	SMP IR Indoor Dome	Q Series	SMP	Dome	NDA compliant	Q series network IR indoor dome camera, SMP @30fps, 3.2 - 10.0mm motorized varifocal lens (3.1x) (100.3°-31.2°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, Auto Day & Night (ICR), IR viewable length 20m, Advanced Video Analytics, Hallway View, Motion detection, LDC (Lens Distortion Correction), SD/SDHC/SDXC slot, CVBS for easy installation, PoE	info	€ 615,00
Camera - Network	QND-8010R	SMP IR Indoor Dome	Q Series	SMP	Dome	NDA compliant	Q series network IR indoor dome camera, SMP @30fps, 2.8mm fixed lens (104.7°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, Auto Day & Night (ICR), IR viewable length 20m, Advanced Video Analytics, Hallway View, Motion detection, LDC (Lens Distortion Correction), SD/SDHC/SDXC slot, CVBS for easy installation, PoE	info	€ 341,00
Camera - Network	QND-8020R	SMP IR Indoor Dome	Q Series	SMP	Dome	NDA compliant	Q series network IR indoor dome camera, SMP @30fps, 4.0mm fixed lens (79.8°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, Auto Day & Night (ICR), IR viewable length 20m, Advanced Video Analytics, Hallway View, Motion detection, LDC (Lens Distortion Correction), SD/SDHC/SDXC slot, CVBS for easy installation, PoE	info	€ 341,00
Camera - Network	QNE-8011R	SMP IR FlatEye	Q Series	SMP	FlatEye	NDA compliant	Q series network IR outdoor vandal flateye camera, SMP @30fps, 2.8mm fixed lens (104.4°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, Auto Day & Night (ICR), IR viewable length 20m, Advanced Video Analytics, Motion detection, Tampering, Defocus detection, Hallway View, microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), IP67, IK10, PoE	info	€ 433,00
Camera - Network	QNE-C8013RL	SMP Dual Light AI Outdoor FlatEye	Q Series	SMP	FlatEye	NDA compliant	Q series network outdoor flateye camera, SMP @ 30fps, 3mm fixed focal lens (H: 97° / V: 57°), triple codec H.265H.264/MJPEG with WiseStream II, 120dB WDR, Dual Light - White LED (range 30m (98ft)), IR viewable length 30m (98ft), Motion detection based on AI engine, Classified object type: Person/Vehicle (vehicle type: car/bus/truck/motorcycle/bicycle), IVA events based on AI engine, Virtual line (Crossing/Direction), Virtual area (Loitering/Intrusion/Enter/Exit/Dis/Appear), defocus detection, hallway View, SD card, video analytics, IP66/IP67, IK10, PoE, Operating temperature -40°~+60°C / 40°~+140°F, white color.	info	€ 660,00
Camera - Network	QND-8011	SMP Mini Dome	Q Series	SMP	Dome	NDA compliant	Q series network indoor mini dome camera, SMP @30fps, 2.8mm fixed lens (104.4°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, Auto Day & Night (ICR), Business Analytics (People counting), Motion detection, Tampering, Defocus detection, Hallway View, microSD/SDHC/SDXC slot, HDMI output for public view monitor, LDC support (Lens Distortion Correction), IP42, IK08, PoE, Compact size 99 x 56mm/165gr	info	€ 341,00
Camera - Network	QND-8021	SMP Mini Dome	Q Series	SMP	Dome	NDA compliant	Q series network indoor mini dome camera, SMP @30fps, 4.0mm fixed lens (80.14°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, Auto Day & Night (ICR), Business Analytics (People counting), Motion detection, Tampering, Defocus detection, Hallway View, microSD/SDHC/SDXC slot, HDMI output for public view monitor, LDC support (Lens Distortion Correction), IP42, IK08, PoE, Compact size 99 x 56mm/165gr	info	€ 341,00
Camera - Network	QNV-C8083R	SMP IR AI Vandal Dome	Q Series	SMP	Vandal Dome	NDA compliant	Q series AI network IR outdoor vandal dome camera, SMP @30fps, 3.2 - 10.2mm motorized varifocal lens (3.2x), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, Auto Day & Night (ICR), IR viewable length 30m, Object detection (Person/Vehicle), Vehicle Type AI attributes, Analytics events based on AI engine (motion detection, object detection), virtual line (virtual area), WideMO (AI Motion detection), LDC (Lens Distortion Correction), Hard coated dome bubble, Govee, SD/SDHC/SDXC slot, IP66, IK10, PoE	info	€ 790,00

- New Product / Replacement
- End of Sales
- Price update

	Model code	Short description	Series	Resolution/Channels	Type	Notes	Full Description	Prod. page	MSRP, €
Hanwha Product									
Camera - Network	QNO-C7083R	5MP AI Bullet	Q Series	5MP	Bullet	NDA compliant	Q series AI network IR outdoor bullet camera, 5MP @30fps, 3.2 ~ 10.2mm motorized varifocal lens (3.2x), triple code H.265/H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, Auto Day & Night (ICR), IR viewable length 30m, Object detection, Motion detection, Tampering, Virtual Line (Crossing/Direction), Virtual Area (Intrusion/Enter/Exit), SD Card slot 512GB max, PoE+, Secure by Default, TPM 2.0 (FIPS 140-2), IP66, NEMA4X, IK10. Compatible with SPM-4210 I/O IP box to connect alarms/audio devices and support camera's audio detection and sound classification analytics	Link	€ 790,00
4MP Cameras									
Camera - Network	PNM-7082RVD	2x 2MP Multi-directional	P Series	4MP	Multi-Sensor	NDA compliant	P series network multi-directional dual sensor outdoor vandal dome camera, 2 x 2MP@25/30fps, 360 degree 25m IR, 3-6mm motorized varifocal lenses, WiseNR II, Auto preler shutter control, WiseStream III, ExtremeWDR (120dB), Hallway View, Analytics AI Object detection with classification: Person, Face, Vehicle, License plate and vehicle attributes Car, Bus, Truck, Motorcycle, Bicycle, Virtual Line (Crossing/Direction), Virtual Area (Loitering/Intrusion/Enter/Exit), BestShot, Motion detection, Defocus detection, Tampering, SD Card slot 512GB max, PoE+, Secure by Default, TPM 2.0 (FIPS 140-2), IP66, NEMA4X, IK10. Compatible with SPM-4210 I/O IP box to connect alarms/audio devices and support camera's audio detection and sound classification analytics	Link	€ 1 290,00
Camera - Network	PNM-C7083RVD	2x 2MP AI Multi-directional	P Series	4MP	Multi-Sensor	NDA compliant	P series network AI based multi-directional dual sensor outdoor vandal dome camera, 2 x 2MP@25/30fps, 360 degree 25m IR, 3-6mm motorized varifocal lenses, WiseNR II, Auto preler shutter control, WiseStream III, ExtremeWDR (120dB), Hallway View, Analytics AI Object detection with classification: Person, Face, Vehicle, License plate and vehicle attributes Car, Bus, Truck, Motorcycle, Bicycle, Virtual Line (Crossing/Direction), Virtual Area (Loitering/Intrusion/Enter/Exit), BestShot, Motion detection, Defocus detection, Tampering, SD Card slot 512GB max, PoE+, Secure by Default, TPM 2.0 (FIPS 140-2), IP66, NEMA4X, IK10. Compatible with SPM-4210 I/O IP box to connect alarms/audio devices and support camera's audio detection and sound classification analytics	Link	€ 1 500,00
Camera - Network	XNP-C7310R	4MP AI Focus IR PTZ	X Series	4MP	PTZ	NDA compliant	X series Powered by HW and AI 4MP @ 30FPS resolution, 6.91mm~21.45mm (3.1x) lens with Wise AF Intelligent autofocus, adaptive Wide IR (300m), extreme WDR 120dB, Day & Night ICR, H.265, H.264, MJPEG triple code with WiseStream III (based on AI engine) support, Analytics events based on AI engine: Object detection (Person/Face/Vehicle/License plate), Virtual Line (Crossing/Direction), Virtual Area (Loitering/Intrusion/Enter/Exit), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification (with NW I/O box), AI object auto-tracking (Person/Vehicle) with target lock tracking, BLC, HLC, SDR, lens heater for water/snow removal, IP66, IP67, IK10, NEMA4X, NEMA-TS 2/2.2.8, 2.2.9), FIPS 140-2, IP65, Infrared included, Operating Temperature: -50°C~+55°C (58°F ~ +131°F), (Compatible with I/O Box SPM-4210)	Link	€ 4 250,00
Camera - Network	XNO-C7083R	4MP AI IR Bullet	X Series	4MP	Bullet	NDA compliant	X series AI powered by Wisenet 7 network outdoor vandal camera, 4MP @60fps, 2.8~10mm motorized varifocal lens (3.6x), triple code H.265/H.264/MJPEG with WiseStream III, Multiple streaming, extreme WDR (120dB), Auto Day & Night (ICR), IR viewable length 40m, Next level CyberSec, Analytics events based on AI engine (NPU), Object detection (Person/Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate)/VA (Virtual Line/Area, Enter/Exit, Loitering, Direction, Intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, HLC, Digital Image Stabilization with Gyro sensor, Bi-directional audio and single microSD/SDHC/SDXC slot, ONVIF S/G/I, USB port for easy installation, IP67/IP66, IK10, NEMA4X, PoE+/12VDC	Link	€ 1 350,00
Camera - Network	XNV-C7083R	4MP AI IR Vandal Dome	X Series	4MP	Vandal Dome	NDA compliant	X series powered by Wisenet 7 AI network IR outdoor vandal dome camera, 4MP @60fps, 2.8 ~ 10.0mm motorized varifocal lens (3.6x) (109.7~30.4"), triple code H.265/H.264/MJPEG with WiseStream III, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 40m, Analytics events based on AI engine (NPU), Object detection (Person /Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate)/VA (Virtual Line/Area, Enter/Exit, Loitering, Direction, Intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, HLC, Digital Image Stabilization with Gyro sensor, Bi-directional audio and single microSD/SDHC/SDXC slot, ONVIF S/G/I, USB port for easy installation, IP67/IP66, IK10, Nema 4X, PoE/12VDC, white colour skins included	Link	€ 1 350,00
Camera - Network	XND-C7083RV	4MP AI IR Dome	X Series	4MP	Dome	NDA compliant	X series powered by Wisenet 7 AI network IR indoor vandal dome camera, 4MP @60fps, 2.8 ~ 10.0mm motorized varifocal lens (3.6 x) (109.7~30.4"), triple code H.265/H.264/MJPEG with WiseStream III, Multiple streaming, 120dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 40m, Analytics events based on AI engine (NPU), Object detection (Person /Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate)/VA (Virtual Line/Area, Enter/Exit, Loitering, Direction, Intrusion), Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, HLC, Digital Image Stabilization with Gyro sensor, Bi-directional audio and single microSD/SDHC/SDXC slot, ONVIF S/G/I, USB port for easy installation, IP52, IK10, PoE/12VDC, white skins included	Link	€ 1 150,00
Camera - Network	QNO-7082R	4MP IR Bullet	Q Series	4MP	Bullet	NDA compliant	Q series network IR outdoor vandal bullet camera, 4MP @30fps, 3.2 ~ 10.0mm motorized varifocal lens (4.3x) (109.7~25"), triple code H.265/H.264/MJPEG with WiseStream, Multiple streaming, 120dB WDR, True Day & Night (ICR), IR viewable length 30m, Motion detection, Tampering, Defocus detection, Hallway View, 1-way audio and microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), IP66, IK10, PoE/12VDC	Link	€ 570,00
Camera - Network	QNO-7012R	4MP IR Bullet	Q Series	4MP	Bullet	NDA compliant	Q series network IR outdoor vandal bullet camera, 4MP @30fps, 2.8mm fixed lens, H.265/H.264/MJPEG with WiseStream, Multiple streaming, 120dB WDR, True Day & Night (ICR), IR viewable length 20m, Motion detection, Enter/Exit, Tampering, Virtual Line, Hallway View, 1-way audio and microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), IP66, IK10, PoE/12VDC	Link	€ 360,00
Camera - Network	QNO-7022R	4MP IR Bullet	Q Series	4MP	Bullet	NDA compliant	Q series network IR outdoor vandal bullet camera, 4MP @30fps, 4.0mm fixed lens (81"), triple code H.265/H.264/MJPEG with WiseStream, Multiple streaming, 120dB WDR, True Day & Night (ICR), IR viewable length 25m, Motion detection, Tampering, Defocus detection, Hallway View, 1-way audio and microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), IP66, IK10, PoE/12VDC	Link	€ 360,00
Camera - Network	QNO-7032R	4MP IR Bullet	Q Series	4MP	Bullet	NDA compliant	Q series network IR outdoor vandal bullet camera, 4MP @30fps, 6mm fixed lens, H.265/H.264/MJPEG with WiseStream, Multiple streaming, 120dB WDR, Day & Night (Auto ICR), IR viewable length 30m, Motion detection, Tampering, Defocus detection, Hallway View, 1-way audio and microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), IP66, IK10, PoE/12VDC	Link	€ 360,00
Camera - Network	QNV-7082R	4MP IR Vandal Dome	Q Series	4MP	Vandal Dome	NDA compliant	Q series network IR outdoor vandal dome camera, 4MP @30fps, 3.2 ~ 10.0mm motorized varifocal lens (4.3x) (109.7~25"), triple code H.265/H.264/MJPEG with WiseStream, Multiple streaming, 120dB WDR, True Day & Night (ICR), IR viewable length 30m, Motion detection, Tampering, Defocus detection, Hallway View, 1-way audio and microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), IP66, IK10, PoE/12VDC	Link	€ 570,00
Camera - Network	QNV-7012R	4MP IR Vandal Dome	Q Series	4MP	Vandal Dome	NDA compliant	Q series network IR outdoor vandal dome camera, 4MP @30fps, 2.8mm fixed lens (110"), triple code H.265/H.264/MJPEG with WiseStream, Multiple streaming, 120dB WDR, True Day & Night (ICR), IR viewable length 20m, Motion detection, Tampering, Defocus detection, Hallway View, 1-way audio and microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), IP66, IK10, PoE/12VDC	Link	€ 360,00
Camera - Network	QNV-7022R	4MP IR Vandal Dome	Q Series	4MP	Vandal Dome	NDA compliant	Q series network IR outdoor vandal dome camera, 4MP @30fps, 4.0mm fixed lens (81"), triple code H.265/H.264/MJPEG with WiseStream, Multiple streaming, 120dB WDR, True Day & Night (ICR), IR viewable length 25m, Motion detection, Tampering, Defocus detection, Hallway View, 1-way audio and microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), IP66, IK10, PoE/12VDC	Link	€ 360,00
Camera - Network	QNV-7032R	4MP IR Vandal Dome	Q Series	4MP	Vandal Dome	NDA compliant	Q series network IR outdoor vandal dome camera, 4MP @30fps, 6mm fixed lens, triple code H.265/H.264/MJPEG with WiseStream, Multiple streaming, 120dB WDR, True Day & Night (ICR), IR viewable length 30m, Motion detection, Tampering, Defocus detection, Hallway View, 1-way audio, Analytics, Network disconnect, Alarm input and microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), IP66, IK10, PoE/12VDC	Link	€ 360,00
Camera - Network	QND-7082R	4MP IR Dome	Q Series	4MP	Dome	NDA compliant	Q series network IR indoor dome camera, 4MP @30fps, 3.2 ~ 10.0mm motorized varifocal lens, 1/3" CMOS, triple code H.265/H.264/MJPEG with WiseStream, Multiple streaming, 120dB WDR, True Day & Night (Auto ICR), IR viewable length 20m, Motion detection, Tampering, Defocus detection, Hallway View, 1-way audio and microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), PoE/12VDC	Link	€ 515,00
Camera - Network	QND-7012R	4MP IR Dome	Q Series	4MP	Dome	NDA compliant	Q series network IR indoor dome camera, 4MP @30fps, 2.8mm fixed lens (110"), triple code H.265/H.264/MJPEG with WiseStream, Multiple streaming, 120dB WDR, True Day & Night (ICR), IR viewable length 20m, Motion detection, Tampering, Defocus detection, Hallway View, 1-way audio and microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), PoE/12VDC	Link	€ 312,00
Camera - Network	QND-7022R	4MP IR Dome	Q Series	4MP	Dome	NDA compliant	Q series network IR indoor dome camera, 4MP @30fps, 4.0mm fixed lens, H.265/H.264/MJPEG with WiseStream, Multiple streaming, 120dB WDR, True Day & Night (ICR), IR viewable length 20m, Motion detection, Tampering, Defocus detection, Hallway View, 1-way audio and microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), PoE/12VDC, RAL9003	Link	€ 312,00
Camera - Network	QND-7032R	4MP IR Dome	Q Series	4MP	Dome	NDA compliant	Q series network IR indoor dome camera, 4MP @30fps, 6mm fixed lens, H.265/H.264/MJPEG with WiseStream, Multiple streaming, 120dB WDR, Day & Night (Auto ICR), IR viewable length 20m, Motion detection, Tampering, Defocus detection, Hallway View, 1-way audio and microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), PoE/12VDC	Link	€ 312,00
Camera - Network	ANE-L7012L	4MP White Light Flateye	A Series	4MP	Flateye	NDA compliant	A Series White Light turret camera, 4MP @ 30 FPS, 3mm fixed focal lens, FoV H: 107.7° / V: 59.0°, WiseStream II, triple code (H.265/H.264/MJPEG), 120dB WDR, White Light LED 20m(65.62m), Flashing and Constant warning, virtual area (intrusion/enter/exit), virtual Line (crossing/ direction), motion detection, tampering, hallway view, SD card, IP66, PoE, white.	Link	€ 270,00
Camera - Network	ANE-L7012R	4MP Turret	A Series	4MP	Flateye	NDA compliant	A Series turret camera, 4MP @ 30 FPS, 3mm fixed focal lens, WiseStream II, triple code (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 20m(65.62m), day & night (ICR), FoV H: 98.3° / V: 54.2°, virtual area (intrusion/enter/exit), virtual Line (crossing/ direction), motion detection, tampering, hallway view, SD card, IP66, PoE, white.	Link	€ 270,00
Camera - Network	ANO-L7012R	4MP IR Bullet	A Series	4MP	Bullet	NDA compliant	A Series bullet camera, 4MP @ 30 FPS, 3mm fixed focal lens, WiseStream II, triple code (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 20m(65.62m), day & night (ICR), FoV H: 98.3° / V: 54.2°, virtual area (intrusion/enter/exit), virtual Line (crossing/ direction), motion detection, tampering, hallway view, SD card, IP66, PoE, white.	Link	€ 220,00
Camera - Network	ANO-L7022R	4MP IR Bullet	A Series	4MP	Bullet	NDA compliant	A Series bullet camera, 4MP @ 30 FPS, 4mm fixed focal lens, WiseStream II, triple code (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 20m(65.62m), day & night (ICR), FoV H: 78.3° / V: 42.9°, virtual area (intrusion/enter/exit), virtual Line (crossing/ direction), motion detection, tampering, hallway view, SD card, IP66, PoE, white.	Link	€ 220,00
Camera - Network	ANO-L7082R	4MP IR Bullet	A Series	4MP	Bullet	NDA compliant	A Series bullet camera, 4MP @ 30 FPS, motorized varifocal lens 3.1x (3.3~10.3mm) (94.8° ~ 28.1°), WiseStream II, triple code (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 30m (98.43m), day & night (ICR), virtual area (intrusion/enter/exit), virtual Line (crossing/ direction), motion detection, tampering, hallway view, SD card, IP66, PoE, white.	Link	€ 300,00
Camera - Network	ANVL7012R	4MP IR Vandal Dome	A Series	4MP	Vandal Dome	NDA compliant	A Series outdoor vandal dome camera, 4MP @ 30 FPS, 3mm fixed focal lens, WiseStream II, triple code (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 20m(65.62m), day & night (ICR), FoV H: 98.3° / V: 54.2°, virtual area (intrusion/enter/exit), virtual Line (crossing/ direction), motion detection, tampering, hallway view, SD card, IP66, IK10, PoE, white.	Link	€ 220,00
Camera - Network	ANVL7082R	4MP IR Vandal Dome	A Series	4MP	Vandal Dome	NDA compliant	A Series outdoor vandal dome camera, 4MP @ 30 FPS, motorized varifocal lens 3.1x (3.3~10.3mm) (94.8° ~ 28.1°), WiseStream II, triple code (H.265/H.264/MJPEG), 120dB WDR, IR LEDs 30m (98.43m), day & night (ICR), virtual area (intrusion/enter/exit), virtual Line (crossing/ direction), motion detection, tampering, hallway view, SD card, IP66, IK10, PoE, white.	Link	€ 300,00
3MP Cameras									
Camera - Network	TNV-7011RC	3MP IR Anti-ligature Corner Mount	T Series	3MP	Corner Camera	NDA compliant EOS Limited stock available	T series network outdoor anti-ligature corner mount camera, 3MP @30fps, 2.8mm fixed lens, 90mm IR 10m, triple code H.265/H.264/MJPEG with WiseStream II, 120dB WDR, Hallway View, Lens Distortion Correction, Digital Image Stabilization, License-Free onboard Advanced Video Analytics, Tampering, Loitering, Directional detection, Defocus detection, Fog detection, Virtual Line, Enter/Exit, Appear/Disappear, Audio detection, Face detection, Motion detection, Digital auto tracking, Sound classification, Shock detection, Audio I/O/Build-in-mic, 1 Input/1 Output, SD Card slot, PoE/12VDC, IP66, IK10, IP6K3K	Link	€ 1 455,00

- New Product / Replacement
- End of Sales
- Price update

Model code	Short description	Series	Resolution/Channels	Type	Notes	Full Description	Prod. page	MSRP, €
Hanwha Product								
Camera - Network	TNW-CV7013RC	3MP AI IR Anti-Igature Corner Mount	T Series	3MP	Corner Camera	NDAAA compliant		€ 1 500,00
2MP Cameras								
Camera - Network	PNO-A6081R	2MP AI IR Bullet	P Series	2MP	Bullet	NDAAA compliant		€ 1 570,00
Camera - Network	PNV-A6081R	2MP AI IR Outdoor Vandal Dome	P Series	2MP	Vandal Dome	NDAAA compliant		€ 1 670,00
Camera - Network	PNV-A6081R-E1T	2MP AI IR Outdoor Vandal Dome with 1TB SolidEDGE WAVE Recording Solution	P Series	2MP	Vandal Dome	NDAAA compliant		€ 2 750,00
Camera - Network	PNV-A6081R-E2T	2MP AI IR Outdoor Vandal Dome with 2TB SolidEDGE WAVE Recording Solution	P Series	2MP	Vandal Dome	NDAAA compliant		€ 3 100,00
Camera - Network	PND-A6081RF	2MP AI IR Flush Mount Indoor Dome	P Series	2MP	Dome	NDAAA compliant		€ 1 470,00
Camera - Network	PND-A6081RV	2MP AI IR Indoor Dome	P Series	2MP	Dome	NDAAA compliant		€ 1 470,00
Camera - Network	PNB-A6001	2MP AI Box	P Series	2MP	Box	NDAAA compliant		€ 1 120,00
Camera - Network	XNV-6081Z	2MP Outdoor PTRZ Dome	X Series	2MP	Vandal Dome	NDAAA compliant		€ 1 283,00
Camera - Network	XNV-6081RE	2MP IR Indoor Dome	X Series	2MP	Vandal Dome	NDAAA compliant		€ 1 225,00
Camera - Network	XNV-6081R	2MP IR Outdoor Dome	X Series	2MP	Vandal Dome	NDAAA compliant		€ 1 168,00
Camera - Network	XNV-6083R	2MP AI IR Vandal Dome	X Series	2MP	Vandal Dome	NDAAA compliant		€ 1 400,00
Camera - Network	XNV-6083RZ	2MP AI IR Vandal Dome	X Series	2MP	Vandal Dome	NDAAA compliant		€ 1 450,00
Camera - Network	XNV-6083Z	2MP AI Vandal Dome	X Series	2MP	Vandal Dome	NDAAA compliant		€ 1 400,00
Camera - Network	XNV-C6083R	2MP AI IR Vandal Dome	X Series	2MP	Vandal Dome	NDAAA compliant		€ 1 200,00
Camera - Network	XNV-C6083	2MP AI Vandal Dome	X Series	2MP	Vandal Dome	NDAAA compliant		€ 1 200,00
Camera - Network	XNV-6081	2MP Outdoor Dome	X Series	2MP	Vandal Dome	NDAAA compliant		€ 1 060,00
Camera - Network	XND-6081VZ	2MP Indoor PTRZ Dome	X Series	2MP	Dome	NDAAA compliant		€ 1 044,00
Camera - Network	XND-6081REV	2MP IR Indoor Dome	X Series	2MP	Dome	NDAAA compliant		€ 997,00
Camera - Network	XND-6083RV	2MP AI IR Dome	X Series	2MP	Dome	NDAAA compliant		€ 1 200,00
Camera - Network	XND-C6083RV	2MP AI IR Dome	X Series	2MP	Dome	NDAAA compliant		€ 1 050,00

- New Product / Replacement
- End of Sales
- Price update

Model code	Short description	Series	Resolution/Channels	Type	Notes	Full Description	Prod. page	MSRP, €	
Hanwha Product									
Camera - Network	XND-6081RV	2MP IR Indoor Dome	X Series	2MP	Dome	NDAA compliant	X series powered by Wisenet 5 network IR indoor vandal dome camera, Modular structure X PLUS, 2MP @60fps, 2.8 - 12.0mm motorized varifocal lens (4.3x) (119.5°-27.9°), triple code H.265H.264MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 50m, Advanced Video Analytics and Sound Classification and Business Analytics, Shock Detection, Audio Playback, Hallway View, Motion detection, Fog detection, HLC, Digital Image Stabilization with Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, ONVIF S/G/T, USB port for easy installation, IP52, IK10, PoE/12VDC, white & ivory colour skins included, optional black skin cover	info	€ 949.00
Camera - Network	XND-6081RF	2MP IR Flush Mount Dome	X Series	2MP	Dome	NDAA compliant	X series powered by Wisenet 5 network IR flush mount dome camera, Modular structure X PLUS, 2MP @60fps, 2.8 - 12.0mm motorized varifocal lens (4.3x) (119.5°-27.9°), triple code: H.265H.264MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 50m, Advanced Video Analytics and Sound Classification and Business Analytics, Shock Detection, Audio Playback, Hallway View, Motion detection, Fog detection, HLC, Digital Image Stabilization with Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, ONVIF S/G/T, USB port for easy installation, IP52, Plenum rate (UL2820), PoE/12VDC	info	€ 949.00
Camera - Network	XND-6081V	2MP Indoor Vandal Dome	X Series	2MP	Dome	NDAA compliant	X series powered by Wisenet 5 network indoor vandal dome camera, Modular structure X PLUS, 2MP @60fps, 2.8 - 12.0mm motorized varifocal lens (4.3x) (119.5°-27.9°), triple code: H.265H.264MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), Advanced Video Analytics and Sound Classification and Business Analytics, Shock Detection, Audio Playback, Hallway View, Motion detection, Fog detection, HLC, Digital Image Stabilization with Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, ONVIF S/G/T, USB port for easy installation, IP52, IK10, PoE/12VDC, white & ivory colour skins included, optional black skin cover	info	€ 862.00
Camera - Network	XNP-6550RH	2MP 55x IR PTZ	X Series	2MP	PTZ	NDAA compliant	X series powered by Wisenet 5 network outdoor PTZ camera, 2MP Full HD(1080p) @ 60fps, 55X optical zoom lens (4.75mm - 261.4mm) (58.6° - 1.23°), Pan: 360° endless, Tilt: -5° - 185°, triple code H.265H.264MJPEG with WiseStream II technology, 120dB WDR, built-in IR 1640W (500m), USB port for easy installation, advanced video analytics and sound classification, Day & Night (ICR), dual SD card, HLC, cat5e (optional) DSX(Gyro),AVAC,HPoE, IP66/IK10, -55° ~ +55° 1W AVAC power supply	info	€ 5 570.00
Camera - Network	XNP-6400RW	2MP 40x IR Outdoor PTZ	X Series	2MP	PTZ	NDAA compliant	X series powered by Wisenet 7 network IR outdoor PTZ camera with built-in wiper, 2MP @60fps, 40X Optical Zoom Lens (4.25 - 170mm) (65.66° - 1.88°), 360° Endless Pan range, 500°/sec Pan speed, Tilt: -20° - 90°, triple code H.265H.264MJPEG with WiseStream II, Multiple streaming, extreme WDR (150dB), True Day & Night (ICR), IR viewable length 200m, Intelligent Video Analytics, Motion detection, Fog detection, Tampering, Object auto tracking(Person/Vehicle), Target lock tracking, Digital Image Stabilization with Built-in Gyro sensor, 2x Micro SD/SDHC/SDXC slots up to 1TB, IP66, IK10, NEMA4X, HPoE * Alarm outputs, Audio detection, Sound classification(with NW IO Box which can be purchased separately)	info	€ 4 010.00
Camera - Network	XNP-6400R	2MP 40x IR Outdoor PTZ	X Series	2MP	PTZ	NDAA compliant	X series powered by Wisenet 7 network IR outdoor PTZ camera, 2MP @60fps, 40X Optical Zoom Lens (4.25 - 170mm) (65.66° - 1.88°), 360° Endless Pan range, 700°/sec Pan speed, Tilt: -20° - 90°, triple code H.265H.264MJPEG with WiseStream II, Multiple streaming, extreme WDR (150dB), True Day & Night (ICR), IR viewable length 200m, Intelligent Video Analytics, Motion detection, Fog detection, Tampering, Object auto tracking(Person/Vehicle), Target lock tracking, Digital Image Stabilization with Built-in Gyro sensor, 2x Micro SD/SDHC/SDXC slots up to 1TB, IP66, IK10, NEMA4X, NEMA-TS2, HPoE * Alarm outputs, Audio detection, Sound classification(with NW IO Box which can be purchased separately)	info	€ 3 560.00
Camera - Network	XNP-6400	2MP 40x Outdoor PTZ	X Series	2MP	PTZ	NDAA compliant	X series powered by Wisenet 7 network outdoor PTZ camera, 2MP @60fps, 40X Optical Zoom Lens (4.25 - 170mm) (65.66° - 1.88°), 360° Endless Pan range, 700°/sec Pan speed, Tilt: -20° - 90°, triple code H.265H.264MJPEG with WiseStream II, Multiple streaming, extreme WDR (150dB), True Day & Night (ICR), Intelligent Video Analytics, Motion detection, Fog detection, Tampering, Object auto tracking(Person/Vehicle), Target lock tracking, Digital Image Stabilization with Built-in Gyro sensor, 2x Micro SD/SDHC/SDXC slots up to 1TB, IP66, IK10, NEMA4X, NEMA-TS2, HPoE * Alarm outputs, Audio detection, Sound classification(with NW IO Box which can be purchased separately)	info	€ 3 330.00
Camera - Network	XNP-6371RH	2MP 37x IR PTZ	X Series	2MP	PTZ	NDAA compliant	X series powered by Wisenet 5 network IR outdoor PTZ camera, 2MP @60fps, 37X Optical Zoom Lens (6 - 222mm) (59.3° - 1.9°), 360° Endless Pan range, 400°/sec Pan speed, Tilt: -5° - 185°, triple code H.265H.264MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), IR viewable length 300m, Intelligent Video Analytics, Motion detection, Fog detection, Tampering, Auto-tracking, Digital Image Stabilization with Built-in Gyro sensor, Bi-directional audio and SD/SDHC/SDXC slot, IP66, IK10, 24VAC	info	€ 4 336.00
Camera - Network	QNP-6320HS	2MP 32x Stainless steel PTZ	Q Series	2MP	PTZ	NDAA compliant	Q series network stainless steel PTZ camera, 2MP @ 30fps, Full HD (1080p), 32X optical zoom lens (4.44mm - 142.6mm), 360° Endless Pan range, 700°/sec Pan speed, Tilt: -20° - 90°, triple code H.265H.264MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), Directional detection, Motion detection, Enter/Exit, Tampering, Virtual line, Audio detection (with NW IO Box), HLC, Digital Image Stabilization with Built-in Gyro sensor, Micro SD/SDHC/SDXC slot, IP67, IP66, NEMA4X, IK10, PoE+, Max. 23W, Typ. 14W	info	€ 4 169.00
Camera - Network	XNP-6120H	2MP 12X PTZ	X Series	2MP	PTZ	NDAA compliant	X series powered by Wisenet 5 network outdoor PTZ camera, 2MP @ 60fps, Full HD(1080p), 12X optical zoom lens (5.2mm - 62.4mm) (54.58° - 5.3°), 360° Endless Pan range, Tilt: -5° - 185°, triple code H.265H.264MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), Advanced Video Analytics and Sound Classification, Motion detection, Fog detection, Defocus detection, Auto Tracking, HLC, Digital Image Stabilization with Built-in Gyro sensor, Bi-directional audio and dual SD/SDHC/SDXC slot, USB port for easy installation, IP66, IK10, PoE/12VDC	info	€ 1 664.00
Camera - Network	XNP-6040H	2MP 4.3X PTZ	X Series	2MP	PTZ	NDAA compliant	X series powered by Wisenet 5 network outdoor PTZ camera, 2MP @ 60fps, Full HD(1080p), 4.3X optical zoom lens (2.8mm - 12mm) (119.5° - 27.9°), Pan: 0°-350°, Tilt: 0° - 90°, triple code H.265H.264MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), Advanced Video Analytics and Sound Classification, Motion detection, Fog detection, Defocus detection, Auto Tracking, HLC, Digital Image Stabilization with Built-in Gyro sensor, Bi-directional audio and SD/SDHC/SDXC slot, USB port for easy installation, IP66, IK10, PoE/12VDC	info	€ 1 100.00
Camera - Network	XNP-C6403	2MP 40x AI PTZ	X Series	2MP	PTZ	NDAA compliant	X series powered by Wisenet 7 network outdoor AI PTZ camera, 2MP @ 60fps, 40x Optical Zoom lens (4.25 - 170mm) (65.66° - 1.88°), 360° Endless Pan range, 700°/sec Pan speed, Tilt: -20° - 90°, triple code H.265H.264MJPEG with WiseStream II, Multiple streaming, extreme WDR (150dB), True Day & Night (ICR), Analytics events based on AI engine, Defocus / Motion / Fog / Shock detection, Tampering, Virtual area, Classified object (Person/Face/Vehicle/License plate), Attributes (Vehicle type), Object auto tracking(Person/Vehicle), Target lock tracking, Digital Image Stabilization with Built-in Gyro sensor, 2x Micro SD/SDHC/SDXC slots up to 1TB, IP66, IK10, NEMA4X, NEMA-TS2, PoE+ * Alarm outputs, Audio detection, Sound classification(with NW IO Box which can be purchased separately)	info	€ 3 550.00
Camera - Network	XNP-C6403R	2MP 40x IR AI PTZ	X Series	2MP	PTZ	NDAA compliant	X series powered by Wisenet 7 network outdoor AI PTZ camera, 2MP @ 60fps, 40x Optical Zoom lens (4.25 - 170mm) (65.66° - 1.88°), 360° Endless Pan range, 700°/sec Pan speed, Tilt: -20° - 90°, triple code H.265H.264MJPEG with WiseStream II, Multiple streaming, extreme WDR (150dB), True Day & Night (ICR), Viewable IR length 200m, Analytics events based on AI engine, Defocus / Motion / Fog / Shock detection, Tampering, Virtual area, Classified object (Person/Face/Vehicle/License plate), Attributes (Vehicle type), Object auto tracking(Person/Vehicle), Target lock tracking, Digital Image Stabilization with Built-in Gyro sensor, 2x Micro SD/SDHC/SDXC slots up to 1TB, IP66, IK10, NEMA4X, NEMA-TS2, HPoE * Alarm outputs, Audio detection, Sound classification(with NW IO Box which can be purchased separately)	info	€ 3 800.00
Camera - Network	XNP-C6403RW	2MP 40x IR AI PTZ with built-in wiper	X Series	2MP	PTZ	NDAA compliant	X series powered by Wisenet 7 network outdoor AI PTZ camera, 2MP @ 60fps, 40x Optical Zoom lens (4.25 - 170mm) (65.66° - 1.88°), 360° Endless Pan range, 500°/sec Pan speed, Tilt: -20° - 90°, triple code H.265H.264MJPEG with WiseStream II, Multiple streaming, extreme WDR (150dB), True Day & Night (ICR), Viewable IR length 200m, Analytics events based on AI engine, Defocus / Motion / Fog / Shock detection, Tampering, Virtual area, Classified object (Person/Face/Vehicle/License plate), Attributes (Vehicle type), Object auto tracking(Person/Vehicle), Target lock tracking, Digital Image Stabilization with Built-in Gyro sensor, 2x Micro SD/SDHC/SDXC slots up to 1TB, IP66, IK10, NEMA4X, NEMA-TS2, HPoE, Built-in wiper * Alarm outputs, Audio detection, Sound classification(with NW IO Box which can be purchased separately)	info	€ 4 100.00
Camera - Network	XNO-6085R	extraLUX IR Bullet	X Series	2MP	Bullet	NDAA compliant	X series powered by Wisenet 5 network IR outdoor vandal bullet camera, extraLUX features 1/2" sensor with F0.94 Lens, 2MP @80fps, 4.1 - 16.4mm motorized varifocal lens (optical 4x) (100°-28.2°), triple code H.265H.264MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 70m, Advanced Video Analytics and Sound Classification and Business Analytics, Hallway View, Motion detection, Fog detection, HLC, Handover, Digital Image Stabilization with built-in Gyro Sensor, Bi-directional audio and dual SD/SDHC/SDXC slot, USB port for easy installation, IP67, IK10, Nema 4X, PoE/12VDC/24VAC	info	€ 1 606.00
Camera - Network	XNO-6085	extraLUX Bullet	X Series	2MP	Bullet	NDAA compliant	X series powered by Wisenet 5 network outdoor vandal bullet camera, extraLUX features 1/2" sensor with F0.94 Lens, 2MP @80fps, 4.1 - 16.4mm motorized varifocal lens (optical 4x) (100°-28.2°), triple code H.265H.264MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), Advanced Video Analytics and Sound Classification and Business Analytics, Hallway View, Motion detection, Fog detection, HLC, Handover, Digital Image Stabilization with built-in Gyro Sensor, Bi-directional audio and dual SD/SDHC/SDXC slot, USB port for easy installation, IP67, IK10, Nema 4X, PoE/12VDC/24VAC	info	€ 1 526.00
Camera - Network	XNO-6083R	2MP AI IR Bullet	X Series	2MP	Bullet	NDAA compliant	X series AI powered by Wisenet 7 network outdoor vandal bullet camera, 2MP @120fps, 2.8-12mm motorized varifocal lens (4.3x), triple code H.265H.264MJPEG with WiseStream III, Multiple streaming, extreme WDR (150dB), Auto Day & Night (ICR), IR viewable length 50m, Next level Cybersecurity, Analytics events based on AI engine (NFU), Object detection (Person/Face/Vehicle - car, truck, bus, bicycle, motorcycle/bicycle), Classified object types: Person/Face/Vehicle/License plate, Attributes: Vehicle Type, car/bus/truck (motorcycle/bicycle), Analytics events based on AI engine - Object detection, Virtual line (Crossing Direction), Virtual area (Loitering/Intrusion/Enter/Exit), Analytics events - Defocus detection, Motion detection, Tampering, Fog detection, Shock detection, Appear/Disappear, Digital Image Stabilization with Built-in Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, IP66/IP67, IK10, NEMA4X, PoE/12VDC	info	€ 1 400.00
Camera - Network	XNO-C6083R	2MP AI IR Bullet	X Series	2MP	Bullet	NDAA compliant	X series AI powered by Wisenet 7 network outdoor vandal bullet camera, 2MP @60fps, 2.8-12mm motorized varifocal lens (4.3x), triple code H.265H.264MJPEG with WiseStream III, Multiple streaming, extreme WDR (150dB), Auto Day & Night (ICR), IR viewable length 40m, Next level Cybersecurity, Analytics events based on AI engine (NFU), Object detection (Person/Face/Vehicle - car, truck, bus, bicycle, motorcycle/License plate), IVA (Virtual line/Area, Enter/Exit, Loitering, Direction, Intrusion), Analytics events - Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Appear/Disappear, Digital Image Stabilization with Built-in Gyro sensor, Bi-directional audio and dual SD/SDHC/SDXC slot, IP66/IP67, IK10, NEMA4X, PoE/12VDC	info	€ 1 200.00
Camera - Network	XNO-6122R	2M 12X IR Bullet	X Series	2MP	Bullet	NDAA compliant	X series powered by Wisenet 7 SoC network IR outdoor vandal bullet camera, 2MP @60fps, Full HD (1080p), 5.2 - 62.4mm optical zoom lens (12x), H.265H.264MJPEG with WiseStream III, Multiple streaming, 1500B WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 50m, Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, HLC, Handover, Digital Image Stabilization with built-in Gyro sensor, Bi-directional audio and dual SD/SDHC/SDXC slot, Max. 11W (510CB * 2), IP66/IP67, IK10, Nema 4X, PoE/12VDC	info	€ 1 600.00
Camera - Network	XNO-6120R	2M 12X IR Bullet	X Series	2MP	Bullet	NDAA compliant	X series powered by Wisenet 5 network IR outdoor vandal bullet camera, 2MP @60fps, Full HD (1080p), 5.2 - 62.4mm optical zoom lens (12x) (54.58° - 5.3°), triple code H.265H.264MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 70m, Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, HLC, Handover, Digital Image Stabilization with built-in Gyro sensor, Bi-directional audio and dual SD/SDHC/SDXC slot, USB port for easy installation, IP67, IK10, Nema 4X, PoE/12VDC/24VAC	info	€ 1 330.00
Camera - Network	XNO-6120	2M 12X Bullet	X Series	2MP	Bullet	NDAA compliant	X series powered by Wisenet 5 network outdoor vandal bullet camera, 2MP @60fps, Full HD(1080p), 5.2 - 62.4mm optical zoom lens (12x) (54.58° - 5.3°), triple code H.265H.264MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, HLC, Handover, Digital Image Stabilization with built-in Gyro sensor, Bi-directional audio and dual SD/SDHC/SDXC slot, USB port for easy installation, IP67, IK10, Nema 4X, PoE/12VDC/24VAC	info	€ 1 264.00
Camera - Network	XNO-6080R	2MP IR Bullet	X Series	2MP	Bullet	NDAA compliant	X series powered by Wisenet 5 network IR outdoor vandal bullet camera, 2MP @60fps, 2.8 - 12.0mm motorized varifocal lens (4.3 x) (119.5°-27.9°), triple code H.265H.264MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 50m, Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, HLC, Handover, Digital Image Stabilization, Bi-directional audio and dual SD/SDHC/SDXC slot, USB port for easy installation, IP67, IK10, Nema 4X, PoE/12VDC/24VAC	info	€ 940.00
Camera - Network	XNO-6020R	2MP IR Bullet	X Series	2MP	Bullet	NDAA compliant	X series powered by Wisenet 5 network IR outdoor vandal bullet camera, 2MP @60fps, 4mm fixed lens (88.6°), triple code H.265H.264MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 30m, Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, HLC, Handover, Digital Image Stabilization, Bi-directional audio and dual SD/SDHC/SDXC slot, USB port for easy installation, IP67, IK10, Nema 4X, PoE/12VDC	info	€ 506.00

- New Product / Replacement
- End of Sales
- Price update

	Model code	Short description	Series	Resolution/Channels	Type	Notes	Full Description	Prod. page	MSRP, €
Hanwha Product									
Camera - Network	XNO-6010R	2MP IR Bullet	X Series	2MP	Bullet	NDAA compliant	X series powered by Wisenet 5 network IR outdoor vandal bullet camera, 2MP @60fps, 2.4mm fixed lens (139°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 20m, Advanced Video Analytics and Sound Classification and Business Analytics, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and dual SD/SDHC/SDXC slot, USB port for easy installation, IP67, IK10, Nema 4X, PoE/12VDC	Link	€ 506,00
Camera - Network	XNO-L6080R	2MP IR Bullet	X Series	2MP	Bullet	NDAA compliant	X series powered by Wisenet 5 network IR outdoor vandal bullet camera, 2MP @60fps, Full HD (1080p), 3.2 - 10mm motorized varifocal lens (3.1x) (109.0°-33.2°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 1200B WDR, True Day & Night (ICR), IR viewable length 30m, Tampering, Defocus detection, Motion Detection, Fog detection, Hallway View, H.LC, Digital Image Stabilization, single SD/SDHC/SDXC slot, USB port for easy installation, IP66, IK10, PoE	Link	€ 753,00
Camera - Network	XNV-6085	eXtraLUX Outdoor PTRZ Dome	X Series	2MP	Vandal Dome	NDAA compliant	X series powered by Wisenet 5 network outdoor vandal dome camera, eXtraLUX features 1/2" sensor, 2MP @60fps, 0.004 Lux@F0.94 (Color), 0.004 Lux@F0.94 (B/W), 4.1 - 16.4mm motorized varifocal lens (optical 4x) (100.0°-26.2°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization with built-in Gyro sensor, Bi-directional audio and dual SD/SDHC/SDXC slot, USB port for easy installation, IP67, IK10, Nema 4X, PoE/12VDC/24VAC	Link	€ 1 764,00
Camera - Network	XNV-6120R	2M 12X IR outdoor Dome	X Series	2MP	Vandal Dome	NDAA compliant	X series powered by Wisenet 5 network IR outdoor vandal dome camera, 2MP @60fps, Full HD (1080p), 5.2 - 62.4mm optical zoom lens (12x) (54.58°-5.30°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 70m, Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization with built-in Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, USB port for easy installation, IP67, IK10, Nema 4X, PoE/12VDC/24VAC	Link	€ 1 360,00
Camera - Network	XNV-6123R	2M 12X IR outdoor Dome	X Series	2MP	Vandal Dome	NDAA compliant	X series powered by Wisenet 7 SOC network IR outdoor vandal dome camera, 2MP @60fps, Full HD (1080p), 5.2 - 62.4mm optical zoom lens (12x) H.265H.264/MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 90m, Classified object types: Person/Face/Vehicle/License plate, Attributes: Vehicle (Type: car/bus/truck (motorcycle/bicycle)), Analytics events based on AI engine - Object detection, Virtual line (Crossing Direction), Virtual Area (Loitering/Intrusion/Enter/Exit), Analytics events - Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection.	Link	€ 1 600,00
Camera - Network	XNV-6120	2M 12X Outdoor Dome	X Series	2MP	Vandal Dome	NDAA compliant	X series powered by Wisenet 5 network outdoor vandal dome camera, 2MP @60fps, Full HD (1080p), 5.2 - 62.4mm optical zoom lens (12x) (54.58°-5.30°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization with built-in Gyro sensor, Bi-directional audio and dual microSD/SDHC/SDXC slot, USB port for easy installation, IP67, IK10, Nema 4X, PoE/12VDC/24VAC	Link	€ 1 238,00
Camera - Network	XNV-6080RSA	2MP Stainless Steel IR Dome	X Series	2MP	Vandal Dome	NDAA compliant	X series powered by Wisenet 5 network IR outdoor stainless steel vandal dome camera, 2MP @60fps, 2.8 - 12.0mm motorized varifocal lens (4.3x) (119.5°-27.9°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 50m, Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and dual microSD/SDHC/SDXC slot, USB port for easy installation, IP66, IP69K, IK10+, Nema 4X, PoE/12VDC/24VAC	Link	€ 1 970,00
Camera - Network	XNV-6080R	2MP IR Outdoor Dome	X Series	2MP	Vandal Dome	NDAA compliant	X series powered by Wisenet 5 network IR outdoor vandal dome camera, 2MP @60fps, 2.8 - 12.0mm motorized varifocal lens (4.3x) (119.5°-27.9°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 50m, Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and dual microSD/SDHC/SDXC slot, USB port for easy installation, IP67/IP66, IK10, Nema 4X, PoE/12VDC/24VAC	Link	€ 1 048,00
Camera - Network	XNV-6080	2MP Outdoor Dome	X Series	2MP	Vandal Dome	NDAA compliant	X series powered by Wisenet 5 network outdoor vandal dome camera, 2MP @60fps, 2.8 - 12.0mm motorized varifocal lens (4.3x) (119.5°-27.9°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and dual microSD/SDHC/SDXC slot, USB port for easy installation, IP67/IP66, IK10, Nema 4X, PoE/12VDC/24VAC	Link	€ 964,00
Camera - Network	XNV-L6080R	2MP IR Outdoor Dome	X Series	2MP	Vandal Dome	NDAA compliant	X series powered by Wisenet 5 network IR outdoor vandal dome camera, 2MP @60fps, 3.2 - 10.0mm motorized varifocal lens (3.1x) (109.0°-33.2°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 1200B WDR, True Day & Night (ICR), IR viewable length 30m, Tampering, Defocus detection, Motion Detection, Fog detection, Hallway View, H.LC, Digital Image Stabilization, single SD/SDHC/SDXC slot, USB port for easy installation, IP66, IK10, PoE	Link	€ 838,00
Camera - Network	XNV-L6080	2MP Outdoor Dome	X Series	2MP	Vandal Dome	NDAA compliant	X series powered by Wisenet 5 network outdoor vandal dome camera, 2MP @60fps, 3.2 - 10.0mm motorized varifocal lens (3.1x) (109.0°-33.2°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 1200B WDR, True Day & Night (ICR), Tampering, Defocus detection, Motion Detection, Fog detection, Hallway View, H.LC, Digital Image Stabilization, single SD/SDHC/SDXC slot, USB port for easy installation, IP66, IK10, PoE	Link	€ 773,00
Camera - Network	XNV-6010	2MP Outdoor Dome	X Series	2MP	Vandal Dome	NDAA compliant	X series powered by Wisenet 5 network outdoor vandal dome camera, 2MP @60fps, 2.4mm fixed lens (139°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), Advanced Video Analytics and Sound Classification and Business Analytics, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and dual microSD/SDHC/SDXC slot, IP67/IP66, IK10, Nema 4X, PoE/12VDC	Link	€ 536,00
Camera - Network	XNV-6020R	2MP IR Outdoor Dome	X Series	2MP	Vandal Dome	NDAA compliant	X series powered by Wisenet 5 network IR outdoor vandal dome camera, 2MP @60fps, 4mm fixed lens (88.6°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 30m, Advanced Video Analytics and Sound Classification and Business Analytics, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and dual microSD/SDHC/SDXC slot, USB port for easy installation, IP67/IP66, IK10, PoE/12VDC	Link	€ 536,00
Camera - Network	XNV-6022R	2MP Mobile Vandal Dome	X Series	2MP	Vandal Dome	NDAA compliant	X series powered by Wisenet 5 network IR outdoor vandal dome camera, 2MP @60fps, 3.6mm fixed lens (94.8°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), IR viewable length 15m, Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and dual microSD/SDHC/SDXC slot, USB port for easy installation, IP66, IK10, NEMA 4X, PoE	Link	€ 707,00
Camera - Network	XNV-6022RM	2MP Mobile Vandal Dome	X Series	2MP	Vandal Dome	NDAA compliant	X series powered by Wisenet 5 network IR outdoor vandal dome camera, 2MP @60fps, 3.6mm fixed lens (94.8°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), IR viewable length 15m, Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and dual microSD/SDHC/SDXC slot, USB port for easy installation, IP66, IK10, NEMA 4X, PoE, M12 connector (M12 to RJ45 is not included)	Link	€ 707,00
Camera - Network	XNV-6012	2MP Mobile Vandal Dome	X Series	2MP	Vandal Dome	NDAA compliant	X series powered by Wisenet 5 network outdoor vandal dome camera, 2MP @60fps, 2.4mm fixed lens (135.4°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 1500B WDR, Electrical Day & Night, Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and SD/SDHC/SDXC slot, IP66, IK10, Nema 4X, PoE	Link	€ 648,00
Camera - Network	XNV-6012M	2MP Mobile Vandal Dome	X Series	2MP	Vandal Dome	NDAA compliant	X series powered by Wisenet 5 network outdoor vandal dome camera, 2MP @60fps, 2.4mm fixed lens (135.4°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 1500B WDR, Electrical Day & Night, Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and SD/SDHC/SDXC slot, IP66, IK10, NEMA 4X, PoE, M12 connector (M12 to RJ45 is not included)	Link	€ 648,00
Camera - Network	XNV-6013M	2MP Mobile Vandal Dome	X Series	2MP	Vandal Dome	NDAA compliant	X series powered by Wisenet 5 network outdoor vandal dome camera, 2MP @60fps, 2.8mm fixed lens (107.4°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 1500B WDR, Electrical Day & Night, Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and SD/SDHC/SDXC slot, IP67, IP69K, IK10, NEMA 4X, PoE. This camera was designed to be mounted outside of the vehicle, M12 connector (M12 to RJ45 is not included)	Link	€ 648,00
Camera - Network	XNV-6011	2MP Compact Vandal Dome	X Series	2MP	Vandal Dome	NDAA compliant	X series powered by Wisenet 5 network outdoor compact vandal dome camera, 2MP @60fps, 2.8mm fixed lens (112°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 1500B WDR, Electronic Day & Night, Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, SD/SDHC/SDXC slot, USB port for easy installation, IP66, IK10, Nema 4X, PoE	Link	€ 398,00
Camera - Network	XND-6085	eXtraLUX Indoor Dome	X Series	2MP	Dome	NDAA compliant	X series powered by Wisenet 5 network indoor dome camera, eXtraLUX features 1/2" sensor, 2MP @60fps, 0.004 Lux@F0.94 (Color), 0.004 Lux@F0.94 (B/W), 4.1 - 16.4mm motorized varifocal lens (optical 4x) (100.0°-26.2°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization with built-in Gyro sensor, Bi-directional audio and dual SD/SDHC/SDXC slot, USB port for easy installation, PoE/12VDC	Link	€ 1 476,00
Camera - Network	XND-6080RV	2MP IR Indoor Vandal Dome	X Series	2MP	Dome	NDAA compliant	X series powered by Wisenet 5 network IR indoor vandal dome camera, 2MP @60fps, 2.8 - 12.0mm motorized varifocal lens (4.3x) (119.5°-27.9°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 30m, Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and dual microSD/SDHC/SDXC slot, USB port for easy installation, IK08, PoE/12VDC	Link	€ 894,00
Camera - Network	XND-6080R	2MP IR Indoor Dome	X Series	2MP	Dome	NDAA compliant	X series powered by Wisenet 5 network IR indoor dome camera, 2MP @60fps, 2.8 - 12.0mm motorized varifocal lens (4.3x) (119.5°-27.9°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 30m, Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and dual microSD/SDHC/SDXC slot, USB port for easy installation, IK08, PoE/12VDC	Link	€ 838,00
Camera - Network	XND-6080V	2MP Indoor Vandal Dome	X Series	2MP	Dome	NDAA compliant	X series powered by Wisenet 5 network indoor vandal dome camera, 2MP @60fps, 2.8 - 12.0mm motorized varifocal lens (4.3x) (119.5°-27.9°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 30m, Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and dual microSD/SDHC/SDXC slot, USB port for easy installation, IK08, PoE/12VDC	Link	€ 784,00
Camera - Network	XND-6080	2MP Indoor Dome	X Series	2MP	Dome	NDAA compliant	X series powered by Wisenet 5 network indoor dome camera, 2MP @60fps, 2.8 - 12.0mm motorized varifocal lens (4.3x) (119.5°-27.9°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 1500B WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 30m, Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, H.LC, Handover, Digital Image Stabilization, Bi-directional audio and dual microSD/SDHC/SDXC slot, USB port for easy installation, IK08, PoE/12VDC	Link	€ 740,00
Camera - Network	XND-L6080R	2MP IR Indoor Dome	X Series	2MP	Dome	NDAA compliant	X series powered by Wisenet 5 network IR indoor dome camera, 2MP @60fps, 3.2 - 10.0mm motorized varifocal lens (3.1x) (109.0°-33.2°), triple codec H.265H.264/MJPEG with WiseStream II, Multiple streaming, 1200B WDR, True Day & Night (ICR), IR viewable length 30m, Tampering, Defocus detection, Motion Detection, Fog detection, Hallway View, H.LC, Digital Image Stabilization, single SD/SDHC/SDXC slot, USB port for easy installation, IK08, PoE	Link	€ 671,00

- New Product / Replacement
- End of Sales
- Price update

	Model code	Short description	Series	Resolution/Channels	Type	Notes	Full Description	Prod. page	MSRP, €
Hanwha Product									
Camera - Network	XND-6010	2MP Indoor Dome	X Series	2MP	Dome	NDAА compliant	X series powered by Wisenet 5 network indoor dome camera, 2MP @60fps, 2.4mm fixed lens (139°), triple codec H.265H, 264MJPEG with WiseStream II, Multiple streaming, 150dB WDR, True Day & Night (ICR), Advanced Video Analytics and Sound Classification and Business Analytics, Hallway View, Motion detection, Fog detection, HLC, Handover, Digital Image Stabilization, Bi-directional audio and dual SD/SDHC/SDXC slot, IK08, PoE/12VDC	info	€ 470.00
Camera - Network	XND-6020R	2MP IR Indoor Dome	X Series	2MP	Dome	NDAА compliant	X series powered by Wisenet 5 network IR indoor dome camera, 2MP @60fps, 4mm fixed lens (88.6°), triple codec H.265H, 264MJPEG with WiseStream II, Multiple streaming, 150dB WDR, True Day & Night (ICR), High Powered IR LEDs with IR viewable length 30m, Advanced Video Analytics and Sound Classification and Business Analytics, Hallway View, Motion detection, Fog detection, HLC, Handover, Digital Image Stabilization, Bi-directional audio and dual microSD/SDHC/SDXC slot, USB port for easy installation, IK08, PoE/12VDC	info	€ 470.00
Camera - Network	XND-6011F	2MP Flush Mount	X Series	2MP	Dome	NDAА compliant	X series powered by Wisenet 5 network flush mount dome camera, 2MP @60fps, 2.8mm fixed lens (112°), triple codec H.265H, 264MJPEG with WiseStream II, Multiple streaming, 150dB WDR, True Day & Night (ICR), Advanced Video Analytics and Sound Classification and Business Analytics, Hallway View, Motion detection, Fog detection, HLC, Handover, Digital Image Stabilization, Built-in Mic, 1-directional audio and SD/SDHC/SDXC slot, USB port for easy installation, PoE	info	€ 492.00
Camera - Network	XNZ-6320A	2MP 32x Zoom Box	X Series	2MP	Zoom Box	NDAА compliant	X series powered by Wisenet 5 network zoom box camera, 2MP @60fps, 4.44 - 142.6mm optical zoom lens (32x), H.265H, 264MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), Defocus detection, Directional detection, Fog detection, Face detection, Motion detection, Appear/Disappear, Enter/Exit, Loitering, Tampering, Virtual line, Audio detection, Sound classification, Shock detection, HLC, Digital Image Stabilization with built-in Gyro sensor, Bi-directional audio and Micro SD/SDHC/SDXC 2 slot 512GB, USB port for easy installation, PoE/12VDC	info	€ 1 488.00
Camera - Network	XNZ-L6320A	2MP 32x Zoom Box	X Series	2MP	Zoom Box	NDAА compliant	X series powered by Wisenet 5 network zoom box camera, 2MP @60fps, 4.44 - 142.6mm optical zoom lens (32x), H.265H, 264MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), Defocus detection, Directional detection, Fog detection, Face detection, Motion detection, Appear/Disappear, Enter/Exit, Loitering, Tampering, Virtual line, Audio detection, Sound classification, HLC, Digital Image Stabilization, Bi-directional audio and Micro SD/SDHC/SDXC 1 slot 256GB, PoE/12VDC	info	€ 1 352.00
Camera - Network	XNB-6003	2MP AI Box	X Series	2MP	Box	NDAА compliant	X series AI powered by Wisenet 7 network box camera, 1/2.8" progressive CMOS, 2MP @120fps, 0.007 Lux@F1.2 (Color), 0.007 Lux@F1.2 (B/W), 30IRE simple focus, triple codec H.265H/264MJPEG with WiseStream II, Multiple streaming, 150dB WDR, True Day & Night (ICR), Analytics events based on AI engine - Object detection(Person/Face/Vehicle/car/bus/truck/motorcycle/bicycle), License plate, IVA (Virtual line/Area), Enter/Exit, Loitering, direction, Appear/Disappear, intrusion; Analytics events: Defocus detection, Motion detection, Tampering, Fog detection, Audio detection, Sound classification, Shock detection, Based on AI engine: People counting, Queue management, Heatmap, Handover, Digital Image Stabilization with built-in Gyro sensor, Bi-directional audio and dual SD/SDHC/SDXC slot, USB port for easy installation, PoE/12VDC ※ The lens is not included	info	€ 900.00
Camera - Network	XNB-6005	eXtraLUX Box	X Series	2MP	Box	NDAА compliant	X series powered by Wisenet 5 network box camera, eXtraLUX features 1/2" sensor, 2MP @60fps, 0.008 Lux@F1.2 (Color), 0.008 Lux@F1.2 (B/W), simple focus, triple codec H.265H/264MJPEG with WiseStream II, Multiple streaming, 150dB WDR, True Day & Night (ICR), Advanced Video Analytics and Sound Classification and Business Analytics, Hallway View, Motion detection, Fog detection, HLC, Handover, Digital Image Stabilization with built-in Gyro sensor, Bi-directional audio and dual SD/SDHC/SDXC slot, USB port for easy installation, PoE/12VDC/24VAC ※ The lens is not included	info	€ 978.00
Camera - Network	XNB-6000	2MP Box	X Series	2MP	Box	NDAА compliant	X series powered by Wisenet 5 network box camera, 2MP @60fps, simple focus, triple codec H.265H/264MJPEG with WiseStream II, Multiple streaming, 150dB WDR, True Day & Night (ICR), Advanced Video Analytics and Sound Classification, Hallway View, Motion detection, Fog detection, HLC, Handover, Digital Image Stabilization with built-in Gyro sensor, Bi-directional audio and dual SD/SDHC/SDXC slot, USB port for easy installation, PoE/12VDC/24VAC ※ The lens is not included	info	€ 660.00
Camera - Network	XNB-H6461H	2MP Pinhole Camera with 4.6mm lens in Height Strip enclosure	X Series	2MP	Box	NDAА compliant	X series powered by Wisenet 5 remote head cam, 2MP @60fps, 4.6mm fixed lens (73°), triple codec H.265H/264MJPEG with WiseStream II, Multiple streaming, 120dB WDR, Advanced Video Analytics and Sound Classification and Business Analytics, Motion detection, Handover/Fog detection, HLC, Handover, Digital Image Stabilization, Bi-directional audio and SD/SDHC/SDXC slot, USB port for easy installation, PoE/12VDC, height strip enclosure	info	€ 1 055.00
Camera - Network	XNB-6001	2MP Covert Main Module	X Series	2MP	Box	NDAА compliant	X series powered by Wisenet 5 remote head cam, 2MP @60fps, triple codec H.265H/264MJPEG with WiseStream II, Multiple streaming, 120dB WDR, Advanced Video Analytics and Sound Classification and Business Analytics, Motion detection, Fog detection, HLC, Handover, Digital Image Stabilization, Bi-directional audio and SD/SDHC/SDXC slot, USB port for easy installation, PoE/12VDC, Compatible with following lens modules SLA-T2480, SLA-T2480V, SLA-T4680, SLA-T4680V, SLA-T1080F, SLA-T4680D, SLA-T4680DS, SLA-T4680DW (not included) ※ The lens is not included	info	€ 462.00
Camera - Network	XNB-6002	2MP Covert Main Module	X Series	2MP	Box	NDAА compliant	X series powered by Wisenet 7 remote head cam, 2MP @60fps, triple codec H.265H/264MJPEG with WiseStream II, Multiple streaming, 120dB WDR, Advanced Video Analytics and Sound Classification and Business Analytics, Motion detection, Handover/Fog detection, HLC, Handover, Digital Image Stabilization, Bi-directional audio and SD/SDHC/SDXC slot, USB port for easy installation, PoE/12VDC, Compatible with following lens modules SLA-T2480FA, SLA-T2480VA, SLA-T2480VA, SLA-T4680A, SLA-T4680VA (not included) ※ The lens is not included	info	€ 510.00
Camera - Network	TID-600R	2MP Intercom	T Series	2MP	Intercom	NDAА compliant	T series network Intercom, 2MP@60fps, 1.6mm fixed lens, IR 5m, True Day & Night (ICR), backlit call button, option for touchless call, built-in mic and speaker, echo cancellation and noise reduction, corridor mode, camera handover, SIP 20 support for integration with VoIP systems, H.265H/264MJPEG with WiseStream II, Open Platform, Licence-free onboard Advanced Video Analytics, Directional detection, Defocus detection, Enter/Exit, Loitering, Tampering, Virtual line, Audio detection, Shock detection, Sound classification, 1 Micro SD card slot, 2 inputs/1 Output/1 Relay, IP65, IK08, NEMA4X, Safety(UL), EMC(FCC, CE)	info	€ 1 180.00
Camera - Network	TNU-6321	2MP 32x Positioning	T Series	2MP	Positioning	NDAА compliant	T series network Positioning camera, 2MP @60fps, 4.44 - 142.6mm 32x optical zoom lens (61.8° ~ 2.19°), triple codec H.265H, 264MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), Advanced Video Analytics, Face detection, Motion detection, Fog detection, Handover, HLC, Digital Image Stabilization, Bi-directional audio and dual microSD/SDHC/SDXC slot, IP66, Safety (UL, KC-SDOC), EMC (FCC, CE, VCCI, RCM, KC), 24VAC	info	€ 3 998.00
Camera - Network	TNB-6030	PVM Camera	T Series	2MP	Box	NDAА compliant	T series PVM camera powered by Wisenet 5, 1080p (1920x1080), micro HDMI output, 16.9 aspect ratio, face detection display for visual deterrent, customizable lens(7.8°), 150dB WDR, H.265H/264MJPEG, WiseStream II, compression technology, micro SD/SDHC/SDXC, bi-directional audio, hallway view mode	info	€ 648.00
Camera - Network	QNP-6250R	2MP 25x IR PTZ	Q Series	2MP	PTZ	NDAА compliant	Q series network IR outdoor PTZ camera, 2MP @30fps, 25X Optical Zoom Lens (4.44 - 142.6mm) (61.8° ~ 3.08°), 360° Endless Pan range, 400°/sec Pan speed, Tilt: 20° ~ 90°, triple codec H.265H/264MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), IR viewable length 100m (Wise IR) Motion detection, Tampering detection, Defocus detection, Digital Image Stabilization with Built-in Gyro sensor, Bi-directional audio and dual SD/SDHC/SDXC slot, IP66, IK10, PoE+, NEMA4X	info	€ 1 840.00
Camera - Network	QNP-6320R	2MP 32x IR PTZ	Q Series	2MP	PTZ	NDAА compliant	Q series network IR outdoor PTZ camera, 2MP @60fps, 32X Optical Zoom Lens (4.44 - 142.6mm) (64.66° ~ 2.29°), 360° Endless Pan range, 700°/sec Pan speed, Tilt: 20° ~ 90°, triple codec H.265H/264MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), IR viewable length 100m (Wise IR) Motion detection, Tampering detection, Defocus detection, Digital Image Stabilization with Built-in Gyro sensor, Bi-directional audio and dual SD/SDHC/SDXC slot, IP66, IK10, PoE+, NEMA4X	info	€ 2 667.00
Camera - Network	QNP-6250H	2MP 25x PTZ	Q Series	2MP	PTZ	NDAА compliant	Q series network outdoor PTZ camera, 2MP @30fps, Full HD(1080p), 25X Optical Zoom Lens (4.44 - 111mm), 360° Endless Pan range, 700°/sec Pan speed, triple codec H.265H/264MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), Directional detection, Motion detection, Enter/Exit, Tampering, Virtual line Audio detection (with NW I/O Box), Digital Image Stabilization with Built-in Gyro sensor and SD/SDHC/SDXC slot, IP66, IK10, PoE+	info	€ 1 700.00
Camera - Network	QNP-6250	2MP 25x PTZ	Q Series	2MP	PTZ	NDAА compliant	Q series network indoor PTZ camera, 2MP @30fps, Full HD(1080p), 25X Optical Zoom Lens (4.44-111mm) (64.66° ~ 2.99°), 360° Endless Pan range, 700°/sec Pan speed, triple codec H.265H/264MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), Directional detection, Motion detection, Enter/Exit, Tampering, Virtual line Audio detection (with NW I/O Box), Digital Image Stabilization with Built-in Gyro sensor, Bi-directional audio and SD/SDHC/SDXC slot, PoE+	info	€ 1 500.00
Camera - Network	QNP-6320H	2MP 32x PTZ	Q Series	2MP	PTZ	NDAА compliant	Q series network outdoor PTZ camera, 2MP @30fps, Full HD(1080p), 32X Optical Zoom Lens (4.44 - 142.6mm), 360° Endless Pan range, 700°/sec Pan speed, triple codec H.265H/264MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), Directional detection, Motion detection, Enter/Exit, Tampering, Virtual line Audio detection (with NW I/O Box), Digital Image Stabilization with Built-in Gyro sensor and SD/SDHC/SDXC slot, IP66, IK10, PoE+	info	€ 2 450.00
Camera - Network	QNP-6320	2MP 32x PTZ	Q Series	2MP	PTZ	NDAА compliant	Q series network indoor PTZ camera, 2MP @30fps, Full HD(1080p), 32X Optical Zoom Lens (4.44 - 142.6mm) (64.66° ~ 2.29°), 360° Endless Pan range, 700°/sec Pan speed, triple codec H.265H/264MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), Directional detection, Motion detection, Enter/Exit, Tampering, Virtual line Audio detection (with NW I/O Box), Digital Image Stabilization with Built-in Gyro sensor, Bi-directional audio and SD/SDHC/SDXC slot, PoE+	info	€ 2 270.00
Camera - Network	QNO-6012R	2MP IR Bullet	Q Series	2MP	Bullet	NDAА compliant	Q series network IR outdoor vandal bullet camera, 2MP @30fps, 2.8mm fixed lens (113.74°), triple codec H.265H/264MJPEG with WiseStream, Multiple streaming, 120dB WDR, True Day & Night (ICR), IR viewable length 30m, Motion detection, Tampering, Defocus detection, Hallway View, 1-way audio and microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), IP66, IK10, PoE/12VDC	info	€ 343.00
Camera - Network	QNO-6012R1	2MP IR Bullet	Q Series	2MP	Bullet	NDAА compliant	Q series network IR outdoor vandal bullet camera (No Audio), 2MP @30fps, 2.8mm fixed lens, triple codec H.265H/264MJPEG with WiseStream, Multiple streaming, 120dB WDR, True Day & Night (ICR), IR viewable length 30m, Motion detection, Tampering, Defocus detection, Hallway View (90°/270°), microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), IP66, IK10, PoE/12VDC	info	€ 312.00
Camera - Network	QNO-6022R	2MP IR Bullet	Q Series	2MP	Bullet	NDAА compliant	Q series network IR outdoor vandal bullet camera, 2MP @30fps, 4mm fixed lens (87.6°), triple codec H.265H/264MJPEG with WiseStream, Multiple streaming, 120dB WDR, True Day & Night (ICR), IR viewable length 25m, Motion detection, Tampering, Defocus detection, Hallway View, 1-way audio and microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), IP66, IK10, PoE/12VDC	info	€ 343.00
Camera - Network	QNO-6022R1	2MP IR Bullet	Q Series	2MP	Bullet	NDAА compliant	Q series network IR outdoor vandal bullet camera (No Audio), 2MP @30fps, 4mm fixed lens, triple codec H.265H/264MJPEG with WiseStream, Multiple streaming, 120dB WDR, True Day & Night (ICR), IR viewable length 25m, Motion detection, Tampering, Defocus detection, Hallway View (90°/270°), micro SD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), IP66, IK10, PoE/12VDC	info	€ 312.00
Camera - Network	QNO-6082R	2MP IR Bullet	Q Series	2MP	Bullet	NDAА compliant	Q series network IR outdoor vandal bullet camera, 2MP @30fps, 3.2 - 10.0mm motorized varifocal lens (3.1x) (109.0°~33.2°), triple codec H.265H/264MJPEG with WiseStream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), IR viewable length 30m, Motion detection, Tampering, Defocus detection, Hallway View, Bi-directional audio and microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), IP66, IK10, PoE/12VDC	info	€ 519.00
Camera - Network	QNO-6082R1	2MP IR Bullet	Q Series	2MP	Bullet	NDAА compliant	Q series network IR outdoor vandal bullet camera (No Audio), 2MP @30fps, 3.2 - 10.0mm motorized varifocal lens (3.1x), H.265H, 264MJPEG, Multiple streaming, 120dB WDR, True Day & Night (ICR), IR viewable length 30m, Motion detection, Tampering, Defocus detection, Hallway View (90°/270°), micro SD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), IP66, IK10, PoE/12VDC	info	€ 472.00

- New Product / Replacement
- End of Sales
- Price update



	Model code	Short description	Series	Resolution/Channels	Type	Notes	Full Description	Prod. page	MSRP, €
Hanwha Product									
Camera - Network	QNO-C6083R	2MP IR AI Bullet	Q Series	2MP	Bullet	NDA compliant	Q series network IR outdoor vandal bullet camera, 2MP @30fps, motorized varifocal lens 3.2-10.2mm (H: 102.0°-32.2° / V: 54.2°-18.3°), triple codec H.265H.264/MJPEG with Wisestream III (Based on AI engine), WiseNR II (Based on AI engine), WDR 120dB, IR viewable length 40m (131.23ft), Motion Detection based on AI engine, Classified object type: Person/Vehicle (vehicle type: Car/bus/truck/motorcycle/bicycle), IVA events based on AI engine, Virtual Line (Crossing/Direction), Virtual Area (Loitering/Intrusion/Enter/Exit/Dis/Appear), Audio: Selectable/mic inline in), defocus detection, hallway view, SD card, video analytics, USB for easy installation, open platform, IP66, IK10, PoE, Operating temperature -40°C~+55°C(-40°F~+131°F) white color. * Atom I/O card audio is supported through an optional cable (SMP-C7270).	info	€ 620,00
Camera - Network	QNV-6012R	2MP IR Vandal Dome	Q Series	2MP	Vandal Dome	NDA compliant	Q series network IR outdoor vandal dome camera, 2MP @30fps, 2.8mm fixed lens (113.74°), triple codec H.265H.264/MJPEG with Wisestream, Multiple streaming, 120dB WDR, True Day & Night (ICR), IR viewable length 20m, Motion detection, Tampering, Defocus detection, Hallway View, 1-way audio and microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), IP66, IK10, PoE/12VDC	info	€ 343,00
Camera - Network	QNV-6012R1	2MP IR Vandal Dome	Q Series	2MP	Vandal Dome	NDA compliant	Q series network IR outdoor vandal dome camera (No Audio), 2MP @30fps, 2.8mm fixed lens, H.265H.264/MJPEG, Multiple streaming, 120dB WDR, Day & Night (Auto ICR), IR viewable length 20m, Motion detection, Tampering, Defocus detection, Hallway View (90°/270°), micro SD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), IP66, IK10, PoE/12VDC	info	€ 312,00
Camera - Network	QNV-6022R	2MP IR Vandal Dome	Q Series	2MP	Vandal Dome	NDA compliant	Q series network outdoor vandal dome camera, 2MP @30fps, 4mm fixed lens (87.6°), triple codec H.265H.264/MJPEG with Wisestream, Multiple streaming, 120dB WDR, True Day & Night (ICR), IR viewable length 25m, Motion detection, Tampering, Defocus detection, Hallway View, 1-way audio and microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), IP66, IK10, PoE/12VDC	info	€ 343,00
Camera - Network	QNV-6022R1	2MP IR Vandal Dome	Q Series	2MP	Vandal Dome	NDA compliant	Q series network outdoor vandal dome camera (No Audio), 2MP @30fps, 4mm fixed lens, H.265H.264/MJPEG, Multiple streaming, 120dB WDR, Day & Night (Auto ICR), IR viewable length 25m, Motion detection, Tampering, Defocus detection, Hallway View (90°/270°), micro SD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), IP66, IK10, PoE/12VDC	info	€ 312,00
Camera - Network	QNV-6082R	2MP IR Vandal Dome	Q Series	2MP	Vandal Dome	NDA compliant	Q series network IR outdoor vandal dome camera, 2MP @30fps, 3.2 ~ 10.0mm motorized varifocal lens (3.1x) (109.0°-33.2°), triple codec H.265H.264/MJPEG with Wisestream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), IR viewable length 30m, Motion detection, Tampering, Defocus detection, Hallway View, Bi-directional audio and microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), IP66, IK10, PoE/12VDC	info	€ 519,00
Camera - Network	QNV-6082R1	2MP IR Vandal Dome	Q Series	2MP	Vandal Dome	NDA compliant	Q series network IR outdoor vandal dome camera (No Audio), 2MP @30fps, 3.2 ~ 10.0mm motorized varifocal lens (3.1x), H.265H.264/MJPEG, Multiple streaming, 120dB WDR, Day & Night (Auto ICR), IR viewable length 30m, Motion detection, Tampering, Defocus detection, Hallway View(90°/270°), micro SD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), IP66, IK10, PoE/12VDC	info	€ 472,00
Camera - Network	QNV-6023R	2MP Mobile IR Vandal Dome	Q Series	2MP	Vandal Dome	NDA compliant	Q series network IR outdoor vandal Dome camera, 2MP @60fps, 3.6mm fixed lens (94.8°), triple codec H.265H.264/MJPEG with Wisestream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), IR viewable length 15m, Motion detection, Tampering, Defocus detection, Hallway View, 1-way audio and microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), IP66, IK10, NEMA4X, PoE	info	€ 339,00
Camera - Network	QNV-6024RM	2MP Mobile IR Vandal Dome	Q Series	2MP	Vandal Dome	NDA compliant	Q series network IR outdoor vandal flatlaye camera, 2MP @60fps, 3.6mm fixed lens (94.8°), triple codec H.265H.264/MJPEG with Wisestream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), IR viewable length 15m, Motion detection, Tampering, Defocus detection, Hallway View, Bi-directional audio and microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), IP66, IK10, NEMA4X, PoE, M12 connector	info	€ 399,00
Camera - Network	QNV-C6083R	2MP IR AI Vandal Dome	Q Series	2MP	Vandal Dome	NDA compliant	Q series network IR outdoor vandal dome camera, 2MP @30fps, motorized varifocal lens 3.2-10.2mm (H: 102.0°-32.2° / V: 54.2°-18.3°), triple codec H.265H.264/MJPEG with Wisestream III (Based on AI engine), WiseNR II (Based on AI engine), WDR 120dB, IR viewable length 40m (131.23ft), Motion Detection based on AI engine, Classified object type: Person/Vehicle (vehicle type: Car/bus/truck/motorcycle/bicycle), IVA events based on AI engine, Virtual Line (Crossing/Direction), Virtual Area (Loitering/Intrusion/Enter/Exit/Dis/Appear), Audio: Selectable/mic inline in), defocus detection, hallway view, SD card, video analytics, USB for easy installation, open platform, IP66, IK10, PoE, Operating temperature -40°C~+55°C(-40°F~+131°F) white color. * Atom I/O card audio is supported through an optional cable (SMP-C7270).	info	€ 620,00
Camera - Network	QND-6012R	2MP IR Dome	Q Series	2MP	Dome	NDA compliant	Q series network IR indoor dome camera, 2MP @30fps, 2.8mm fixed lens (113.74°), triple codec H.265H.264/MJPEG with Wisestream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), IR viewable length 20m, Motion detection, Tampering, Defocus detection, Hallway View, 1-way audio and microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), PoE/12VDC	info	€ 289,00
Camera - Network	QND-6012R1	2MP IR Dome	Q Series	2MP	Dome	NDA compliant	Q series network IR indoor dome camera (No Audio), 2MP @30fps, 2.8mm fixed lens, H.265H.264/MJPEG with Wisestream, Multiple streaming, 120dB WDR, Day & Night (auto ICR), IR viewable length 20m, Motion detection, Tampering, Defocus detection, Hallway View(90°/270°), microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), PoE/12VDC	info	€ 263,00
Camera - Network	QND-6022R	2MP IR Dome	Q Series	2MP	Dome	NDA compliant	Q series network IR indoor dome camera, 2MP @30fps, 4mm fixed lens (87.6°), triple codec H.265H.264/MJPEG with Wisestream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), IR viewable length 25m, Motion detection, Tampering, Defocus detection, Hallway View, 1-way audio and microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), PoE/12VDC	info	€ 289,00
Camera - Network	QND-6022R1	2MP IR Dome	Q Series	2MP	Dome	NDA compliant	Q series network IR indoor dome camera(No Audio), 2MP @30fps, 4mm fixed lens, H.265H.264/MJPEG, Multiple streaming, 120dB WDR, Day & Night (auto ICR), IR viewable length 20m, Motion detection, Tampering, Defocus detection, Hallway View(90°/270°), microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), PoE/12VDC	info	€ 263,00
Camera - Network	QND-6082R	2MP IR Dome	Q Series	2MP	Dome	NDA compliant	Q series network IR indoor dome camera, 2MP @30fps, 3.2 ~ 10.0mm motorized varifocal lens (3.1x) (109.0°-33.2°), triple codec H.265H.264/MJPEG with Wisestream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), IR viewable length 20m, Motion detection, Tampering, Defocus detection, Hallway View, Bi-directional audio and microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), PoE/12VDC	info	€ 459,00
Camera - Network	QND-6082R1	2MP IR Dome	Q Series	2MP	Dome	NDA compliant	Q series network IR indoor dome camera (No Audio), 2MP @30fps, 3.2 ~ 10.0mm motorized varifocal lens (3.1x), H.265H.264/MJPEG, Multiple streaming, 120dB WDR, Day & Night (Auto ICR), IR viewable length 20m, Motion detection, Tampering, Defocus detection, Hallway View(90°/270°), microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), PoE/12VDC	info	€ 417,00
Camera - Network	QND-6011	2MP Mini Dome	Q Series	2MP	Dome	NDA compliant	Q series network indoor mini dome camera, 2MP @30fps, 2.8mm fixed lens (113.74°), triple codec H.265H.264/MJPEG with Wisestream II, Multiple streaming, 120dB WDR, Auto Day & Night (ICR), Business Analytics (People counting), Motion detection, Tampering, Defocus detection, Hallway View, microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), IP42, IK08, PoE, Compact size 99 x 56mm/145gr	info	€ 258,00
Camera - Network	QND-6021	2MP Mini Dome	Q Series	2MP	Dome	NDA compliant	Q series network indoor mini dome camera, 2MP @30fps, 4.0mm fixed lens (87.6°), triple codec H.265H.264/MJPEG with Wisestream II, Multiple streaming, 120dB WDR, Auto Day & Night (ICR), Business Analytics (People counting), Motion detection, Tampering, Defocus detection, Hallway View, microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), IP42, IK08, PoE, Compact size 99 x 56mm/145gr	info	€ 258,00
Camera - Network	QNB-6002	2MP Box	Q Series	2MP	Box	NDA compliant	Q series network box camera, 2MP @30fps, triple codec H.265H.264/MJPEG with Wisestream II, Multiple streaming, 120dB WDR, True Day & Night (ICR), Advanced Video Analytics, Hallway View, Motion detection, Tampering, Defocus detection, Bi-directional audio, microSD/SDHC/SDXC slot, LDC support (Lens Distortion Correction), PoE/12VDC, * The lens is not included	info	€ 264,00
Camera - Network	ANE-L6012R	2MP Turret Camera	A Series	2MP	Flatlaye	NDA compliant	Wisenet A Series turret camera, 2MP @ 30 FPS, 3mm fixed focal lens, FoV H: 107.7° / V: 59.0°, Wisestream II, triple codec (H.265H.264/MJPEG), 120dB WDR, IR LEDs 30m(98.43ft), day & night (ICR), virtual area (intrusion/enter/exit), virtual Line (crossing/direction), motion detection, tampering, hallway view, SD card, IP66, PoE, white.	info	€ 250,00
Camera - Network	ANO-L6012R	2MP IR Bullet	A Series	2MP	Bullet	NDA compliant	A Series bullet camera, 2MP @ 30 FPS, 2.8mm fixed focal lens, FoV H: 113.7° / V: 61.5°, Wisestream II, triple codec (H.265H.264/MJPEG), 120dB WDR, IR LEDs 30m(98.43ft), day & night (ICR), virtual area (intrusion/enter/exit), virtual Line (crossing/direction), motion detection, tampering, hallway view, SD card, IP66, PoE, white.	info	€ 190,00
Camera - Network	ANO-L6022R	2MP IR Bullet	A Series	2MP	Bullet	NDA compliant	A Series bullet camera, 2MP @ 30 FPS, 4mm fixed focal lens, FoV H: 84.3° / V: 45.6°, Wisestream II, triple codec (H.265H.264/MJPEG), 120dB WDR, IR LEDs 30m(98.43ft), day & night (ICR), virtual area (intrusion/enter/exit), virtual Line (crossing/direction), motion detection, tampering, hallway view, SD card, IP66, PoE, white.	info	€ 190,00
Camera - Network	ANO-L6082R	2MP IR Bullet	A Series	2MP	Bullet	NDA compliant	A Series bullet camera, 2MP @30FPS, motorized varifocal lens 3.1x (3.3-10.3mm) (105.2°-30.6°), Wisestream II, triple codec (H.265H.264/MJPEG), 120dB WDR, IR LEDs 30m(98.43ft), day & night (ICR), virtual area (intrusion/enter/exit), virtual Line (crossing/direction), motion detection, tampering, hallway view, SD card, IP66, PoE, white.	info	€ 280,00
Camera - Network	ANV-L6012R	2MP IR Vandal Dome	A Series	2MP	Vandal Dome	NDA compliant	A Series outdoor vandal dome camera, 2MP @ 30 FPS, 2.8mm fixed focal lens, FoV H: 113.7° / V: 61.5°, Wisestream II, triple codec (H.265H.264/MJPEG), 120dB WDR, IR LEDs 30m(98.43ft), day & night (ICR), virtual area (intrusion/enter/exit), virtual Line (crossing/direction), motion detection, tampering, hallway view, SD card, IP66, IK10, PoE, white.	info	€ 190,00
Camera - Network	ANV-L6023R	2MP IR Vandal Dome	A Series	2MP	Vandal Dome	NDA compliant	A Series outdoor vandal mini dome camera, 2MP @ 30 FPS, 3.6mm fixed focal lens, FoV H: 94.8° / V: 49.3°, Wisestream II, triple codec (H.265H.264/MJPEG), 120dB WDR, IR LEDs 15m(49.21ft), day & night (ICR), virtual area (intrusion/enter/exit), virtual Line (crossing/direction), motion detection, tampering, hallway view, SD card, IP66, PoE, white.	info	€ 260,00
Camera - Network	ANV-L6082R	2MP IR Vandal Dome	A Series	2MP	Vandal Dome	NDA compliant	A Series outdoor vandal dome camera, 2MP @ 30fps, motorized varifocal lens 3.1x (3.3-10.3mm) (105.2°-30.6°), Wisestream II, triple codec (H.265H.264/MJPEG), 120dB WDR, IR LEDs 30m(98.43ft), day & night (ICR), virtual area (intrusion/enter/exit), virtual Line (crossing/direction), motion detection, tampering, hallway view, SD card, IP66, IK10, PoE, white.	info	€ 280,00
Camera - Network	LNO-6072R	2MP IR Bullet	L Series	2MP	Bullet	NDA compliant EOS Limited stock available	L series network IR outdoor vandal bullet camera, 2MP @30fps, 3.2 ~ 10.0mm varifocal lens (3.1x) (101.6°-31.3°), H.264/MJPEG with Wisestream II, Multiple streaming, 120dB WDR, Auto Day & Night (ICR), IR viewable length 30m, Motion detection, Tampering, Hallway View, microSD/SDHC slot, LDC support (Lens Distortion Correction), IP66, PoE	info	€ 355,00
Explosion-proof Cameras									
Camera - Network	TNO-C0803E	SMP Compact Explosion-proof AI Camera	T Series	SMP	Bullet	NDA compliant	SMP Compact Explosion-proof AI Camera with SUS316L stainless steel construction up to 30fps@5MP resolution with 1/2.8" SMP CMOS sensor, 3.2x motorized varifocal lens, 1/2" cable gland, H.264/H.265 & MJPEG codecs, Digital Noise Reduction SSNR V, WDR 120dB, Electronic Shutter Min ~ Max / Anti flicker (1/5~1/12,000sec), Video Rotation Flip, Mirror, Hallway view(90°/270°), analytics Classified object type: Person/Vehicle, Advanced Video Analytics, Support Detection, Analytics events based on AI engine, Motion detection, Object detection, Virtual Line(Crossing/Direction), Virtual Area (Loitering/Intrusion/Enter/Exit) Analytics events - Defocus, Business Intelligence Based on AI engine, People/Vehicle counting, Queue management, Heatmap, Wisestream II (Based on AI engine), Unicast(20 users) / Multicast (Up to 30profiles), ONVIF Profile S/T/M, SUNAPI(HTTP API), Operating Temperature / Humidity -30°C~+55°C(-22°F~+131°F) / 0~95% RH(non-condensing), Certification CE, KC, IP66, IK10,ATEX II 2 G Ex db IIC T6 Gb II 2 D Ex tb IIIc T80°C Db, IECEx, Ex db IIC T6 Gb, Ex tb IIC T80°C Db	info	€ 4 698,00

■ New Product / Replacement
■ End of Sales
■ Price update

Model code	Short description	Series	Resolution/ Channels	Type	Notes	Full Description	Prod. page	MSRP, €	
Hanwha Product									
Camera - Network	TNU-6322E	Explosion Proof Stainless Steel Positioning Bullet Camera with Built-in Wiper	T Series	2MP	Bullet	NDA compliant	Explosion Proof Stainless Steel 316L Positioning Bullet Camera with Built-in Wiper, 360 Endless Pan, 2MP@60fps, 4.4 - 142.6mm (32X) zoom lens, 120dB WDR, Auto Day & Night (ICR), WiseStream II, Defocus detection, Directional detection, Fog detection, Face detection, Appearance, Enter/Exit, Looting, Tampering, Virtual Line, Audio detection, Digital Image Stabilization, ONVIF S/G/T, 1 Input/1 Output, 24VAC, IP67, IK10, IECEX, ATEX, KCA, KC, CE	Info	€ 25,702.00
Camera - Network	TNU-6322ER	Explosion Proof Stainless Steel Positioning Bullet Camera with Built-in Wiper and IR	T Series	2MP	Bullet	NDA compliant	Explosion Proof Stainless Steel 316L Positioning Bullet Camera with Built-in Wiper and IR 200m, 360 Endless Pan, 2MP@60fps, 4.4 - 142.6mm (32X) zoom lens, 120dB WDR, Auto Day & Night (ICR), WiseStream II, Defocus detection, Directional detection, Fog detection, Face detection, Appearance, Enter/Exit, Looting, Tampering, Virtual Line, Audio detection, Digital Image Stabilization, ONVIF S/G/T, 1 Input/1 Output, 24VAC, IP67, IK10, IECEX, ATEX, KCA, KC, CE	Info	€ 30,780.00
Camera - Network	TNU-6320E	2MP 32X Positioning Explosion-Proof	T Series	2MP	Bullet	ECS Limited stock available	Explosion Proof Zoom Camera, 2MP @60fps, 4.4 - 142.6mm 32x optical zoom lens (62.8° - 2.23°), H.264/MJPEG with WiseStream II, Multiple streaming, 120dB WDR, Auto Day & Night (ICR), Face detection, Tampering detection, Motion detection, Digital Image Stabilization, ONVIF S, 1 x Class 4/101 certification, CE2460 EX I, 2 x Class 4/101, 18 x 18 x 18 (IP67) Ex II, IC 130 x 130 x 130, IP67/IK10, 24VAC, Stainless 316L, Built-in Wiper	Info	€ 25,702.00
Camera - Network	TNO-6322ER	Explosion Proof Stainless Steel Bullet Camera with Built-in Wiper and IR 70m	T Series	2MP	Bullet	NDA compliant	Explosion Proof Stainless Steel 316L Bullet Camera with Built-in Wiper and IR 70m, 2MP@60fps, 4.4 - 142.6mm (32X) zoom lens, 120dB WDR, Auto Day & Night (ICR), WiseStream II, Defocus detection, Directional detection, Fog detection, Face detection, Appearance/Disappear, Enter/Exit, Looting, Tampering, Virtual Line, Audio detection, Digital Image Stabilization, ONVIF S/G/T, 1 Input/1 Output, 24VAC, IP67, IK10, IECEX, ATEX, KCA, KC, CE	Info	€ 10,910.00
Thermal Cameras									
Camera - Network	TNU-4051T	VGA Thermal Positioning	T Series	VGA	Positioning	NDA compliant	T series network outdoor thermal positioning camera, VGA @30fps, 35mm fixed lens (17.2°), triple code: H.265/H.264/MJPEG with WiseStream II, Multiple streaming, Tampering, Looting, Directional detection, Audio detection, Sound classification, Shock detection, Temperature change detection, Digital Image Stabilization with built-in Gyro Sensor, Bi-directional audio and microSD/SDHC/SDXC slot, IP66, IK10, Nema 4X, 24VAC	Info	€ 12,087.00
Camera - Network	TNU-4041T	VGA Thermal Positioning	T Series	VGA	Positioning	NDA compliant	T series network outdoor thermal positioning camera, VGA @30fps, 19mm fixed lens (32°), triple code: H.265/H.264/MJPEG with WiseStream II, Multiple streaming, Tampering, Looting, Directional detection, Audio detection, Sound classification, Shock detection, Temperature change detection, Digital Image Stabilization with built-in Gyro Sensor, Bi-directional audio and microSD/SDHC/SDXC slot, IP66, IK10, Nema 4X, 24VAC	Info	€ 10,197.00
Camera - Network	TNO-4030TR	VGA Thermal Radiometric	T Series	VGA	Bullet	NDA compliant	T series network outdoor thermal radiometric bullet camera, VGA @30fps, 13mm fixed lens (48.6°), triple code: H.265/H.264/MJPEG with WiseStream II, Multiple streaming, Hallway View, Motion detection, Tampering detection, Handover, 7 colour palettes, Digital Image Stabilization with built-in Gyro Sensor, Radiometry, Bi-directional audio and microSD/SDHC/SDXC slot, IP66, IK10, Nema 4X, PoE/12VDC/24VAC	Info	€ 8,400.00
Camera - Network	TNO-4040TR	VGA Thermal Radiometric	T Series	VGA	Bullet	NDA compliant	T series network outdoor thermal radiometric bullet camera, VGA @30fps, 19mm fixed lens (32°), triple code: H.265/H.264/MJPEG with WiseStream II, Multiple streaming, Hallway View, Motion detection, Tampering detection, Handover, 7 colour palettes, Digital Image Stabilization with built-in Gyro Sensor, Radiometry, Bi-directional audio and microSD/SDHC/SDXC slot, IP66, IK10, Nema 4X, PoE/12VDC/24VAC	Info	€ 8,400.00
Camera - Network	TNO-4041TR	VGA Thermal Radiometric	T Series	VGA	Bullet	NDA compliant	T series network outdoor thermal radiometric bullet camera, VGA @30fps, 19mm fixed lens (32°), triple code: H.265/H.264/MJPEG with WiseStream II, Multiple streaming, Hallway View, Motion detection, Tampering detection, Handover, 7 colour palettes, Digital Image Stabilization with built-in Gyro Sensor, Radiometry, Bi-directional audio and microSD/SDHC/SDXC slot, IP66, IK10, Nema 4X, PoE/12VDC/24VAC, PT type	Info	€ 8,400.00
Camera - Network	TNO-4050T	VGA Thermal	T Series	VGA	Bullet	NDA compliant	T series network outdoor thermal bullet camera, VGA @30fps, 35mm fixed lens (17.2°), triple code: H.265/H.264/MJPEG with WiseStream II, Multiple streaming, Hallway View, Motion detection, Tampering detection, Handover, 7 colour palettes, Digital Image Stabilization with built-in Gyro Sensor, Bi-directional audio and microSD/SDHC/SDXC slot, IP66, IK10, Nema 4X, PoE/12VDC/24VAC	Info	€ 8,400.00
Camera - Network	TNO-4051T	VGA Thermal	T Series	VGA	Bullet	NDA compliant	T series network outdoor thermal bullet camera, VGA @30fps, 35mm fixed lens (17.2°), triple code: H.265/H.264/MJPEG with WiseStream II, Multiple streaming, Hallway View, Motion detection, Tampering detection, Handover, 7 colour palettes, Digital Image Stabilization with built-in Gyro Sensor, Bi-directional audio and microSD/SDHC/SDXC slot, IP66, IK10, Nema 4X, PoE/12VDC/24VAC, PT type	Info	€ 8,400.00
Camera - Network	TNO-4040T	VGA Thermal	T Series	VGA	Bullet	NDA compliant	T series network outdoor thermal bullet camera, VGA @30fps, 19mm fixed lens (32°), triple code: H.265/H.264/MJPEG with WiseStream II, Multiple streaming, Hallway View, Motion detection, Tampering detection, Handover, 7 colour palettes, Digital Image Stabilization with built-in Gyro Sensor, Bi-directional audio and microSD/SDHC/SDXC slot, IP66, IK10, Nema 4X, PoE/12VDC/24VAC	Info	€ 7,000.00
Camera - Network	TNO-4041T	VGA Thermal	T Series	VGA	Bullet	NDA compliant	T series network outdoor thermal bullet camera, VGA @30fps, 19mm fixed lens (32°), triple code: H.265/H.264/MJPEG with WiseStream II, Multiple streaming, Hallway View, Motion detection, Tampering detection, Handover, 7 colour palettes, Digital Image Stabilization with built-in Gyro Sensor, Bi-directional audio and microSD/SDHC/SDXC slot, IP66, IK10, Nema 4X, PoE/12VDC/24VAC, PT type	Info	€ 7,000.00
Camera - Network	TNO-4030T	VGA Thermal	T Series	VGA	Bullet	NDA compliant	T series network outdoor thermal bullet camera, VGA @30fps, 13mm fixed lens (48.6°), triple code: H.265/H.264/MJPEG with WiseStream II, Multiple streaming, Hallway View, Motion detection, Tampering detection, Handover, 7 colour palettes, Digital Image Stabilization with built-in Gyro Sensor, Bi-directional audio and microSD/SDHC/SDXC slot, IP66, IK10, Nema 4X, PoE/12VDC/24VAC	Info	€ 7,000.00
Camera - Network	TNO-4030TR	VGA Thermal	T Series	VGA	Bullet	NDA compliant	T series network outdoor thermal radiometric bullet camera, VGA @30fps, 13mm fixed lens (48.6°), triple code: H.265/H.264/MJPEG with WiseStream II, Multiple streaming, Hallway View, Motion detection, Tampering detection, Handover, 7 colour palettes, Digital Image Stabilization with built-in Gyro Sensor, Radiometry, Bi-directional audio and microSD/SDHC/SDXC slot, IP66, IK10, Nema 4X, PoE/12VDC/24VAC	Info	€ 8,400.00
Camera - Network	TNO-L4040T	VGA Thermal	T Series	VGA	Bullet	NDA compliant	T series network outdoor vandal thermal bullet camera (uncooled), 640x480 @ 8.3fps, 19mm fixed focal lens (32°), triple code: H.265/H.264/MJPEG with WiseStream II, SD card, advanced video analytics and sound classification, PTZ handover, open platform, DIS(Gyro), integrated back box, IP66, IK10, PoE/12VDC/24VAC, white color.	Info	€ 7,000.00
Camera - Network	TNO-L4040TR	VGA Thermal	T Series	VGA	Bullet	NDA compliant	T series network outdoor vandal radiometric bullet camera (uncooled), 640x480 @ 8.3fps, 19mm fixed focal lens (32°), triple code: H.265/H.264/MJPEG with WiseStream II, SD card, advanced video analytics and sound classification, PTZ handover, up to 8 user programmable temperature detection areas, temperature detection range is from (-4°F - 266°F), open platform, DIS(Gyro), integrated back box, IP66, IK10, PoE/12VDC/24VAC, white color.	Info	€ 8,400.00
Camera - Network	TNO-L4050T	VGA Thermal	T Series	VGA	Bullet	NDA compliant	T series network outdoor vandal thermal bullet camera (uncooled), 640x480 @ 8.3fps, 35mm fixed focal lens (17.2°), triple code: H.265/H.264/MJPEG with WiseStream II, SD card, advanced video analytics and sound classification, PTZ handover, open platform, DIS(Gyro), integrated back box, IP66, IK10, PoE/12VDC/24VAC, white color.	Info	€ 8,400.00
Camera - Network	TNS-9040BCR	Barcode Reader Camera	T Series	4K	Bullet	NDA compliant	T series network BCR (Barcode Reader Camera) for Barcode Reading and Video Monitoring, Mono, 4K, Color, 4K, Max 20fps @ 4K MONO/COLOR each, 16mm machine vision lens, Removable and replaceable LED module (32 LEDs module is default) Track barcodes on high speed conveyor belt moving at 2m/s (6.5ft/s). Preinstalled WiseBCR App support Barcode recognition. Currently 10/2D Bar Code can be recognized(Code 128 / Codabar / Interleaved 2 of 5), M12 8pin Ethernet connect, Humidity control with AIR vent, EN 60068-2-6 (vibration resistance), EN 60068-2-27 (shock resistance), Operating temperature -40°C~+55°C, IP67, IK10, 24VDC	Info	€ 9,500.00
Camera - Network	TNS-9050BCR	Barcode Reader Camera	T Series	4K	Bullet	NDA compliant	T series network BCR (Barcode Reader Camera) for Barcode Reading and Video Monitoring, Mono, 4K, Color, 4K, Max 20fps @ 4K MONO/COLOR each, 25mm machine vision lens, Removable and replaceable LED module (32 LEDs module is default) Track barcodes on high speed conveyor belt moving at 2m/s (6.5ft/s). Preinstalled WiseBCR App support Barcode recognition. Currently 10/2D Bar Code can be recognized(Code 128 / Codabar / Interleaved 2 of 5), M12 8pin Ethernet connect, Humidity control with AIR vent, EN 60068-2-6 (vibration resistance), EN 60068-2-27 (shock resistance), Operating temperature -40°C~+55°C, IP67, IK10, 24VDC	Info	€ 9,500.00
Camera - Network	TNS-9060BCR	Barcode Reader Camera	T Series	4K	Bullet	NDA compliant	T series network BCR (Barcode Reader Camera) for Barcode Reading and Video Monitoring, Mono, 4K, Color, 4K, Max 20fps @ 4K MONO/COLOR each, 35mm machine vision lens, Removable and replaceable LED module (32 LEDs module is default) Track barcodes on high speed conveyor belt moving at 2m/s (6.5ft/s). Preinstalled WiseBCR App support Barcode recognition. Currently 10/2D Bar Code can be recognized(Code 128 / Codabar / Interleaved 2 of 5), M12 8pin Ethernet connect, Humidity control with AIR vent, EN 60068-2-6 (vibration resistance), EN 60068-2-27 (shock resistance), Operating temperature -40°C~+55°C, IP67, IK10, 24VDC	Info	€ 9,500.00
Camera - Network	TNM-C4940TD	Bi-Spectrum AI Thermal Camera, AI, IR, Thermal 9.1mm / Visible 4.4-9.3mm M-V/F	T Series	VGA/4K	Multi-Sensor	NDA compliant	T series network bi-spectrum AI thermal camera bullet camera, Thermal sensor : 9.1mm fixed focal, VGA (640x480 - can be scaled up to SVGA 1280x960), H.265H.264, Max. 30fps/25fps (AI 2CH ON - 15fps), MJPEG, Max. 3fps, NETD <50mk, Pixel Size 12um, 7 x Color Palettes, Analytics events based on AI engine: Object detection (Person/Vehicle), Bestshot, I/VA (Virtual Line/Area), Enter/Exit, Looting, direction, intrusion), Stopped vehicle, Traffic jam, Vehicle counting, Analytics events: Motion detection, Visible sensor : 4.4-9.3mm(2x) motorized varifocal, 4K (3840x2160), H.265H.264, Max. 30fps/25fps (AI 2CH ON - 15fps), MJPEG, Max. 1fps, Analytics events based on AI engine: Object detection (Person, face, ehicle(car/bus/truck/motorcycle/bicycle)), License plate), Virtual line (Crossing/Direction), Virtual area (Looting/Intrusion/Enter/Exit), Analytics events: Defocus detection, Motion detection, Tampering, Audio detection, Sound classification, Shock detection, Virtual Area/Appear/Disappear), Camera features : 4 x I/O ports, 1 x Metal shielded RJ-45(10/100/1000BASE-T), TPM 2.0 (FIPS 140-2 level 2) HTTPS(SSL) login, Micro SD slots each max 512GB, PoE+IEEE802.3at, Class4, 12VDC, IP66/IP67, IK10, NEMA4X, NEMA TS 2(2.2.8, 2.2.9), includes polemount bracket, excludes Stainless Steel Straps (SSP-100S)	Info	€ 10,400.00
Camera - Network	TNM-C4950TD	Bi-Spectrum AI Thermal Camera, AI, Thermal 13.5mm / Visible 10.9-29mm M-V/F	T Series	VGA/4K	Multi-Sensor	NDA compliant	T series network bi-spectrum AI thermal camera bullet camera, Thermal sensor : 13.5mm fixed focal, VGA (640x480 - can be scaled up to SVGA 1280x960), H.265H.264, Max. 30fps/25fps (AI 2CH ON - 15fps), MJPEG, Max. 3fps, NETD <60mk, Pixel Size 12um, 7 x Color Palettes, Analytics events based on AI engine: Object detection (Person/Vehicle), Bestshot, I/VA (Virtual Line/Area), Enter/Exit, Looting, direction, intrusion), Stopped vehicle, Traffic jam, Vehicle counting, Analytics events: Motion detection, Visible sensor : 10.9-29mm(2.6x) motorized varifocal, 4K (3840x2160), H.265H.264, Max. 30fps/25fps (AI 2CH ON - 15fps), MJPEG, Max. 1fps, Analytics events based on AI engine: Object detection (Person, face, ehicle(car/bus/truck/motorcycle/bicycle)), License plate), Virtual line (Crossing/Direction), Virtual area (Looting/Intrusion/Enter/Exit), Analytics events: Defocus detection, Motion detection, Tampering, Audio detection, Sound classification, Shock detection, Virtual Area/Appear/Disappear), Camera features : 4 x I/O ports, 1 x Metal shielded RJ-45(10/100/1000BASE-T), TPM 2.0 (FIPS 140-2 level 2) HTTPS(SSL) login, Micro SD slots each max 512GB, PoE+IEEE802.3at, Class4, 12VDC, IP66/IP67, IK10, NEMA4X, NEMA TS 2(2.2.8, 2.2.9), includes polemount bracket, excludes Stainless Steel Straps (SSP-100S)	Info	€ 10,500.00
Camera - Network	TNM-C4960TD	Bi-Spectrum AI Thermal Camera, AI, Thermal 25mm / Visible 10.9-29mm M-V/F	T Series	VGA/4K	Multi-Sensor	NDA compliant	T series network bi-spectrum AI thermal camera bullet camera, Thermal sensor : 25mm fixed focal, VGA (640x480 - can be scaled up to SVGA 1280x960), H.265H.264, Max. 30fps/25fps (AI 2CH ON - 15fps), MJPEG, Max. 3fps, NETD <60mk, Pixel Size 12um, 7 x Color Palettes, Analytics events based on AI engine: Object detection (Person/Vehicle), Bestshot, I/VA (Virtual Line/Area), Enter/Exit, Looting, direction, intrusion), Stopped vehicle, Traffic jam, Vehicle counting, Analytics events: Motion detection, Visible sensor : 10.9-29mm(2.6x) motorized varifocal, 4K (3840x2160), H.265H.264, Max. 30fps/25fps (AI 2CH ON - 15fps), MJPEG, Max. 1fps, Analytics events based on AI engine: Object detection (Person, face, ehicle(car/bus/truck/motorcycle/bicycle)), License plate), Virtual line (Crossing/Direction), Virtual area (Looting/Intrusion/Enter/Exit), Analytics events: Defocus detection, Motion detection, Tampering, Audio detection, Sound classification, Shock detection, Virtual Area/Appear/Disappear), Camera features : 4 x I/O ports, 1 x Metal shielded RJ-45(10/100/1000BASE-T), TPM 2.0 (FIPS 140-2 level 2) HTTPS(SSL) login, Micro SD slots each max 512GB, PoE+IEEE802.3at, Class4, 12VDC, IP66/IP67, IK10, NEMA4X, NEMA TS 2(2.2.8, 2.2.9), includes polemount bracket, excludes Stainless Steel Straps (SSP-100S)	Info	€ 10,950.00
Camera - Network	TNM-C3620TR	Bi-Spectrum AI Radiometric Camera QVGA thermal / 2MP visible	T Series	QVGA/2MP	Multi-Sensor	NDA compliant	T series network Bi-Spectrum AI Radiometric Camera, Thermal: 320 x 240 (uncooled) @ 30fps, <50mk (NETD), built-in 4.7mm fixed lens (HFOV: 50°), Visible: 2MP, built-in 4mm fixed (HFOV: 87.6°), Max. 1920 x 1080 resolution @ 30fps, Triplexcode H.265H.264/MJPEG with WiseStream II support, extremeWDR 150dB, AI object detection (visible only) Person/Face, Analytics events: Directional detection, Motion detection, Enter/Exit, Tampering, Virtual Line, Audio detection, Alarm events: Image upload (e-mail/FTP), Notification (e-mail), Recording (edgeNAS), Alarm output, Handover (PTZ preset, HTTP/HTTPS/TCP message), Audio clip playback, MQTT (publication), Radiometrics: whole FOV area or up to 8 user programmable quadrangle ROIs, temperature detection range from -200C to 1300C (-40F to 2660F), FIPS 140-2, 1 x micro SD card slot supporting up to 256GB, PoE+12VDC This product is subject to the Thermal agreement. Compatible with sold separately accessories mounts for wall SSP-142MMW and ceiling SSP-142CMW.	Info	€ 7,600.00
Camera - Network	TNM-C3622DR	Bi-Spectrum AI Radiometric Camera QVGA Thermal / 2MP visible	T Series	QVGA/2MP	Multi-Sensor	NDA compliant	T series network Bi-Spectrum AI Radiometric Camera, Thermal: 320 x 240 (uncooled) @ 30ps, <50mk (NETD), built-in 4.7mm fixed lens (HFOV: 50°), Visible: 2MP, built-in 4mm fixed (HFOV: 87.6°), Max. 1920 x 1080 resolution @ 30ps, Triplexcode H.265H.264/MJPEG with WiseStream II support, extremeWDR 1500B, AI object detection (visible only) Person/Face, Analytics events: Directional detection, Motion detection, Enter/Exit, Tampering, Virtual Line, Audio detection, Alarm events: Image upload (e-mail/FTP), Notification (e-mail), Recording (edgeNAS), Alarm output, Handover (PTZ preset, HTTP/HTTPS/TCP message), Audio clip playback, MQTT (publication), Radiometrics: whole FOV area or up to 8 user programmable quadrangle ROIs, temperature detection range from -200C to 1300C (-40F to 2660F), FIPS 140-2, 1 x micro SD card slot supporting up to 256GB, PoE+12VDC. Compatible with sold separately accessories mounts for wall SSP-142MMW and ceiling SSP-142CMW.	Info	€ 7,600.00

- New Product / Replacement
- End of Sales
- Price update

Model code	Short description	Series	Resolution/Channels	Type	Notes	Full Description	Prod. page	MSRP, €
Hanwha Product								
Camera - Network	TNM-C4940TRD	Bi-spectrum AI Radiometric Camera VGA Thermal / 4K visible	T Series	VGA/4K	Multi-Sensor	NDAA Compliant		€ 11 450,00
Camera - Network	TNM-C4942TRD	Bi-spectrum AI Radiometric Camera VGA Thermal / 4K visible	T Series	VGA/4K	Multi-Sensor	NDAA Compliant		€ 11 450,00
Camera - Network	TNO-3010T	OVGA Thermal	T Series	OVGA	Bullet	NDAA compliant		€ 4 035,00
Camera - Network	TNO-3020T	OVGA Thermal	T Series	OVGA	Bullet	NDAA compliant		€ 4 035,00
Camera - Network	TNO-3030T	OVGA Thermal	T Series	OVGA	Bullet	NDAA compliant		€ 4 035,00
Camera - Network	TNO-13030T	OVGA Thermal	T Series	OVGA	Bullet	NDAA compliant		€ 4 100,00
Camera - Network	TNO-3040T	OVGA Thermal	T Series	OVGA	Bullet	NDAA compliant		€ 4 960,00
Camera - Network	TNO-3050T	OVGA Thermal	T Series	OVGA	Bullet	NDAA compliant		€ 6 200,00
Camera - Network	TNO-C3010TRA	OVGA Radiometric AI Thermal Camera	T Series	OVGA	Bullet	NDAA compliant		€ 5 650,00
Camera - Network	TNO-C3012TRA	Lower Frame Rate, OVGA Radiometric AI Thermal Camera	T Series	OVGA	Bullet	NDAA compliant		€ 5 650,00
Camera - Network	TNO-C3020TRA	OVGA Radiometric AI Thermal Camera	T Series	OVGA	Bullet	NDAA compliant		€ 5 650,00
Camera - Network	TNO-C3022TRA	Lower Frame Rate, OVGA Radiometric AI Thermal Camera	T Series	OVGA	Bullet	NDAA compliant		€ 5 650,00
Camera - Network	TNO-C3030TRA	OVGA Radiometric AI Thermal Camera	T Series	OVGA	Bullet	NDAA compliant		€ 5 650,00
Camera - Network	TNO-C3032TRA	Lower Frame Rate, OVGA Radiometric AI Thermal Camera	T Series	OVGA	Bullet	NDAA compliant		€ 5 650,00
Camera - Network	TNO-7180PLP	Road AI 3MP High Speed Global Shutter Camera	T Series	3MP	Bullet	NDAA compliant		
NVRs								
Recording - Network	XRN-426S-1T	4CH AI NVR	X Series	4CH	NVR	NDAA Compliant		€ 1 245,00
Recording - Network	XRN-6410DB4	64CH 32MP 400Mbps 16 Bay NVR w/ RAID5/6	X Series	64CH	NVR	NDAA Compliant Limited stock available		€ 7 300,00
Recording - Network	XRN-6420DB4	64CH NVR with 12th gen. Intel® Processor	X Series	64CH	NVR	NDAA Compliant		€ 8 320,00
Recording - Network	XRN-6410B4	64CH 32MP 400Mbps 16 Bay NVR w/ RAID5/6	X Series	64CH	NVR	NDAA compliant ECS Limited stock available		€ 6 540,00
Recording - Network	XRN-6420B4	64CH NVR with 12th gen. Intel® Processor	X Series	64CH	NVR	NDAA Compliant		€ 4 760,00
Recording - Network	XRN-6410RB2	64CH 32MP 400Mbps 8 Bay NVR w/ RAID5/6	X Series	64CH	NVR	NDAA Compliant		€ 4 510,00
Recording - Network	XRN-6410B2	64CH 32MP 400Mbps 8 Bay NVR	X Series	64CH	NVR	NDAA Compliant		€ 3 450,00
Recording - Network	XRN-3210B4	32CH 32MP 400Mbps 16 Bay NVR w/ RAID5/6	X Series	32CH	NVR	NDAA Compliant ECS Limited stock available		€ 5 890,00
Recording - Network	XRN-3210RB2	32CH 32MP 400Mbps 8 Bay NVR w/ RAID5/6	X Series	32CH	NVR	NDAA Compliant		€ 3 890,00
Recording - Network	XRN-3210B2	32CH 32MP 400Mbps 8 Bay NVR	X Series	32CH	NVR	NDAA Compliant		€ 2 840,00
Recording - Network	XRN-3220B4	32CH NVR with 12th gen. Intel® Processor	X Series	32CH	NVR	NDAA Compliant		€ 6 710,00
Recording - Network	PRN-3205B2	32CH 32MP 400Mbps 8 Bay AI NVR	P Series	32CH	NVR	NDAA Compliant		€ 6 980,00
Recording - Network	PRN-1605B2	16CH 32MP 400Mbps 8 Bay AI NVR	P Series	16CH	NVR	NDAA Compliant		€ 5 510,00
Recording - Network	PRN-3205B4	32CH 32MP 400Mbps 16 Bay AI NVR	P Series	32CH	NVR	NDAA Compliant		€ 9 160,00
Recording - Network	XRN-1602B2	16CH 32MP 140Mbps 8 Bay NVR	X Series	16CH	NVR	NDAA Compliant		€ 1 540,00

- New Product / Replacement
- End of Sales
- Price update

							Full Description			Prod. page	MSRP, €
	Model code	Short description	Series	Resolution/Channels	Type	Notes					
Hanwha Product											
Recording - Network	XRN-1620B2-4TB-S	16CH 32MP 140Mbps 8 Bay NVR - 4TB HDD	X Series	16CH	NVR	NDAА Compliant	X series 16CH 32MP NVR, triple codec H.265H/264/MJPEG compression, 140Mbps network camera recording / 32Mbps playback throughput, ARB (Automatic Recovery Backup) & Failover (N+1), up to 8 SATA HDD (80TB max), HDMI local dual monitor, SUNAPI, ONVIF, Easy configuration (P2P), AI search support when working with Wisenet AI camera, 4TB Seagate SkyHawk HDD included (ST4000VX016)	link		€ 1 770,00	
Recording - Network	XRN-1620B2-6TB-S	16CH 32MP 140Mbps 8 Bay NVR - 6TB HDD	X Series	16CH	NVR	NDAА Compliant	X series 16CH 32MP NVR, triple codec H.265H/264/MJPEG compression, 140Mbps network camera recording / 32Mbps playback throughput, ARB (Automatic Recovery Backup) & Failover (N+1), up to 8 SATA HDD (80TB max), HDMI local dual monitor, SUNAPI, ONVIF, Easy configuration (P2P), AI search support when working with Wisenet AI camera, 6TB Seagate SkyHawk HDD included (ST6000VX009)	link		€ 1 950,00	
Recording - Network	XRN-1620B2-8TB-S	16CH 32MP 140Mbps 8 Bay NVR - 8TB HDD	X Series	16CH	NVR	NDAА Compliant	X series 16CH 32MP NVR, triple codec H.265H/264/MJPEG compression, 140Mbps network camera recording / 32Mbps playback throughput, ARB (Automatic Recovery Backup) & Failover (N+1), up to 8 SATA HDD (80TB max), HDMI local dual monitor, SUNAPI, ONVIF, Easy configuration (P2P), AI search support when working with Wisenet AI camera, 8TB Seagate SkyHawk HDD included (ST8000VE001)	link		€ 2 040,00	
Recording - Network	XRN-1620S1	16CH 32MP 140Mbps 4 Bay PoE NVR	X Series	16CH	NVR	NDAА Compliant	X series 16CH 32MP NVR, triple codec H.265H/264/MJPEG compression, 140Mbps network camera recording / 32Mbps playback throughput, Plug & play by 16 PoE Ports, ARB (Automatic Recovery Backup) & Failover (N+1), up to 4 SATA HDD (24TB max), HDMI local dual monitor, SUNAPI, ONVIF, Easy configuration (P2P), AI search support when working with Wisenet AI camera, No HDD included	link		€ 1 700,00	
Recording - Network	XRN-1620S1-4TB-S	16CH 32MP 140Mbps 4 Bay PoE NVR - 4TB HDD	X Series	16CH	NVR	NDAА Compliant	X series 16CH 32MP NVR, triple codec H.265H/264/MJPEG compression, 140Mbps network camera recording / 32Mbps playback throughput, Plug & play by 16 PoE Ports, ARB (Automatic Recovery Backup) & Failover (N+1), up to 4 SATA HDD (24TB max), HDMI local dual monitor, SUNAPI, ONVIF, Easy configuration (P2P), AI search support when working with Wisenet AI camera, 4TB Seagate SkyHawk HDD included (ST4000VX016)	link		€ 1 930,00	
Recording - Network	XRN-1620S1-6TB-S	16CH 32MP 140Mbps 4 Bay PoE NVR - 6TB HDD	X Series	16CH	NVR	NDAА Compliant	X series 16CH 32MP NVR, triple codec H.265H/264/MJPEG compression, 140Mbps network camera recording / 32Mbps playback throughput, Plug & play by 16 PoE Ports, ARB (Automatic Recovery Backup) & Failover (N+1), up to 4 SATA HDD (24TB max), HDMI local dual monitor, SUNAPI, ONVIF, Easy configuration (P2P), AI search support when working with Wisenet AI camera, 6TB Seagate SkyHawk HDD included (ST6000VX009)	link		€ 2 110,00	
Recording - Network	XRN-820S	8CH 32MP 100Mbps 2 Bay PoE NVR	X Series	8CH	NVR	NDAА Compliant	X series 8CH 32MP NVR, triple codec H.265H/264/MJPEG compression, 100Mbps network camera recording / 32Mbps playback throughput, Plug & play by 8 PoE Ports, ARB (Automatic Recovery Backup) & Failover (N+1), up to 2 SATA HDD (20TB max), HDMI local dual monitor, SUNAPI, ONVIF, Easy configuration (P2P), AI search support when working with Wisenet AI camera, No HDD included	link		€ 1 200,00	
Recording - Network	XRN-820S-4TB-S	8CH 32MP 100Mbps 2 Bay PoE NVR - 4TB HDD	X Series	8CH	NVR	NDAА Compliant	X series 8CH 32MP NVR, triple codec H.265H/264/MJPEG compression, 100Mbps network camera recording / 32Mbps playback throughput, Plug & play by 8 PoE Ports, ARB (Automatic Recovery Backup) & Failover (N+1), up to 2 SATA HDD (20TB max), HDMI local dual monitor, SUNAPI, ONVIF, Easy configuration (P2P), AI search support when working with Wisenet AI camera, 4TB Seagate SkyHawk HDD included (ST4000VX016)	link		€ 1 430,00	
Recording - Network	XRN-820S-6TB-S	8CH 32MP 100Mbps 2 Bay PoE NVR - 6TB HDD	X Series	8CH	NVR	NDAА Compliant	X series 8CH 32MP NVR, triple codec H.265H/264/MJPEG compression, 100Mbps network camera recording / 32Mbps playback throughput, Plug & play by 8 PoE Ports, ARB (Automatic Recovery Backup) & Failover (N+1), up to 2 SATA HDD (20TB max), HDMI local dual monitor, SUNAPI, ONVIF, Easy configuration (P2P), AI search support when working with Wisenet AI camera, 6TB Seagate SkyHawk HDD included (ST6000VX009)	link		€ 1 610,00	
Recording - Network	XRN-815S	8CH 12MP 100Mbps 2 Bay PoE NVR	X Series	8CH	NVR	NDAА Compliant	X series 8CH 12MP NVR, Triple codec H.265H/264/MJPEG compression, AI Search: Object Attribute (When integrated with Wisenet AI Camera), 100Mbps network camera recording, Plug & play by 8 PoE(LAN, 10/100), 1PoE(WAN, 1Gbps), ARB (Automatic Recovery Backup) & Failover (N+1), up to 2 SATA HDD (20TB max), HDMI local dual monitor, SUNAPI, ONVIF, Easy configuration (P2P), No HDD included	link		€ 830,00	
Recording - Network	XRN-815S-4TB-S	8CH 12MP 100Mbps 2 Bay PoE NVR - 4TB HDD	X Series	8CH	NVR	NDAА Compliant	X series 8CH 12MP NVR, Triple codec H.265H/264/MJPEG compression, AI Search: Object Attribute (When integrated with Wisenet AI Camera), 100Mbps network camera recording, Plug & play by 8 PoE(LAN, 10/100), 1PoE(WAN, 1Gbps), ARB (Automatic Recovery Backup) & Failover (N+1), up to 2 SATA HDD (20TB max), HDMI local dual monitor, SUNAPI, ONVIF, Easy configuration (P2P), 4TB Seagate SkyHawk HDD included (ST4000VX016)	link		€ 1 091,00	
Recording - Network	XRN-815S-8TB-S	8CH 12MP 100Mbps 2 Bay PoE NVR - 8TB HDD	X Series	8CH	NVR	NDAА Compliant	X series 8CH 12MP NVR, Triple codec H.265H/264/MJPEG compression, AI Search: Object Attribute (When integrated with Wisenet AI Camera), 100Mbps network camera recording, Plug & play by 8 PoE(LAN, 10/100), 1PoE(WAN, 1Gbps), ARB (Automatic Recovery Backup) & Failover (N+1), up to 2 SATA HDD (20TB max), HDMI local dual monitor, SUNAPI, ONVIF, Easy configuration (P2P), 2 x 4TB Seagate SkyHawk HDD included (ST4000VX016)	link		€ 1 627,00	
Recording - Network	XRN-420S	4CH PoE+ NVR	X Series	4CH	NVR	NDAА compliant	X series 4CH 4K NVR, 4CH @8MP each, triple codec H.265H/264/MJPEG with WiseStream technology, AI search features, 50Mbps network camera recording, Plug & play by 4 PoE/POE+ Ports, ARB (Automatic Recovery Backup), 1 fixed internal SATA HDD (8TB max), HDMI, VGA local monitor, SUNAPI, ONVIF, No HDD included	link		€ 590,00	
Recording - Network	QRN-430S	4CH PoE NVR	Q Series	4CH	NVR	NDAА compliant	Q series 4CH 8MP NVR, Triple codec H.265H/264/MJPEG with WiseStream technology, Dual track recording, 40Mbps network camera recording, Plug & play by 4 PoE ports, ARB (Automatic Recovery Backup), 1 fixed internal SATA HDD (8TB max), HDMI local monitor, SUNAPI, ONVIF, P2P service (QR code connect) supported, No HDD included	link		€ 476,00	
Recording - Network	QRN-430S-4TB-S	4CH PoE NVR - 4TB HDD	Q Series	4CH	NVR	NDAА compliant	Q series 4CH 8MP NVR, Triple codec H.265H/264/MJPEG with WiseStream technology, Dual track recording, 40Mbps network camera recording, Plug & play by 4 PoE ports, ARB (Automatic Recovery Backup), 1 fixed internal SATA HDD (8TB max), HDMI local monitor, SUNAPI, ONVIF, P2P service (QR code connect) supported, 4TB Seagate SkyHawk HDD included (ST4000VX016)	link		€ 681,00	
Recording - Network	QRN-830S	8CH PoE NVR	Q Series	8CH	NVR	NDAА compliant	Q series 8CH 8MP NVR, 8CH @8MP each, triple codec H.265H/264/MJPEG with WiseStream technology, Dual track recording, 80Mbps network camera recording, Plug & play by 8 PoE ports, ARB (Automatic Recovery Backup), 1 fixed internal SATA HDD (8TB max), HDMI local monitor, SUNAPI, ONVIF, Easy configuration (Setup Wizard, P2P), No HDD included	link		€ 700,00	
Recording - Network	QRN-830S-4TB-S	8CH PoE NVR - 4TB HDD	Q Series	8CH	NVR	NDAА compliant	Q series 8CH 8MP NVR, 8CH @8MP each, triple codec H.265H/264/MJPEG with WiseStream technology, Dual track recording, 80Mbps network camera recording, Plug & play by 8 PoE ports, ARB (Automatic Recovery Backup), 1 fixed internal SATA HDD (8TB max), HDMI local monitor, SUNAPI, ONVIF, Easy configuration (Setup Wizard, P2P), 4TB Seagate SkyHawk HDD included (ST4000VX016)	link		€ 925,00	
Recording - Network	QRN-1630S	16CH 2 Bay PoE NVR	Q Series	16CH	NVR	NDAА compliant	Q series 16CH 8MP NVR, Triple codec H.265H/264/MJPEG with WiseStream technology, Dual track recording, 128Mbps network camera recording, Plug & play by 16 PoE(LAN, 10/100), 1PoE(WAN, 1Gbps), ARB (Automatic Recovery Backup), 2 fixed internal SATA HDD (20TB max), HDMI local monitor, SUNAPI, ONVIF, P2P service (QR code connect) supported, No HDD included	link		€ 1 058,00	
Recording - Network	QRN-1630S-4TB-S	16CH 2 Bay PoE NVR - 4TB HDD	Q Series	16CH	NVR	NDAА compliant	Q series 16CH 8MP NVR, Triple codec H.265H/264/MJPEG with WiseStream technology, Dual track recording, 128Mbps network camera recording, Plug & play by 16 PoE(LAN, 10/100), 1PoE(WAN, 1Gbps), ARB (Automatic Recovery Backup), 2 fixed internal SATA HDD (20TB max), HDMI local monitor, SUNAPI, ONVIF, P2P service (QR code connect) supported, 4TB Seagate SkyHawk HDD included (ST4000VX016)	link		€ 1 310,00	
Recording - Network	ARN-410S	4CH PoE NVR	A series	4CH	NVR	NDAА compliant	A Series 4CH PoE NVR, Embedded Linux, H.265, H.264, MJPEG codec, Plug & play by 4 PoE (LAN, 10/100), 1 RJ-45(WAN, 10/100), 40Mbps Recording Throughput, Supported HDD (Maximum 1 x 6TB), HDMI local monitor, ARB supported, P2P service support, No HDD included	link		€ 350,00	
Recording - Network	ARN-810S	8CH PoE NVR	A series	8CH	NVR	NDAА compliant	A Series 8CH PoE NVR, Embedded Linux, H.265, H.264, MJPEG codec, Plug & play by 8 PoE (LAN, 10/100), 1 RJ-45(WAN, 10/100), 80Mbps Recording Throughput, Supported HDD (Maximum 1 x 6TB), HDMI local monitor, ARB supported, P2P service support, No HDD included	link		€ 430,00	
Recording - Network	ARN-1610S	16CH PoE NVR	A series	16CH	NVR	NDAА compliant	A Series 16CH PoE NVR, Embedded Linux, H.265, H.264, MJPEG codec, Plug & play by 16 PoE (LAN, 10/100), 1 RJ-45(WAN, 1Gbps), 1 RJ-45(WAN, 10/100), 80Mbps Recording Throughput, Supported HDD (Maximum 2 x 6TB), HDMI / VGA local monitor, ARB supported 80Mbps network camera recording, P2P service support, No HDD included	link		€ 600,00	
Recording - Network	TRM-1610M	16CH 12MP H.265 Mobile NVR (M12)	T Series	16CH	NVR	EOS Limited stock available	T series 16CH Mobile NVR, 16CH @12MP each, triple codec H.265H/264/MJPEG with WiseStream, 128Mbps network camera recording, 2 front hot swap SATA HDD (4TB max), RAID-1, HDMI, VGA support, GFS Module, built-in Wi-Fi, SUNAPI, ONVIF, 4 PoE ports M12, two PoE switches SPN-10080P (8 ch PoE with RJ-45) x2 are needed to use all 16 channels, 9-36VDC, EN50155, No HDD included	link		€ 4 391,00	
Recording - Network	TRM-810S	8CH 8MP H.265 Mobile NVR	T Series	8CH	NVR	Limited Stock Available	T series 8CH Mobile NVR, 8CH @8MP each, triple codec H.265H/264/MJPEG with WiseStream, 80Mbps network camera recording, 2 front hot swap SATA HDD (4TB max), RAID-1, HDMI, VGA support, GFS Module (option), built-in Wi-Fi, SUNAPI, ONVIF, 8 PoE ports RJ45, 9-36VDC, EN50155, No HDD included	link		€ 2 040,00	
Recording - Network	TRM-410S	4CH 8MP H.265 Mobile NVR	T Series	4CH	NVR	Limited Stock Available	T series 4CH Mobile NVR, 4CH @8MP each, triple codec H.265H/264/MJPEG with WiseStream, 50Mbps network camera recording, 2 front hot swap SATA HDD (4TB max), HDMI, VGA support, GFS Module (option), built-in Wi-Fi, SUNAPI, ONVIF, 4 PoE ports RJ45, 9-36VDC, EN50155, No HDD included	link		€ 1 153,00	
Encoders and Decoders											
Encoder - Network	SPE-1630	16CH Video Encoder		16CH	Encoder	NDAА Compliant	16CH Network Video Encoder: Max resolution SMP, Max frame-rate 126p@8MP, 15p@4MP, 30p@2MP or 1080p, H.265H/264/MJPEG code support, Multi-streaming (up to 3 profiles per channel), CVBS/Pelco-C/AHD/TVI/CVI, 1 RJ-45 10/100/1000 Base-T, Alarm 16 Input / 4 Output, Alarm Triggers - Motion Detection, Alarm Input, Video Loss, Tampering, Network disconnect, File Upload Via FTP/SMB, Audio 4 Line Input / 1 Line Output, 1 HDMI OUT (16 multi image, 1500x1080), 4 privacy zones, ONVIF profile S, SUNAPI (HTTP API)	link		€ 1 205,00	
Encoder - Network	SPE-420	4CH Video Encoder		4CH	Encoder	NDAА Compliant	4CH Network Video Encoder: H.265H/264/MJPEG, 126p@8MP, 15p@4MP, 30p@2MP or lower, Dual Streaming, AHD/CVI/TVI/CVBS/Pelco-C) compatible, RS-485 Interface (SAMSUNG-T, PELCO-PID), ONVIF protocol support, HDMI output, Alarm I/O 4/2, Bi-directional Audio, PoE/12VDC	link		€ 494,00	
Decoder - Network	SPD-152	64CH Video Decoder		64CH	Decoder	NDAА Compliant	64CH Network Video Decoder: up to 64 cameras, Dual HDMI display port(HDMI#1 UHD, HDMI#2 FHD), Max. 8M resolution, 8M@60fps, 2M@360fps, triple codec H.265H/264/MJPEG, ONVIF, SUNAPI, RTSP, Various installation: Monitor-Back and Pole mount, PoE/12VDC	link		€ 850,00	
IP Audio Systems											
Speaker	SPA-C100W	IP Ceiling Speaker				NDAА Compliant	IP Ceiling Speaker, Built-in 10W Class D amplifier, PoE & PoE+, 1GBytes internal memory, 99dB max Sound Pressure, 120Hz - 20kHz Frequency range, 90dB Sensitivity, IPx4, HTTP, SIP, mDNS, DNS, NTP, TCP, UDP, DHCP, ARP, ICMP protocol Support, TTS (English, German, French, Spanish, Audio Monitoring (Speaker, connection test)), Multi-source Dynamic PA control (Up to 48 ch., 256 Zone, 255 Groups) Black	link		€ 743,00	
Speaker	SPA-C100W	IP Ceiling Speaker				NDAА Compliant	IP Ceiling Speaker, Built-in 10W Class D amplifier, PoE & PoE+, 1GBytes internal memory, 99dB max Sound Pressure, 120Hz - 20kHz Frequency range, 90dB Sensitivity, IPx4, HTTP, SIP, mDNS, DNS, NTP, TCP, UDP, DHCP, ARP, ICMP protocol Support, TTS (English, German, French, Spanish, Audio Monitoring (Speaker, connection test)), Multi-source Dynamic PA control (Up to 48 ch., 256 Zone, 255 Groups) White	link		€ 743,00	
Speaker	SPA-W100B	IP Wall Speaker				NDAА Compliant	IP Wall Speaker, Built-in 10W Class D amplifier, PoE & PoE+, 1GBytes internal memory, 99dB max Sound Pressure, 120Hz - 20kHz Frequency range, 90dB Sensitivity, IPx4, HTTP, SIP, mDNS, DNS, NTP, TCP, UDP, DHCP, ARP, ICMP protocol Support, TTS (English, German, French, Spanish, Audio Monitoring (Speaker, connection test)), Multi-source Dynamic PA control (Up to 48 ch., 256 Zone, 255 Groups), IP54, Black	link		€ 967,00	
Speaker	SPA-W100W	IP Wall Speaker				NDAА Compliant	IP Wall Speaker, Built-in 10W Class D amplifier, PoE & PoE+, 1GBytes internal memory, 99dB max Sound Pressure, 120Hz - 20kHz Frequency range, 90dB Sensitivity, IPx4, HTTP, SIP, mDNS, DNS, NTP, TCP, UDP, DHCP, ARP, ICMP protocol Support, TTS (English, German, French, Spanish, Audio Monitoring (Speaker, connection test)), Multi-source Dynamic PA control (Up to 48 ch., 256 Zone, 255 Groups), IP54, White	link		€ 967,00	
Speaker	SPA-H100B	IP Horn Speaker				NDAА Compliant	IP Horn Speaker, Built-in 10W Class D amplifier, PoE & PoE+, 1GBytes internal memory, 99dB max Sound Pressure, 650Hz - 5.3 kHz Frequency range, 115dB Sensitivity, IPx4, HTTP, SIP, mDNS, DNS, NTP, TCP, UDP, DHCP, ARP, ICMP protocol Support, TTS (English, German, French, Spanish, Audio Monitoring (Speaker, connection test)), Multi-source Dynamic PA control (Up to 48 ch., 256 Zone, 255 Groups), IP66, Black	link		€ 1 071,00	
Speaker	SPA-H100W	IP Horn Speaker				NDAА Compliant	IP Horn Speaker, Built-in 10W Class D amplifier, PoE & PoE+, 1GBytes internal memory, 99dB max Sound Pressure, 650Hz - 5.3 kHz Frequency range, 115dB Sensitivity, IPx4, HTTP, SIP, mDNS, DNS, NTP, TCP, UDP, DHCP, ARP, ICMP protocol Support, TTS (English, German, French, Spanish, Audio Monitoring (Speaker, connection test)), Multi-source Dynamic PA control (Up to 48 ch., 256 Zone, 255 Groups), IP66, White	link		€ 1 071,00	
Speaker	SPA-P100B	IP Pendant Speaker				NDAА Compliant	IP Pendant Speaker, Built-in 10W Class D amplifier, PoE & PoE+, 1GBytes internal memory, 99dB max Sound Pressure, 130Hz - 20kHz Frequency range, 91dB Sensitivity, IPx4, HTTP, SIP, mDNS, DNS, NTP, TCP, UDP, DHCP, ARP, ICMP protocol Support, TTS (English, German, French, Spanish, Audio Monitoring (Speaker, connection test)), Multi-source Dynamic PA control (Up to 48 ch., 256 Zone, 255 Groups), White	link		€ 892,00	



	Model code	Short description	Series	Resolution/Channels	Type	Notes	Full Description	Prod. page	MSRP, €
Hanwha Product									
Speaker	SPA-P100W	IP Pendant Speaker				NDAA Compliant	IP Pendant Speaker, Built-in 10W Class D amplifier, PoE & PoE+, 1GBytes internal Memory, 99dB max Sound Pressure, 130Hz ~ 20kHz Frequency range, 31dB Sensitivity, IPx4, HTTP, SIP, mDNS, DNS, NTP, TCP, UDP, DHCP, ARP, ICMP protocol Support, TTS (English, German, French, Spanish, Audio Monitoring (Speaker, connection test), Multi-source Dynamic PA control (Up to 48 ch., 256 Zone, 255 Groups), Black	info	€ 892,00
Audio Module	SPA-D1000	IP Audio Module				NDAA Compliant	IP Audio Module, +6dBV ±3dB Output level, 20Hz ~ 20kHz Frequency Response, Built-in 10W Class D amplifier, PoE & PoE+, 1GBytes internal Memory, IPx4, HTTP, SIP, mDNS, DNS, NTP, TCP, UDP, DHCP, ARP, ICMP protocol Support, TTS (English, German, French, Spanish, Audio Monitoring (Speaker, connection test), Multi-source Dynamic PA control (Up to 48 ch., 256 Zone, 255 Groups)	info	€ 639,00
Microphone	SPA-M1000	IP Microphone				NDAA Compliant EOS Limited stock available	IP Microphone, +10dBV ±3dB Output level, 100Hz ~ 18kHz Frequency Response, PoE	info	€ 1 687,00
Microphone	SPA-M2000	IP Microphone				NDAA Compliant	IP Microphone, +10dBV ±3dB Output level, 100Hz ~ 18kHz Frequency Response, PoE, SIP Protocol	info	€ 1 687,00
Audio Bridge	SPA-B1000	IP Audio Bridge				NDAA Compliant	Analogue to IP Audio Bridge, POE 15w/24 VDC	info	€ 601,00
Audio Server	SPA-S1000	IP Audio Server				NDAA Compliant	IP Audio Server, 10/100 Base-T Ethernet, PoE, IPx4, HTTP, SIP, mDNS, DNS, NTP, TCP, UDP, DHCP, ARP, ICMP protocols support, Multi-source Dynamic PA control (Up to 48 ch., 256 Zone, 255 Groups)	info	€ 4 913,00
Analog HD+ Cameras									
Camera - Analog HD	HCO-7070RA	4MP Analog HD+ Bullet	HD+ Series	4MP	Bullet	NDAA compliant	HD+ series 4MP IR bullet camera, AHD or CVBS formats are available, manual varifocal Lens (3.1X) (3.2-10mm), Day & Night (ICR), 24VAC/12VDC, IR distance 30m, IP66/IK10	info	€ 276,00
Camera - Analog HD	HCO-7010RA	4MP Analog HD+ Bullet	HD+ Series	4MP	Bullet	NDAA compliant	HD+ series 4MP IR bullet camera, AHD or CVBS formats are available, 2.8 mm fixed lens, Day & Night (ICR), 12VDC, IR distance 20m, IP66/IK10	info	€ 184,00
Camera - Analog HD	HCO-7020RA	4MP Analog HD+ Bullet	HD+ Series	4MP	Bullet	NDAA compliant	HD+ series 4MP IR bullet camera, AHD or CVBS formats are available, 4.0 mm fixed lens, Day & Night (ICR), 12VDC, IR distance 25m, IP66/IK10	info	€ 184,00
Camera - Analog HD	HCO-7030RA	4MP Analog HD+ Bullet	HD+ Series	4MP	Bullet	NDAA compliant	HD+ series 4MP IR bullet camera, AHD or CVBS formats are available, 6.0 mm fixed lens, Day & Night (ICR), 12VDC, IR distance 30m, IP66/IK10	info	€ 184,00
Camera - Analog HD	HCV-7070RA	4MP Analog HD+ Outdoor Dome	HD+ Series	4MP	Vandal Dome	NDAA compliant	HD+ series 4MP IR outdoor dome camera, AHD or CVBS formats are available, manual varifocal Lens (3.1X) (3.2-10mm), Day & Night (ICR), 24VAC/12VDC, IR distance 30m, IP66/IK10	info	€ 276,00
Camera - Analog HD	HCV-7010RA	4MP Analog HD+ Outdoor Dome	HD+ Series	4MP	Vandal Dome	NDAA compliant	HD+ series 4MP IR outdoor dome camera, AHD or CVBS formats are available, 2.8 mm fixed lens, Day & Night (ICR), 12VDC, IR distance 20m, IP66/IK10	info	€ 184,00
Camera - Analog HD	HCV-7020RA	4MP Analog HD+ Outdoor Dome	HD+ Series	4MP	Vandal Dome	NDAA compliant	HD+ series 4MP IR outdoor dome camera, AHD or CVBS formats are available, 4.0 mm fixed lens, Day & Night (ICR), 12VDC, IR distance 25m, IP66/IK10	info	€ 184,00
Camera - Analog HD	HCV-7030RA	4MP Analog HD+ Outdoor Dome	HD+ Series	4MP	Vandal Dome	NDAA compliant	HD+ series 4MP IR outdoor dome camera, AHD or CVBS formats are available, 6.0 mm fixed lens, Day & Night (ICR), 12VDC, IR distance 30m, IP66/IK10	info	€ 184,00
Camera - Analog HD	HCD-7070RA	4MP Analog HD+ Indoor Dome	HD+ Series	4MP	Dome	NDAA compliant	HD+ series 4MP IR indoor dome camera, AHD or CVBS formats are available, manual varifocal Lens (3.1X) (3.2-10mm), Day & Night (ICR), 24VAC/12VDC, IR distance 20m	info	€ 248,00
Camera - Analog HD	HCD-7010RA	4MP Analog HD+ Indoor Dome	HD+ Series	4MP	Dome	NDAA compliant	HD+ series 4MP IR indoor dome camera, AHD or CVBS formats are available, 2.8 mm fixed lens, Day & Night (ICR), 12VDC, IR distance 20m	info	€ 166,00
Camera - Analog HD	HCD-7020RA	4MP Analog HD+ Indoor Dome	HD+ Series	4MP	Dome	NDAA compliant	HD+ series 4MP IR indoor dome camera, AHD or CVBS formats are available, 4.0 mm fixed lens, Day & Night (ICR), 12VDC, IR distance 25m	info	€ 166,00
Camera - Analog HD	HCD-7030RA	4MP Analog HD+ Indoor Dome	HD+ Series	4MP	Dome	NDAA compliant	HD+ series 4MP IR indoor dome camera, AHD or CVBS formats are available, 6.0 mm fixed lens, Day & Night (ICR), 12VDC, IR distance 30m	info	€ 166,00
Camera - Analog HD	HCB-7000A	4MP Analog HD+ Box	HD+ Series	4MP	Box	NDAA compliant	HD+ series analogue box camera, 4MP, AHD, Manual focus, AHD/CVBS/RS-485, BLC/HL/C/DWDR, True Day & Night (ICR), Motion detection, Transmission distance upto 500m, 24VAC/12VDC ※ The lens is not included	info	€ 166,00
Camera - Analog HD	HCB-7000PHA	4MP Analog HD+ Box	HD+ Series	4MP	Box	NDAA compliant	HD+ series analogue box camera, 4MP, AHD, Manual focus, AHD/CVBS/RS-485, BLC/HL/C/DWDR, True Day & Night (ICR), Motion detection, Transmission distance upto 500m, 220VAC ※ The lens is not included	info	€ 194,00
Camera - Analog HD	HCO-6080R	2MP Analog HD+ IR Bullet	HD+ Series	2MP	Bullet	NDAA compliant	HD+ series 2MP, Full HD(1080p) 30fps IR outdoor bullet camera, AHD/TVI/CVI/CVBS, motorized varifocal lens (3.1X) (3.2-10mm), 120 dB true WDR, Day & Night (ICR), 24VAC/12VDC, IR distance 30m, IP66/IK10	info	€ 304,00
Camera - Analog HD	HCO-6080	2MP Analog HD+ Bullet	HD+ Series	2MP	Bullet	NDAA compliant	HD+ series 2MP, Full HD(1080p) 30fps outdoor bullet camera, AHD/TVI/CVI/CVBS, motorized varifocal lens (3.1X) (3.2-10mm), 120 dB true WDR, Day & Night (ICR), 24VAC/12VDC, IP66/IK10	info	€ 280,00
Camera - Analog HD	HCO-6070R	2MP Analog HD+ IR Bullet	HD+ Series	2MP	Bullet	NDAA compliant	HD+ series 2MP, Full HD(1080p) 30fps IR outdoor bullet camera, AHD/TVI/CVI/CVBS, manual varifocal Lens (3.1X) (3.2-10mm), 120 dB true WDR, Day & Night (ICR), 24VAC/12VDC, IR distance 30m, IP66/IK10	info	€ 276,00
Camera - Analog HD	HCO-6020R	2MP Analog HD+ IR Bullet	HD+ Series	2MP	Bullet	NDAA compliant	HD+ series 2MP, Full HD(1080p) 30fps IR outdoor bullet camera, AHD/TVI/CVI/CVBS, Fixed Lens (4mm), 120 dB true WDR, Day & Night (ICR), 12VDC, IR distance 30m, IP66/IK10	info	€ 184,00
Camera - Analog HD	HCV-6080R	2MP Analog HD+ IR Outdoor Dome	HD+ Series	2MP	Vandal Dome	NDAA compliant	HD+ series 2MP, Full HD(1080p) 30fps IR outdoor dome camera, AHD/TVI/CVI/CVBS, motorized varifocal lens (3.1X) (3.2-10mm), 120 dB true WDR, Day & Night (ICR), 24VAC/12VDC, IR distance 30m, IP66/IK10	info	€ 304,00
Camera - Analog HD	HCV-6080	2MP Analog HD+ Outdoor Dome	HD+ Series	2MP	Vandal Dome	NDAA compliant	HD+ series 2MP, Full HD(1080p) 30fps outdoor dome camera, AHD/TVI/CVI/CVBS, motorized varifocal lens (3.1X) (3.2-10mm), 120 dB true WDR, Day & Night (ICR), 24VAC/12VDC, IP66/IK10	info	€ 280,00
Camera - Analog HD	HCV-6070R	2MP Analog HD+ IR Outdoor Dome	HD+ Series	2MP	Vandal Dome	NDAA compliant	HD+ series 2MP, Full HD(1080p) 30fps IR outdoor dome camera, AHD/TVI/CVI/CVBS, manual varifocal Lens (3.1X) (3.2-10mm), 120 dB true WDR, Day & Night (ICR), 24VAC/12VDC, IR distance 30m, IP66/IK10	info	€ 276,00
Camera - Analog HD	HCD-6080R	2MP Analog HD+ IR Indoor Dome	HD+ Series	2MP	Dome	NDAA compliant	HD+ series 2MP, Full HD(1080p) 30fps IR indoor dome camera, AHD/TVI/CVI/CVBS, motorized varifocal lens (3.1X) (3.2-10mm), 120 dB true WDR, Day & Night (ICR), 24VAC/12VDC, IR distance 20m	info	€ 274,00
Camera - Analog HD	HCD-6070R	2MP Analog HD+ IR Indoor Dome	HD+ Series	2MP	Dome	NDAA compliant	HD+ series 2MP, Full HD(1080p) 30fps IR indoor dome camera, AHD/TVI/CVI/CVBS, manual varifocal lens (3.1X) (3.2-10mm), 120 dB true WDR, Day & Night (ICR), 24VAC/12VDC, IR distance 20m	info	€ 248,00
Camera - Analog HD	HCD-6010	2MP Analog HD+ Indoor Dome	HD+ Series	2MP	Dome	NDAA compliant	HD+ series 2MP, Full HD(1080p) 30fps IR indoor dome camera, AHD/TVI/CVI/CVBS, 2.8 mm fixed lens, 120 dB true WDR, Day & Night (ICR), 12VDC	info	€ 133,33
Camera - Analog HD	HCD-6020R	2MP Analog HD+ IR Indoor Dome	HD+ Series	2MP	Dome	NDAA compliant	HD+ series 2MP, Full HD(1080p) 30fps IR indoor dome camera, AHD/TVI/CVI/CVBS, 4.0 mm fixed lens, 120 dB true WDR, Day & Night (ICR), 12VDC, IR distance 20m	info	€ 166,00
Camera - Analog HD	HCB-6001	2MP Analog HD+ Box	HD+ Series	2MP	Box	NDAA compliant	HD+ series analogue box camera, 2MP, Full HD(1080p) resolution, Simple focus, AHD/CVBS/RS-485, 120 dB WDR, True Day & Night (ICR), Motion detection, Transmission distance up to 500m, 24VAC/12VDC ※ The lens is not included	info	€ 198,00
Camera - Analog HD	HCB-6000	2MP Analog HD+ Box	HD+ Series	2MP	Box	NDAA compliant	HD+ series analogue box camera, 2MP, Full HD(1080p) resolution, Manual focus, AHD/CVBS/CCP/TC/RS-485, 120 dB WDR, True Day & Night (ICR), Motion detection, Transmission distance up to 500m, 24VAC/12VDC ※ The lens is not included	info	€ 166,00
Camera - Analog HD	HCB-6000PH	2MP Analog HD+ Box	HD+ Series	2MP	Box	NDAA compliant	HD+ series analogue box camera, 2MP, Full HD(1080p) resolution, Manual focus, AHD/CVBS/CCP/TC/RS-485, 120 dB WDR, True Day & Night (ICR), Motion detection, Transmission distance up to 500m, 220VAC ※ The lens is not included	info	€ 194,00
Camera - Analog HD	HCP-6320A	AHD PTZ	HD+ Series	2MP	PTZ	NDAA compliant	HD+ series 2MP, Full HD(1080p) 30fps PTZ camera, Optical zoom lens 32X (4.44-142.6mm), true WDR 120dB, RS485+Up coax (ACP protocol only) PTZ control, Day & Night (ICR), 24VAC	info	€ 1 270,00
Camera - Analog HD	HCP-6320HA	AHD Outdoor PTZ	HD+ Series	2MP	PTZ	NDAA compliant	HD+ series 2MP, Full HD(1080p) 30fps PTZ camera, Optical zoom lens 32X (4.44-142.6mm), RS485+Up coax (ACP protocol only) PTZ control, true WDR 120dB, Day & Night (ICR), 24VAC, IP66 IK10	info	€ 1 470,00
DVRs									
Recording - Analog	HRX-835A	8CH Pentabrid (AHD, HDTV, HDCVI, CVBS, IP) Recorder		8CH	DVR	NDAA Compliant	5-in-1 8CH+2CH (up to 10CH NW) Embedded DVR, Analog HD (max. 8MP), TVI (max. 8MP), CVI (max. 5MP), CVBS, IP (max. 8MP), triple codec H.265/H.264/MJPEG, max. 50Mbps recording / max. 32Mbps playback throughput, up to 4 internal SATA HDD (24TB max), 8CH Audio input/1CH Audio output, Coaxial Cable (Pelco-C), HDMI/VGA local dual monitor, SUNAPI, ONVIF, Easy configuration (Setup Wizard, P2P), Smartphone support (iOS & Android), No HDD included	info	€ 880,00
Recording - Analog	HRX-835A-4TB-S	8CH Pentabrid (AHD, HDTV, HDCVI, CVBS, IP) Recorder - 4TB HDD		8CH	DVR	NDAA Compliant	5-in-1 8CH+2CH (up to 10CH NW) Embedded DVR, Analog HD (max. 8MP), TVI (max. 8MP), CVI (max. 5MP), CVBS, IP (max. 8MP), triple codec H.265/H.264/MJPEG, max. 50Mbps recording / max. 32Mbps playback throughput, up to 4 internal SATA HDD (24TB max), 8CH Audio input/1CH Audio output, Coaxial Cable (Pelco-C), HDMI/VGA local dual monitor, SUNAPI, ONVIF, Easy configuration (Setup Wizard, P2P), Smartphone support (iOS & Android), 4TB Seagate SkyHawk HDD included (ST4000VX016)	info	€ 1 093,00
Recording - Analog	HRX-835A-6TB-S	8CH Pentabrid (AHD, HDTV, HDCVI, CVBS, IP) Recorder - 6TB HDD		8CH	DVR	NDAA Compliant	5-in-1 8CH+2CH (up to 10CH NW) Embedded DVR, Analog HD (max. 8MP), TVI (max. 8MP), CVI (max. 5MP), CVBS, IP (max. 8MP), triple codec H.265/H.264/MJPEG, max. 50Mbps recording / max. 32Mbps playback throughput, up to 4 internal SATA HDD (24TB max), 8CH Audio input/1CH Audio output, Coaxial Cable (Pelco-C), HDMI/VGA local dual monitor, SUNAPI, ONVIF, Easy configuration (Setup Wizard, P2P), Smartphone support (iOS & Android), 6TB Seagate SkyHawk HDD included (ST6000VX009)	info	€ 1 249,00
Recording - Analog	HRX-1635	16CH Pentabrid (AHD, HDTV, HDCVI, CVBS, IP) Recorder		16CH	DVR	NDAA Compliant	5-in-1 16CH (up to 18CH NW) Embedded DVR, Analog HD (max. 8MP), TVI (max. 8MP), CVI (max. 8MP), CVBS, IP (max. 8MP), triple codec H.265/H.264/MJPEG, max. 128Mbps recording / max. 32Mbps playback throughput, up to 8 internal SATA HDD, (48TB max), 16CH Audio input/1CH Audio output, Coaxial Cable (Pelco-C), HDMI/VGA local dual monitor, SUNAPI, ONVIF, Easy configuration (Setup Wizard, P2P), Smartphone support (iOS & Android), No HDD included	info	€ 1 110,00

New Product / Replacement
End of Sales
Price update

	Model code	Short description	Series	Resolution/Channels	Type	Notes	Full Description	Prod. page	MSRP, €
Hanwha Product									
Recording - Analog	HRX-1635-3TB-S	16CH Pentabrid (AHD, HDTVI, HDCVI, CVBS, IP) Recorder - 3TB HDD		16CH	DVR	NDAА Compliant	5-in-1 16CH (up to 18CH NW) Embedded DVR, Analog HD (max. 8MP), TVI (max. 8MP), CVI (max. 8MP), CVBS, IP (max. 8MP), triple code H.265H/264/MJPEG, max. 128Mbps recording / max. 32Mbps playback throughput, up to 8 internal SATA HDD, (48TB max), 16CH Audio input/ 1CH Audio output, Coaxial Cable (Pelco-C), HDMI/VGA local dual monitor, SUNAPI, ONVIF, Easy configuration (Setup Wizard, P2P), Smartphone support (iOS & Android), 3TB Seagate SkyHawk HDD included (ST3000VX015)	info	€ 1 336,00
Recording - Analog	HRX-1635-4TB-S	16CH Pentabrid (AHD, HDTVI, HDCVI, CVBS, IP) Recorder - 4TB HDD		16CH	DVR	NDAА Compliant	5-in-1 16CH (up to 18CH NW) Embedded DVR, Analog HD (max. 8MP), TVI (max. 8MP), CVI (max. 8MP), CVBS, IP (max. 8MP), triple code H.265H/264/MJPEG, max. 128Mbps recording / max. 32Mbps playback throughput, up to 8 internal SATA HDD, (48TB max), 16CH Audio input/ 1CH Audio output, Coaxial Cable (Pelco-C), HDMI/VGA local dual monitor, SUNAPI, ONVIF, Easy configuration (Setup Wizard, P2P), Smartphone support (iOS & Android), 4TB Seagate SkyHawk HDD included (ST4000VX016)	info	€ 1 371,00
Recording - Analog	HRX-1634	16CH Pentabrid (AHD, HDTVI, HDCVI, CVBS, IP) Recorder		16CH	DVR	NDAА Compliant	5-in-1 16CH (up to 18CH NW) Embedded DVR, Analog HD (max. 8MP), TVI (max. 8MP), CVI (max. 8MP), CVBS, IP (max. 8MP), triple code H.265H/264/MJPEG, max. 128Mbps recording / max. 32Mbps playback throughput, up to 2 internal SATA HDD, (12TB max), 16CH Audio input/ 1CH Audio output, Coaxial Cable (Pelco-C), HDMI/VGA local dual monitor, SUNAPI, ONVIF, Easy configuration (Setup Wizard, P2P), Smartphone support (iOS & Android), No HDD included	info	€ 650,00
Recording - Analog	HRX-1634-3TB-S	16CH Pentabrid (AHD, HDTVI, HDCVI, CVBS, IP) Recorder - 3TB HDD		16CH	DVR	NDAА Compliant	5-in-1 16CH (up to 18CH NW) Embedded DVR, Analog HD (max. 8MP), TVI (max. 8MP), CVI (max. 8MP), CVBS, IP (max. 8MP), triple code H.265H/264/MJPEG, max. 128Mbps recording / max. 32Mbps playback throughput, up to 2 internal SATA HDD, (12TB max), 16CH Audio input/ 1CH Audio output, Coaxial Cable (Pelco-C), HDMI/VGA local dual monitor, SUNAPI, ONVIF, Easy configuration (Setup Wizard, P2P), Smartphone support (iOS & Android), 3TB Seagate SkyHawk HDD included (ST3000VX015)	info	€ 876,00
Recording - Analog	HRX-1634-4TB-S	16CH Pentabrid (AHD, HDTVI, HDCVI, CVBS, IP) Recorder - 4TB HDD		16CH	DVR	NDAА Compliant	5-in-1 16CH (up to 18CH NW) Embedded DVR, Analog HD (max. 8MP), TVI (max. 8MP), CVI (max. 8MP), CVBS, IP (max. 8MP), triple code H.265H/264/MJPEG, max. 128Mbps recording / max. 32Mbps playback throughput, up to 2 internal SATA HDD, (12TB max), 16CH Audio input/ 1CH Audio output, Coaxial Cable (Pelco-C), HDMI/VGA local dual monitor, SUNAPI, ONVIF, Easy configuration (Setup Wizard, P2P), Smartphone support (iOS & Android), 4TB Seagate SkyHawk HDD included (ST4000VX016)	info	€ 911,00
Recording - Analog	HRX-435	4CH Pentabrid (AHD, HDTVI, HDCVI, CVBS, IP) Recorder		4CH	DVR	NDAА Compliant	5-in-1 4CH+2CH (up to 6CH NW) Embedded DVR, Analog HD (max. 8MP), TVI (max. 8MP), CVI (max. 5MP), CVBS, IP (max. 5MP), triple code H.265H/264/MJPEG, max. 30Mbps recording / max. 32Mbps playback throughput, up to 2 internal SATA HDD (6TB max), 4CH Audio input/ 1CH Audio output, Coaxial Cable (Pelco-C), HDMI/VGA local dual monitor, SUNAPI, ONVIF, Easy configuration (Setup Wizard, P2P), Smartphone support (iOS & Android), No HDD included	info	€ 330,00
Recording - Analog	HRX-435-4TB-S	4CH Pentabrid (AHD, HDTVI, HDCVI, CVBS, IP) Recorder - 4TB HDD		4CH	DVR	NDAА Compliant	5-in-1 4CH+2CH (up to 6CH NW) Embedded DVR, Analog HD (max. 8MP), TVI (max. 8MP), CVI (max. 5MP), CVBS, IP (max. 5MP), triple code H.265H/264/MJPEG, max. 30Mbps recording / max. 32Mbps playback throughput, up to 2 internal SATA HDD, (12TB max), 4CH Audio input/ 1CH Audio output, Coaxial Cable (Pelco-C), HDMI/VGA local dual monitor, SUNAPI, ONVIF, Easy configuration (Setup Wizard, P2P), Smartphone support (iOS & Android), 4TB Seagate SkyHawk HDD included (ST4000VX016)	info	€ 630,00
Recording - Analog	HRX-435-6TB-S	4CH Pentabrid (AHD, HDTVI, HDCVI, CVBS, IP) Recorder - 6TB HDD		4CH	DVR	NDAА Compliant	5-in-1 4CH+2CH (up to 6CH NW) Embedded DVR, Analog HD (max. 8MP), TVI (max. 8MP), CVI (max. 5MP), CVBS, IP (max. 5MP), triple code H.265H/264/MJPEG, max. 30Mbps recording / max. 32Mbps playback throughput, up to 2 internal SATA HDD (12TB max), 4CH Audio input/ 1CH Audio output, Coaxial Cable (Pelco-C), HDMI/VGA local dual monitor, SUNAPI, ONVIF, Easy configuration (Setup Wizard, P2P), Smartphone support (iOS & Android), 6TB Seagate SkyHawk HDD included (ST6000VX009)	info	€ 800,00
Recording - Analog	HRX-435-12TB-S	4CH Pentabrid (AHD, HDTVI, HDCVI, CVBS, IP) Recorder - 2x 6TB HDD		4CH	DVR	NDAА Compliant	5-in-1 4CH+2CH (up to 6CH NW) Embedded DVR, Analog HD (max. 8MP), TVI (max. 8MP), CVI (max. 5MP), CVBS, IP (max. 5MP), triple code H.265H/264/MJPEG, max. 30Mbps recording / max. 32Mbps playback throughput, up to 2 internal SATA HDD (12TB max), 4CH Audio input/ 1CH Audio output, Coaxial Cable (Pelco-C), HDMI/VGA local dual monitor, SUNAPI, ONVIF, Easy configuration (Setup Wizard, P2P), Smartphone support (iOS & Android), 2x 6TB Seagate SkyHawk HDD included (ST6000VX009)	info	€ 1 200,00
Recording - Analog	HRX-434	4CH Pentabrid (AHD, HDTVI, HDCVI, CVBS, IP) Recorder		4CH	DVR	NDAА Compliant	5-in-1 4CH+2CH (up to 6CH NW) Embedded DVR, Analog HD (max. 8MP), TVI (max. 8MP), CVI (max. 5MP), CVBS, IP (max. 5MP), triple code H.265H/264/MJPEG, max. 30Mbps recording / max. 32Mbps playback throughput, up to 2 internal SATA HDD (6TB max), 1CH Audio input/ 1CH Audio output, Coaxial Cable (Pelco-C), HDMI/VGA local dual monitor, SUNAPI, ONVIF, Easy configuration (Setup Wizard, P2P), Smartphone support (iOS & Android), No HDD included	info	€ 280,00
Recording - Analog	HRX-434-4TB-S	4CH Pentabrid (AHD, HDTVI, HDCVI, CVBS, IP) Recorder - 4TB HDD		4CH	DVR	NDAА Compliant	5-in-1 4CH+2CH (up to 6CH NW) Embedded DVR, Analog HD (max. 8MP), TVI (max. 8MP), CVI (max. 5MP), CVBS, IP (max. 5MP), triple code H.265H/264/MJPEG, max. 30Mbps recording / max. 32Mbps playback throughput, up to 2 internal SATA HDD (6TB max), 1CH Audio input/ 1CH Audio output, Coaxial Cable (Pelco-C), HDMI/VGA local dual monitor, SUNAPI, ONVIF, Easy configuration (Setup Wizard, P2P), Smartphone support (iOS & Android), 4TB Seagate SkyHawk HDD included (ST4000VX016)	info	€ 580,00
Recording - Analog	HRX-434-6TB-S	4CH Pentabrid (AHD, HDTVI, HDCVI, CVBS, IP) Recorder - 6TB HDD		4CH	DVR	NDAА Compliant	5-in-1 4CH+2CH (up to 6CH NW) Embedded DVR, Analog HD (max. 8MP), TVI (max. 8MP), CVI (max. 5MP), CVBS, IP (max. 5MP), triple code H.265H/264/MJPEG, max. 30Mbps recording / max. 32Mbps playback throughput, up to 2 internal SATA HDD (6TB max), 1CH Audio input/ 1CH Audio output, Coaxial Cable (Pelco-C), HDMI/VGA local dual monitor, SUNAPI, ONVIF, Easy configuration (Setup Wizard, P2P), Smartphone support (iOS & Android), 6TB Seagate SkyHawk HDD included (ST6000VX009)	info	€ 750,00
Recording - Analog	HRX-420	4CH Pentabrid (AHD, HDTVI, HDCVI, CVBS, IP) Recorder		4CH+2CH	DVR	EOS Limited stock available	5-in-1 4CH+2CH (up to 6CH NW) Embedded DVR, Analog HD (max. 8MP), TVI (max. 8MP), CVI (max. 5MP), CVBS, IP (max. 5MP), triple code H.265H/264/MJPEG, 8fps@8MP/ 12fps@8MP recording, 1 Internal SATA HDD (6TB max), 1CH Audio input/ 1CH Audio output, Coaxial Cable (Pelco-C), HDMI/VGA local dual monitor, SUNAPI, ONVIF, Easy configuration (Setup Wizard, P2P), Smartphone support (iOS & Android), No HDD included	info	€ 264,00
Recording - Analog	HRX-420-2TB	4CH Pentabrid (AHD, HDTVI, HDCVI, CVBS, IP) Recorder - 2TB HDD		4CH+2CH	DVR	EOS Limited stock available	5-in-1 4CH+2CH (up to 6CH NW) Embedded DVR, Analog HD (max. 8MP), TVI (max. 8MP), CVI (max. 5MP), CVBS, IP (max. 5MP), triple code H.265H/264/MJPEG, 8fps@8MP/ 12fps@8MP recording, 1 Internal SATA HDD (6TB max), 1CH Audio input/ 1CH Audio output, Coaxial Cable (Pelco-C), HDMI/VGA local dual monitor, SUNAPI, ONVIF, Easy configuration (Setup Wizard, P2P), Smartphone support (iOS & Android), 2TB HDD included	info	€ 480,00

Lens modules for Multi-Sensor and Box Cameras

Lens	SLA-T1080F	1.6mm Lens/Imager straight body for XNB-6001 (8.0m cable)		2MP	Lens	NDAА Compliant	1/2.8" 2MP CMOS with a 1.6mm fixed lens module for XNB-6001, FoV: H: 187°, V: 113.9°, 0.03Lux, WDR (120dB), Electrical Day&Night	info	€ 287,00
Lens	SLA-T2480	2.4mm Lens/Imager straight body for XNB-6001 (8.0m cable)		2MP	Lens	NDAА Compliant	1/2.8" 2MP CMOS with a 2.4mm fixed lens module for XNB-6001, FoV: H: 138°, V: 73°, 0.45Lux, WDR (120dB), Electrical Day&Night	info	€ 214,00
Lens	SLA-T2480V	2.4mm Lens/Imager right angle body for XNB-6001 (8.0m cable)		2MP	Lens	NDAА Compliant	1/2.8" 2MP CMOS with a 2.4mm fixed lens module for XNB-6001, FoV: H: 138°, V: 73°, 0.45Lux, WDR (120dB), Electrical Day&Night	info	€ 214,00
Lens	SLA-T4680	4.6mm Lens/Imager straight body for XNB-6001 (8.0m cable)		2MP	Lens	NDAА Compliant	1/2.8" 2MP CMOS with a 4.6mm fixed lens module for XNB-6001, FoV: H: 73°, V: 39°, 0.06Lux, WDR (120dB), Electrical Day&Night	info	€ 214,00
Lens	SLA-T4680V	4.6mm Lens/Imager right angle body for XNB-6001 (8.0m cable)		2MP	Lens	NDAА Compliant	1/2.8" 2MP CMOS with a 4.6mm fixed lens module for XNB-6001, FoV: H: 73°, V: 39°, 0.06Lux, WDR (120dB), Electrical Day&Night	info	€ 214,00
Lens	SLA-T4680D	Door Jamb Lens (black)		2MP	Lens	NDAА Compliant	2MP Door Jamb Pinhole lens module with a 4.6mm fixed lens, compatible with XNB-6001 (not included), FoV: H: 73°, V: 39°, 0.06 Lux, WDR (120dB), Electrical Day&Night, black colour	info	€ 250,00
Lens	SLA-T4680DS	Door Jamb Lens (silver)		2MP	Lens	NDAА Compliant	2MP Door Jamb Pinhole lens module with a 4.6mm fixed lens, compatible with XNB-6001 (not included), FoV: H: 73°, V: 39°, 0.06 Lux, WDR (120dB), Electrical Day&Night, silver colour	info	€ 250,00
Lens	SLA-T4680DW	Door Jamb Lens (white) Special order ONLY		2MP	Lens	NDAА Compliant	2MP Door Jamb Pinhole lens module with a 4.6mm fixed lens, compatible with XNB-6001 (not included), FoV: H: 73°, V: 39°, 0.06 Lux, WDR (120dB), Electrical Day&Night, white colour	info	€ 250,00
Lens	SLA-T1080FA	1.6mm Lens/Imager straight body for PNM-9000QB (8.0m cable)		2MP	Lens	NDAА Compliant	1/2.8" 2MP CMOS with a 1.6mm fixed lens module for PNM-9000QB, XNB-6002, FoV: H: 187°, V: 113.9°, 0.03Lux, WDR (120dB), Electrical Day&Night	info	€ 287,00
Lens	SLA-T2480A	2.4mm Lens/Imager straight body for PNM-9000QB (8.0m cable)		2MP	Lens	NDAА Compliant	1/2.8" 2MP CMOS with a 2.4mm fixed lens module for PNM-9000QB, XNB-6002, FoV: H: 138°, V: 73°, 0.45Lux, WDR (120dB), Electrical Day&Night	info	€ 214,00
Lens	SLA-T2480VA	2.4mm Lens/Imager right angle body for PNM-9000QB (8.0m cable)		2MP	Lens	NDAА Compliant	1/2.8" 2MP CMOS with a 2.4mm fixed lens module for PNM-9000QB, XNB-6002, FoV: H: 138°, V: 73°, 0.45Lux, WDR (120dB), Electrical Day&Night	info	€ 214,00
Lens	SLA-T4680A	4.6mm Lens/Imager straight body for PNM-9000QB (8.0m cable)		2MP	Lens	NDAА Compliant	1/2.8" 2MP CMOS with a 4.6mm fixed lens module for PNM-9000QB, XNB-6002, FoV: H: 73°, V: 39°, 0.06Lux, WDR (120dB), Electrical Day&Night	info	€ 214,00
Lens	SLA-T4680VA	4.6mm Lens/Imager right angle body for PNM-9000QB (8.0m cable)		2MP	Lens	NDAА Compliant	1/2.8" 2MP CMOS with a 4.6mm fixed lens module for PNM-9000QB, XNB-6002, FoV: H: 73°, V: 39°, 0.06Lux, WDR (120dB), Electrical Day&Night	info	€ 214,00
Lens	SLA-T2480WA	2MP Lens Module		2MP	Lens	NDAА Compliant	1/2.8" 2MP CMOS with a 2.4mm fixed lens module, FoV: H: 138°, V: 73°, Color: 0.045Lux(F2.0, 1/30sec, 30IRE) BW: 0.045Lux(F2.0, 1/30sec, 30IRE) with PNM-9000QB, XNB-6002, Product Dimensions / Weight: ø24x49.8mm(ø34x1.96"), 101g(0.22lb), IRIS, NEMA 4X, compatible with PNM-9000QB, XNB-6002	info	€ 275,00
Lens	SLA-T2480WA	2MP Waterproof Dome Lens Module		2MP	Lens	NDAА Compliant	1/2.8" 2MP CMOS with a 2.4mm fixed lens module, FoV: H: 138°, V: 73°, Color: 0.045Lux(F2.0, 1/30sec, 30IRE) BW: 0.045Lux(F2.0, 1/30sec, 30IRE) with PNM-9000QB, XNB-6002, Product Dimensions / Weight: ø110x77.0mm(ø3.54x2.36"), 450g(0.99lb), EN IEC 63000, IEC 60529 IP66, IEC 62282 K10, NEMA 250 type 4X, compatible with PNM-9000QB, XNB-6002	info	€ 275,00
Lens	SLA-T4680DA	Door Jamb Lens (black)		2MP	Lens	NDAА Compliant	2MP Door Jamb Pinhole lens module with a 4.6mm fixed lens, compatible with XNB-6002 (not included), FoV: H: 73°, V: 39°, 0.06 Lux, WDR (120dB), Electrical Day&Night, Black colour, compatible with PNM-9000QB, XNB-6002, XNB-6001	info	€ 270,00
Lens	SLA-T4680DSA	Door Jamb Lens (silver)		2MP	Lens	NDAА Compliant	2MP Door Jamb Pinhole lens module with a 4.6mm fixed lens, compatible with XNB-6002 (not included), FoV: H: 73°, V: 39°, 0.06 Lux, WDR (120dB), Electrical Day&Night, Silver colour, compatible with PNM-9000QB, XNB-6002, XNB-6001	info	€ 270,00
Lens	SLA-5M3700Q	PNM-9002VQ Lens module		5MP	Lens	NDAА Compliant	1/1.8" 5MP CMOS with a 3.7mm fixed lens module for PNM-9002VQ, FoV: H: 97.5°, V: 71.9°, 0.16Lux@F1.8 (Color, B/W), WDR (120dB), Electrical Day&Night, compatible with PNM-9002VQ	info	€ 116,00
Lens	SLA-5M4600Q	PNM-9002VQ Lens module		5MP	Lens	NDAА Compliant	1/1.8" 5MP CMOS with a 4.6mm fixed lens module for PNM-9002VQ, FoV: H: 77.9°, V: 57.9°, 0.16Lux@F1.8 (Color, B/W), WDR (120dB), Electrical Day&Night, compatible with PNM-9002VQ	info	€ 116,00
Lens	SLA-5M7000Q	PNM-9002VQ Lens module		5MP	Lens	NDAА Compliant	1/1.8" 5MP CMOS with a 7.0mm fixed lens module for PNM-9002VQ, FoV: H: 50.7°, V: 37.8°, 0.16Lux@F1.6 (Color, B/W), WDR (120dB), Electrical Day&Night, compatible with PNM-9002VQ	info	€ 116,00



	Model code	Short description	Series	Resolution/Channels	Type	Notes	Full Description	Prod. page	MSRP, €
Hanwha Product									
Lens	SLA-2M2400Q	PNM-9002VQ Lens module		2MP	Lens	NDAA Compliant	1/2.8" 2MP CMOS with a 2.4mm fixed lens module for PNM-9000VQ. FoV: H: 135.4°, V: 71.2°, 0.055Lux@F2.0 (Color, B/W), WDR (1500B), Electrical Day&Night, compatible with PNM-9002VQ	info	€ 60.00
Lens	SLA-2M2800Q	PNM-9002VQ Lens module		2MP	Lens	NDAA Compliant	1/2.8" 2MP CMOS with a 2.8mm fixed lens module for PNM-9000VQ. FoV: H: 107.4°, V: 62.2°, 0.055Lux@F2.0 (Color, B/W), WDR (1500B), Electrical Day&Night, compatible with PNM-9002VQ	info	€ 60.00
Lens	SLA-2M3600Q	PNM-9002VQ Lens module		2MP	Lens	NDAA Compliant	1/2.8" 2MP CMOS with a 3.6mm fixed lens module for PNM-9000VQ. FoV: H: 94.8°, V: 49.3°, 0.055Lux@F2.0 (Color, B/W), WDR (1500B), Electrical Day&Night, compatible with PNM-9002VQ	info	€ 60.00
Lens	SLA-2M6000Q	PNM-9002VQ Lens module		2MP	Lens	NDAA Compliant	1/2.8" 2MP CMOS with a 6.0mm fixed lens module for PNM-9000VQ. FoV: H: 50.4°, V: 28.8°, 0.055Lux@F2.0 (Color, B/W), WDR (1500B), Electrical Day&Night, compatible with PNM-9002VQ	info	€ 83.00
Lens	SLA-5M3700P	PNM-9322VQP Lens module		5MP	Lens	NDAA Compliant	1/1.8" 5MP CMOS with a 3.7mm fixed lens module for PNM-9320VQP. FoV: H: 97.5°, V: 71.9°, 0.16Lux@F1.6 (Color, B/W), WDR (1200B), Electrical Day&Night, compatible with PNM-9320VQP	info	€ 116.00
Lens	SLA-5M4600P	PNM-9322VQP Lens module		5MP	Lens	NDAA Compliant	1/1.8" 5MP CMOS with a 4.6mm fixed lens module for PNM-9320VQP. FoV: H: 77.9°, V: 57.9°, 0.16Lux@F1.6 (Color, B/W), WDR (1200B), Electrical Day&Night, compatible with PNM-9320VQP	info	€ 116.00
Lens	SLA-5M7000P	PNM-9322VQP Lens module		5MP	Lens	NDAA Compliant	1/1.8" 5MP CMOS with a 7.0mm fixed lens module for PNM-9320VQP. FoV: H: 50.7°, V: 37.8°, 0.16Lux@F1.6 (Color, B/W), WDR (1200B), Electrical Day&Night, compatible with PNM-9320VQP	info	€ 116.00
Lens	SLA-2M2400P	PNM-9322VQP Lens module		2MP	Lens	NDAA Compliant	1/2.8" 2MP CMOS with a 2.4mm fixed lens module for PNM-9320VQP. FoV: H: 135.4°, V: 71.2°, 0.055Lux@F2.0 (Color, B/W), WDR (1500B), Electrical Day&Night, compatible with PNM-9320VQP	info	€ 60.00
Lens	SLA-2M2800P	PNM-9322VQP Lens module		2MP	Lens	NDAA Compliant	1/2.8" 2MP CMOS with a 2.8mm fixed lens module for PNM-9320VQP. FoV: H: 107.4°, V: 62.2°, 0.055Lux@F2.0 (Color, B/W), WDR (1500B), Electrical Day&Night, compatible with PNM-9320VQP	info	€ 60.00
Lens	SLA-2M3600P	PNM-9322VQP Lens module		2MP	Lens	NDAA Compliant	1/2.8" 2MP CMOS with a 3.6mm fixed lens module for PNM-9320VQP. FoV: H: 94.8°, V: 49.3°, 0.055Lux@F2.0 (Color, B/W), WDR (1500B), Electrical Day&Night, compatible with PNM-9320VQP	info	€ 60.00
Lens	SLA-2M6000P	PNM-9322VQP Lens module		2MP	Lens	NDAA Compliant	1/2.8" 2MP CMOS with a 6.0mm fixed lens module for PNM-9320VQP. FoV: H: 50.4°, V: 28.8°, 0.055Lux@F2.0 (Color, B/W), WDR (1500B), Electrical Day&Night, compatible with PNM-9320VQP	info	€ 60.00
Lens	SLA-2M1200P	PNM-9322VQP Lens module		2MP	Lens	NDAA Compliant	1/2.8" 2MP CMOS with a 12.0mm fixed pinhole lens for PNM-9320VQP. FoV: H: 26.3°, V: 14.9°, 0.055Lux@F2.0 (Color, B/W), WDR (1500B), Electrical Day&Night, compatible with PNM-9320VQP	info	€ 60.00
Lens	SLA-M2890DN	Megapixel DC-iris Lens			Lens	NDAA Compliant	Lens, 1/2.8", Max. resolution 3MP, varifocal (2.8-9.0mm), Auto DC Iris, CS-Mount	info	€ 195.00
Lens	SLA-M2890PN	Megapixel P-iris Lens			Lens	NDAA Compliant	Lens, 1/2.8", Max. resolution 3MP, varifocal (2.8-9.0mm), Auto P Iris, CS-Mount	info	€ 232.00
Lens	SLA-M8550D	Lens, 1/2.8" 8.5-50mm V/F DC Iris CS-Mount			Lens	NDAA Compliant	Lens, 1/2.8", Max. resolution 3MP, varifocal (8.5-50.0mm), Auto DC Iris, CS-Mount	info	€ 246.00
Accessories									
Accessory	SPH-50	IR illuminators for the TNU-6320 (discontinued) and TNU-6321				NDAA Compliant	IR emitter up to 200m (656 feet), 25° IR angle, 850nm wave length, 24VAC, IP67, -40°C ~ +60°C (-40°F ~ 140°F). Compatible with the TNU-6320 (discontinued) and TNU-6321. 2 IR illuminator body and mounting bracket included	info	€ 2 070.00
Accessory	SPM-4210	I/O box				NDAA Compliant	Network I/O Box for PTZ plus, 4-configurable I/O ports, Audio I/O, PoE. Compatible with XNP-9300RW/9250R/9250 XNP-8300RW/8250R/8250, XNP-6400RW/6400R/6400	info	€ 250.00
Accessory	SPO-6011	PoE injector - 60W				NDAA Compliant	60W HPoE Injector, Fully compliant with IEEE802.3af/at/bt, PoE+, Built-in SFP slot, Compatible with XNP-9250R / XNP-8250R / XNP-6400R / TNB-9000	info	€ 365.00
Accessory	SPO-8315	PoE injector - 83W				NDAA Compliant	83W HPoE Injector, Fully compliant with IEEE802.3af/at/bt, PoE+, Built-in SFP slot, Compatible with XNP-9300RW / XNP-8300RW / XNP-6400RW, PNM-9085RQZ / PNM-9085RQZ1 / PNM-9084RQZ / PNM-9084RQZ1 / PNM-9322VQP	info	€ 425.00
Accessory	SHP-1563FPW	In-ceiling Mount				NDAA Compliant	Plenum rated PTZ-Plus flush mount, white color. Compatible with XNP-9250/9250R/8250R/8250R/6400R/6400R, QNP-6320R/6250R, XNP-C6403/C6253/C6253, XNP-C6403R/C6253R/C6253R	info	€ 159.00
Accessory	SHP-1520FW	Flush mount				NDAA Compliant	Plastic In-ceiling Flush Mount PTZ cameras. Compatible with XNP-6320/XNP-6321/QNP-6230, White	info	€ 119.00
Accessory	SHP-1680F	Flush mount				NDAA Compliant	Polycarbonate In-ceiling Flush Mount for PTZ and Dome cameras. Compatible with XNP-6120H, XNV-6120/6120R/6085, XND-6085/6085V, Ivory	info	€ 73.00
Accessory	SHP-1680FW	Flush mount				NDAA Compliant	Polycarbonate In-ceiling Flush Mount PTZ and Dome cameras. Compatible with XNP-6120H, XNV-6120/6120R/6085, XND-6085/6085V, White	info	€ 73.00
Accessory	SHP-1730FPW	Flush mount				NDAA Compliant	Plenum rated In-ceiling mount compatible with: XNP-C7310R & C5310R	info	€ 185.00
Accessory	SHD-1128FPW	Flush mount				NDAA Compliant	Polycarbonate In-ceiling Flush Mount for Dome cameras. Compatible with QND-8021/8011/6021/6011 XND-8040R/8030R/8020R/8020R/8010, White, RAL9003	info	€ 73.00
Accessory	SHD-1198FW	Flush mount				NDAA Compliant	Polycarbonate In-ceiling Flush Mount for Dome cameras. Compatible with QND-6070R/6082R/7080R/8080R, HCD-6070R/6080R/7070R/7080R, White	info	€ 54.00
Accessory	SHD-1200FPW	In-ceiling housing				NDAA Compliant	Aluminum in-ceiling housing, compatible with QNV-C8011R/C8011R, QNV-C8012	info	€ 100.00
Accessory	SHD-1350FPW	In-Ceiling Housing				NDAA Compliant	Aluminum In-Ceiling Housing, RAL9003, Compatible with XND-6083R/8083R/8093R/9083R/9083R	info	€ 135.00
Accessory	SHD-1370FPW	In-ceiling Housing				NDAA Compliant	Aluminum In-Ceiling Housing, RAL9003, Compatible with PNV-A6081R/A6081R, XNV-8082R/9082R, XNV-6083R/8083R/8093R/9083R, XNV-6123R, XNV-6083Z/8083Z, XNV-6083RZ/8083RZ/9083RZ	info	€ 125.00
Accessory	SHD-1400FPW	In-ceiling Mount				NDAA Compliant	In-ceiling mount plenum for QNV-C8083R/C9083R	info	€ 125.00
Accessory	SHD-1400FW	In-ceiling Mount				NDAA Compliant	In-ceiling mount for QNV-C8083R/C9083R	info	€ 50.00
Accessory	SHD-1408FW	Flush mount				NDAA Compliant	Polycarbonate In-ceiling Flush Mount for Dome cameras. Compatible with PND-6080R, XND-6080R/6080R/6090R/6090R/6080R/6080R/L6080R/L6080R/L6080R/L6080R, HCV-6070R/6080R/7070R/7080R, QNV-6082R1, White	info	€ 54.00
Accessory	SHD-1408FPW	In-ceiling Housing				NDAA Compliant	Polycarbonate In-ceiling Flush Mount for Dome cameras, White, Compatible with HCD-6080R/7070RA, QND-6082R/8080R, XNV-6010/6020R/8020R/8030R/8040R, HCV-7010RA/7020RA/7030RA/6080R/6070R, LNV-6012R/6022R/6032R/6072R, QNV-6012R/6022R/6032R/6082R/8010R/8020R/8030R/8080R, XND-6080V/6080R/8080R, XND-L6080V/6080R/8080R, XNP-6040H	info	€ 125.00
Accessory	SHD-1600FPW	Flush mount				NDAA Compliant	Polycarbonate In-ceiling Flush Mount for Dome cameras. Compatible with PNV-9080R XNF-9010R/8010R/8010R XND-6085/6085V XNV-6085/6120/6120R/8080R/6080R/6080 XNV-L6080R/L6080, White, RAL9003	info	€ 174.00

■ New Product / Replacement
■ End of Sales
■ Price update

	Model code	Short description	Series	Resolution/ Channels	Type	Notes	Full Description	Prod. page	MSRP, €
Hanwha Product									
Accessory	SHD-2000FPW	In-ceiling Mount				NDAA Compliant	Plenum rated In-ceiling mount compatible with: PNM-C16013RVQ	info	€ 170,00
Accessory	SHD-2500FPW	In-ceiling Mount				NDAA Compliant	In-ceiling Mount for PNM-C3203RVQ and PNM-C16033RVQ	info	€ 250,00
Accessory	SHD-2510FPW	Flush mount				NDAA Compliant	Aluminum In-ceiling Flush Mount for Multisensor cameras. Compatible with PNM-9084Q2/1 PNM-9082VT, White	info	€ 250,00
Accessory	SHD-3000F1	Flush mount				NDAA Compliant	Polycarbonate In-ceiling Flush Mount for Dome cameras. Compatible with PNV-9080R, XNV-6090/6080RL6080L6080R/6080R, SCD-6081R, SCV-6081R, SND-7034R/7034R/6084R/6084R/6033R/6084R/6084R/6084R/6084R/6084R, Ivory	info	€ 52,00
Accessory	SHD-3000F3	Flush mount				NDAA compliant EOS Limited stock available	Polycarbonate In-ceiling Flush Mount for Outdoor dome cameras. Compatible with QNV-7070R/6070R/6080R/6080R, SNV-16083R/L5083R, SCV-5082/5083/5083R/5085, Ivory	info	€ 73,00
Accessory	SHD-3000F4	Flush mount				NDAA Compliant	Polycarbonate In-ceiling Flush Mount for Indoor Dome cameras. Compatible with PND-9080R, XND-6080/6080R/6080R/6080R/VL6080R/L6080R/L6080R/6080R/V, Ivory	info	€ 73,00
Accessory	SHD-3000F5	In-ceiling Mount				NDAA compliant	Polycarbonate In-ceiling Flush Mount, Aluminum, UL2820 Plenum rated, White, Compatible with Compatible with the PNM-9000VQ & PNM-9002VQ ※ For further compatible models, please visit our website or use Toolbox	info	€ 250,00
Accessory	SHP-3701H	PTZ Outdoor Housing				NDAA Compliant	Outdoor Housing for PTZ cameras, IP66, IK10, Built-in Heater -58°F. Compatible with XNP-6320, QNP-6230, HCP-6320/6320A, SCP-3370/2370/2330/2270/2250/3371/2371/2271, SNP-6200/5200/5300/3371/3302, Ivory	info	€ 249,00
Accessory	SHF-1500F	Flush Mount				NDAA Compliant	Polycarbonate In-ceiling Flush Mount for Fisheye cameras. Compatible with XNF-9010R/RV/RVM, PNF-9010R/RV/RVM, Ivory	info	€ 73,00
Accessory	SPC-100AC	AC Power Module				NDAA compliant EOS Limited stock available	AC24V power module for Outdoor X PLUS cameras. Compatible with XNV-6081Z/6081Z, XNV-6081/6081R/6081R, Black	info	€ 299,00
Accessory	SBC-140WB	Skin cover in black				NDAA Compliant	Skin cover in black compatible with TNV-C8011RW	info	€ 40,00
Accessory	SBC-170C	Skin cover in silver				NDAA Compliant	Skin cover in silver, polycarbonate material, compatible with TNV-8011C	info	€ 35,00
Accessory	SBC-170CW	Skin cover in white				NDAA Compliant	Skin cover in white, polycarbonate material, compatible with TNV-8011C	info	€ 35,00
Accessory	SBC-170CB	Skin cover in black				NDAA Compliant	Skin cover in black, polycarbonate material, compatible with TNV-8011C	info	€ 35,00
Accessory	SBC-165W	skin cover in white				NDAA Compliant	Skin cover in white for TID-600R Intercom	info	€ 21,00
Accessory	SBS-165B	Back Box				NDAA Compliant	Back Box for TID-600R intercom	info	€ 49,00
Accessory	SBS-165TM	Tilt Mount				NDAA Compliant	Tilt mount in black for TID-600R Intercom	info	€ 29,00
Accessory	SHS-165F	Flush Mount with cover				NDAA Compliant	Flush mount with two covers (dark gray and white) for TID-600R Intercom	info	€ 100,00
Accessory	SBC-160B	Skin Cover				NDAA Compliant	Skin cover for Indoor Vandal Dome cameras. Compatible with XND-8081VZ/8081R/8081REV/6081VZ/6081V/6081R/6081REV, PND-A9081RV, Black	info	€ 46,00
Accessory	SBC-160BF	Skin cover in black				NDAA Compliant	Skin cover in Black, polycarbonate material, compatible with XNF-9013RV, XNF-9010RV TBD, XNF-8010RV TBD	info	€ 50,00
Accessory	SBC-180B	Skin Cover				NDAA Compliant	compatible with XNF-9013RV, XNF-9010RV TBD, XNF-8010RV TBD	info	€ 46,00
Accessory	SBC-200B	Skin Cover				NDAA Compliant	Black Skin Cover for PNM-C16013RVQ Pack of 3	info	€ 50,00
Accessory	DSC-160-PC	Skin Cover				NDAA Compliant	Skin Cover developed for X-core Dome Camera only	info	€ 64,00
Accessory	DSC-160-VC	Skin Cover				NDAA Compliant	Skin Cover Developed for PTZ of the size of 80 Diameter	info	€ 103,00
Accessory	SBC-XNP-6400	PTZ Skin Cover, Paint Ready				NDAA Compliant	This skin has been developed for XNP version only non RW series, such as XNP-6400, XNP-6400R, XNP-C6403, XNP-C6403R, XNP-8250, XNP-8250R, XNP-C8253, XNP-C8253R, XNP-9250, XNP-9250R, XNP-C9253, XNP-C9253R and QNP-6320R, QNP-6250R. Skin is Paint ready. Manufactured in the UK	info	€ 135,00
Accessory	SBC-XNV-C9063R	XNV-Skin Cover				NDAA Compliant	This skin has been developed for XNV core version only such as XNV-C9063R (T). Other Version still to be Tested. Skin is Paint ready. Manufactured in the UK	info	€ 99,00
Accessory	SBL-100C	Remote Head Housing				NDAA compliant EOS Limited stock available	Remote Head Camera Corner Mount Housing. Compatible with SLA-T2480, SLA-T2480A, SLA-T4680, SLA-T4680A, White	info	€ 40,00
Accessory	SBL-101C	Remote Head Housing				NDAA Compliant	Polycarbonate Remote Head Camera Ceiling Housing, white, RAL9003. Compatible with SLA-T2480, SLA-T2480A, SLA-T4680, SLA-T4680A	info	€ 39,00
Accessory	SBL-100D	Remote Head Housing				NDAA Compliant	Remote Head Camera Ceiling Mount Housing. Compatible with SLA-T2480, SLA-T2480A, SLA-T4680, SLA-T4680A, White	info	€ 39,00
Accessory	SBP-09HMMW	Hanging Mount				NDAA Compliant	Aluminum Hanging Mount for Fisheye Cameras. Compatible with QND-8021/8011/6021/6011, QNF-8010/9010, White	info	€ 20,00
Accessory	SBP-120HMMW	Hanging Mount				NDAA Compliant	Hanging Mount, White, plastic cap, compatible with QNV-C8011R/C8011R, QNF-8010/8010, QND-8011/6021, QND-8011/8021	info	€ 34,00
Accessory	SBP-122HM	Hanging Mount				NDAA Compliant	Aluminum Hanging Mount for Dome Cameras. Compatible with QND-7080R/6070R, QNV-7010R/7020R/7030R/6010R/6020R/6030R, XNV-8020R/8030R/8040R/6010/6020R, HCV-7010R/7020R/7030R, Ivory	info	€ 22,00
Accessory	SBP-122HMW	Hanging Mount				NDAA Compliant	Aluminum Hanging mount for Dome cameras. Compatible with QNV-8010R/8020R/8030R/6012R/6022R/6032R, QND-8080R/6062R, LNV-6010R/6020R/6030R, LND-6070R, White, QNV-6012R/16022R/16032R/1	info	€ 21,00

■ New Product / Replacement
■ End of Sales
■ Price update

	Model code	Short description	Series	Resolution/Channels	Type	Notes	Full Description	Prod. page	MSRP, €
Hanwha Product									
Accessory	SBP-140HMW	Hanging Mount				NDAA Compliant	Hanging Mount, White, plastic cap, compatible with QNV-C8083R/9083R	info	€ 49,00
Accessory	SBP-125HMW	Hanging Mount				NDAA Compliant	Aluminum Hanging mount for Dome cameras. Compatible with QNE-8011R, QNE-8021R, White	info	€ 32,00
Accessory	SBP-156HMW	Hanging Mount				NDAA Compliant	Aluminum Hanging Mount for Outdoor PTZ cameras. Compatible with XNP-9300RW/9250R/9250R8300RW/8250R/8250R6400RW/6400R/6400, White	info	€ 60,00
Accessory	SBP-156HMWP	Hanging Adaptor				NDAA Compliant	Aluminum Hanging Mount Housing, Us SNI-1MC or SNI-1MC-PS. SNI Bracket not included. This also can be used with the SPO-3515, Compatible with PNM-C3440R/QPZ	info	€ 400,00
Accessory	SBP-156HMWR	Hanging Adaptor				NDAA Compliant	Aluminum Hanging Mount Housing, Developed for Fiber Cable Network and Poe Injector. Us SNI-1MC or SNI-1MC-PS. SNI Bracket not included. Compatible with XNP-6400/9250/9255, XNP-C6403/C8253/C9253/C7310R/C9310R	info	€ 367,00
Accessory	SBP-160HMW1	Hanging Mount				NDAA Compliant	Core : Aluminum / Cap : Plastic, White, Supported products : XND-C6083R/7083R/8083R/9083R, XND-6083R/8083R/9083R/9083R, PND-A6081R/9081R, XNV-C6083R/7083R/8083R/9083R, XNF-9013R/9010R, XND-8082R/9082R	info	€ 49,00
Accessory	SBP-167HM	Hanging Mount				NDAA Compliant	Aluminum Hanging Mount for Indoor Vandal Dome cameras. Compatible with XND-8081VZ/8081R/8081REV/8081VZ/8081V/8081R/8081REV, PND-A8081R, Ivory	info	€ 46,00
Accessory	SBP-168HM	Hanging Mount				NDAA Compliant	Cap Adapter, Compatible with XNP-6120H, Ivory	info	€ 21,00
Accessory	SBP-180HMW1	Hanging Mount				NDAA Compliant	Core : Aluminum / Cap : Plastic, White, Supported products : XNV-6083R/8083R/9083R/9083R, XNV-6083RZ/8083RZ/9083RZ, XNV-6123R, PNV-A6081R/9081R, XNV-8082R/9082R	info	€ 79,00
Accessory	SBP-187HM	Hanging Mount				NDAA Compliant	Aluminum Hanging Mount for Outdoor Dome cameras. Compatible with XNV-8081Z/8081RE/8081R/8081Z/8081R/8081RE, PNV-A8081R, Ivory	info	€ 46,00
Accessory	SBP-200HMW	Hanging Mount				NDAA Compliant	Aluminum Hanging Mount, White, compatible with PNM-C16013RVQ	info	€ 49,00
Accessory	SBP-201HM	Hanging Mount				NDAA compliant ECS Limited stock available	Hanging Mount, Material: Aluminum	info	€ 46,00
Accessory	SBP-201HMW	Hanging Mount				NDAA compliant ECS Limited stock available	Hanging Mount, Product dimensions / Weight: ø215x67mm (ø8.46x2.64")	info	€ 26,00
Accessory	SBP-215HMW	Hanging Mount				NDAA Compliant	Hanging mount for PNM-C7083RVD/7082RVD and PNM-C12083RVD/12082RVD	info	€ 40,00
Accessory	SBP-250HMW	Hanging Mount				NDAA Compliant	Hanging Cap for PNM-9084QZ / PNM-9084QZ1 / PNM-C16083RVQ / PNM-C32083RVQ, Mount thread size : PF 1 1/2" Male, Aluminum, White	info	€ 75,00
Accessory	SBP-250MMW	Wall/Pole Mount				NDAA Compliant	Wall Mount White Compatible with 1. Camera Direct - QNV-C6083R/C9083R, XND-C6083R/C7083R/C8083R/C9083R, XNV-C6083R/C7083R/C8083R/C9083R, XND-6083R/8083R/9083R, XNV-6083R/8083R/9083R, PNV-A9081R/A6081R-E1/A6081R-E2T, XNV-6083RZ/8083RZ/9083RZ, etc.	info	€ 160,00
Accessory	SBP-115PFA	Wall&Pole Adaptor				NDAA Compliant	Adapter for mount SBP-250MMW & SBP-400MMW Compatible with SBP-180HMW1/200HMW2/15HMW/250HMW/315HMW Pack of 3	info	€ 150,00
Accessory	SBP-115PA	Wall&Pole Mount				NDAA Compliant	PTZ adapter for SBP-250MMW & SBP-400MMW Compatible with XNP-C7310R/C9310R, XNP-C6403/C8253/C9253, XNP-6400/8250/9250 Pack of 3	info	€ 150,00
Accessory	SBP-276HMW	Hanging Mount				NDAA Compliant	Aluminum Hanging Mount for Multi-Directional Cameras. Compatible with PNM-9084QZ1, White	info	€ 64,00
Accessory	SBP-300HM5	Hanging Mount				NDAA Compliant	Aluminum Hanging Mount for Fisheye and Flat-eye cameras. Compatible with XNF-8010R/8010R/8010RVM, PNF-9010R/9010R/9010RVM, QNE-7080R/8080R, Ivory	info	€ 22,00
Accessory	SBP-300HMW5	Hanging Mount				NDAA compliant	Aluminum Hanging Mount for Fisheye and Flat-eye cameras. Compatible with XNF-8010R/8010RVM, QNE-7080R/8080RVM, White	info	€ 46,00
Accessory	SBP-300HM6	Hanging Mount				NDAA Compliant	Aluminum Hanging Mount for Dome and Multi-Directional cameras. Compatible with PNM-7000VD, PNV-9080R, XNV-8080R/6120R/6120R/6085R/6080R/6080R/L6080R/L6080R, XND-6085/6085V, Ivory	info	€ 26,00
Accessory	SBP-300HM6	Hanging Mount				NDAA Compliant	Stainless steel Hanging Mount for Stainless steel Dome cameras. Compatible with XNV-8080RS/6120RS/6080RS	info	€ 447,00
Accessory	SBP-300HM7	Hanging Mount				NDAA Compliant	Stainless steel Hanging Mount for Stainless steel Dome cameras. Compatible with XNV-8080RS/6120RS/6080RS	info	€ 22,00
Accessory	SBP-300HMW7	Hanging Mount				NDAA Compliant	Aluminum Hanging Mount for Dome Cameras. Compatible with XNV-6011, QND-8010R/8020R/8030R/8012R/6022R/6032R, LND-6010R/6020R/6030R, QND-6012R/16022R/16033R/1, White	info	€ 22,00
Accessory	SBP-300HM8	Hanging Mount				NDAA Compliant	Aluminum Hanging Mount for Indoor Dome cameras. Compatible with PND-9080R, XND-8080R/8080R/6080R/6080V/6080R/L6080R/L6080R, Ivory	info	€ 22,00
Accessory	SBP-300HMW8	Hanging Mount				NDAA Compliant	Aluminum Hanging Mount for Indoor Dome cameras. Compatible with PND-9080R, XND-8080R/8080R/6080R/6080V/6080R/L6080R/L6080R, Ivory	info	€ 19,00
Accessory	SBP-301HMW3	Hanging Mount				NDAA Compliant	Aluminum Hanging Mount for Indoor Dome cameras. Replacing SBP-301HM3 and Compatible with QNP-6230, XNP-6320/6321, HCP-6230/6320/6320A, SCP-3371, SNP-6320/6321/6201/6430/5321/L6233/L5233/5300, SNV-7082/7080R/7080S/5080R/5080S/120, White	info	€ 46,00
Accessory	SBP-301HMW2	Hanging Mount				NDAA Compliant	Aluminum Hanging mount for Outdoor Dome Cameras. Compatible with QNV-8080R/6082R/6082R1, LNV-6070R, White	info	€ 28,00
Accessory	SBP-301HM5	Hanging Mount				NDAA Compliant	Aluminum Hanging Mount for Dome and PTZ cameras. Compatible with XNP-6040H, QNV-7080R/6070R, HCV-7070R/6070R/6080R/6080, Ivory	info	€ 28,00
Accessory	SBP-315HMW	Hanging Mount				NDAA Compliant	Aluminum Hanging Mount, Supported products: PNM-9084RQZ/9084RQZ1/9085RQZ/9085RQZ1	info	€ 70,00
Accessory	SBP-317HMW	Hanging Mount				NDAA Compliant	Aluminum Hanging Mount for Multi-Directional cameras. Compatible with PNM-9084RQZ1/PNM-9085RQZ1, White	info	€ 69,00
Accessory	SBP-200C	Mounting Hole Cover				NDAA Compliant	Mount Plate Pack of 5 for SBP-250MMW & SBP-400MMW compatible with PNM-C16013RVQ	info	€ 30,00

■ New Product / Replacement
■ End of Sales
■ Price update

	Model code	Short description	Series	Resolution/Channels	Type	Notes	Full Description	Prod. page	MSRP, €
Hanwha Product									
Accessory	SBP-250C	Mounting Hole Cover				NDAA Compliant	Mount Plate Pack of 5 for SBP-250MMW & SBP-400MMW compatible with PNM-C16083RVQ/C32083RVQ, PNM-8082VT, PNM-9084QZ/QZ1, PNM-9022V, PNM-C9022RV, PNM-9031RV	info	€ 30,00
Accessory	SBP-315C	Mounting Hole Cover				NDAA Compliant	Mount Plate Pack of 5 for SBP-250MMW & SBP-400MMW compatible with PNM-9084RQZ/RQZ1, PNM-9085RQZ/RQZ1	info	€ 30,00
Accessory	SBP-120WM	Wall Mount				NDAA Compliant	Plastic Wall mount for Indoor dome cameras. Compatible with XND-6010/6020R/8020R/8030R/8040R, QND-7080R/7030R/7020R/7010R/6070R/6030R/6020R/6010R, HCV-7000R/7030R/7070R, SNV-L5083RL6014RL6013RL6013L6012L5083RL5013, SCD-6083R/6023R/6021/5083R/5083/5082/5080, Ivory	info	€ 18,00
Accessory	SBP-120MMW	Wall Mount				NDAA Compliant	Plastic Wall mount for Indoor dome rad Fisheye cameras. Compatible with QNF-8010/8010, QND-8080R/8010R/8011/8020R/8020R/8011/8012R/8021/8022R/8022R/8032R, QND-6012R/6022R/6032R/6082R/6082R/White	info	€ 18,00
Accessory	SBP-125MMW1	Wall Mount				NDAA compliant	Plastic/Aluminum Wall mount (Body- Aluminum, Cover- Polycarbonate). White. Compatible with QNV-C8011R/C8012/C9011R, QND-6011/6021/8011/8021, QND-6012R/22R, QND-6072R/82R, QNE-8011R/21R, LND-6012R/22R/72R, QND-7012R/22R/82R	info	€ 65,00
Accessory	SBP-137WM	Wall Mount				NDAA Compliant	Plastic/Aluminum Wall mount for Outdoor dome cameras. Compatible with XNV-6010/6020R/8020R/8030R/8040R, QNV-6010R/6020R/6030R/6070R/7010R/7020R/7030R/7080R, HCV-6080R/6080/6070R/7010R/7020R/7030R/7070R, SNV-L5083RL6083R, SCV-5082/5082R/5083/5083R/5085/5085/6023R/6083R, Ivory	info	€ 34,00
Accessory	SBP-137MMW	Wall Mount				NDAA Compliant	Plastic/Aluminum Wall mount for Outdoor dome cameras. Compatible with QNV-6012R/6022R/6032R/6082R/8010R/8020R/8030R/8080R, White	info	€ 34,00
Accessory	SBP-137WM1	Wall Mount				NDAA Compliant	Plastic/Aluminum Wall mount for Outdoor dome cameras. Compatible with XNV-6010/6020R/8020R/8030R/8040R, QNV-6010R/6020R/6030R/6070R/7010R/7020R/7030R/7080R, HCV-6080R/6080/6070R/7010R/7020R/7030R/7070R, SNV-L5083RL6083R, SCV-5082/5082R/5083/5083R/5085/5085/6023R/6083R, Ivory	info	€ 60,00
Accessory	SBP-137WMH1	Wall Mount				NDAA Compliant	Plastic/Aluminum Wall mount for Outdoor dome cameras. Compatible with QNV-6012R/6022R/6032R/6082R/8010R/8020R/8030R/8080R, White	info	€ 60,00
Accessory	SBP-156MMW	Wall Mount				NDAA Compliant	Aluminum Wall mount for Outdoor dome cameras. White. Compatible with XNP-9300RW/9250R/9250/8300RW/8250R/8250/6400RW/6400R/6400	info	€ 140,00
Accessory	SBP-187MMW	Wall Mount				NDAA Compliant	Wall & Pole Mount for (TNO-7180RLP) High Speed Global shutter LPR camera (Steel strap sold separately)	info	€ 150,00
Accessory	SBP-156WA	PTZ Plus Adaptor				NDAA Compliant	PTZ adaptor. Compatible with XNP-6400RW, XNP-8300RW, XNP-9300RW	info	€ 70,00
Accessory	SBP-060S	Steel Strap				NDAA Compliant	Stainless steel mount strap (QTY of 2) for a wall/pole mount. Length: 600mm (23.6"), Width : 12.6mm (0.5")	info	€ 30,00
Accessory	SBP-060BA	Conduit Hole Adaptor				NDAA Compliant	Conduit Hole Adaptor, Aluminum, Dimensions: 54.1x43.5x40mm (2.13x1.72x1.57"). Weight: 27g (0.09lb), Conduit hole: 19.1mm (0.75") (M25), White, compatible with QNV-C8083R/C8083R, XNO-C8083R/C7083R/C8083R/C8083R, PNM-C16013RVQ	info	€ 20,00
Accessory	SBP-150S	Steel Strap				NDAA Compliant	Stainless steel mount strap (QTY of 2) for wall pole mount. Length: 1.500mm (59.1"), Width : 12.6mm (0.5")	info	€ 40,00
Accessory	SBE-100WM	Wall Mount				NDAA Compliant	Wall Mount for Explosion-proof Cameras, compatible with TNO-6322ER, TNU-6322E and TNU-6322ER	info	€ 1 076,00
Accessory	SBP-300WM	Wall Mount				NDAA Compliant	Gooseneck Wall Mount. Compatible with XNP-6371RH/6370RH/6320H, SHP-3701H, SCP-3430H/2430H/3370H/3370H/2370H/2370H/3250H/2250H/3120VH, SNP-5430H/6320H/6320RH/5200H/3302H/6321H/5321H/6233H/6233HL/6233RH/5371H/5371H/3120VH, All Hanging Mounts, Ivory	info	€ 48,00
Accessory	SBP-300MMW	Wall Mount				NDAA Compliant	Gooseneck Wall Mount. Compatible with XNP-6371RH/6370RH/6320H, SHP-3701H, SCP-3430H/2430H/3370H/3370H/2370H/2370H/3250H/2250H/3120VH, SNP-5430H/6320H/6320RH/5200H/3302H/6321H/5321H/6233H/6233HL/6233RH/5371H/5371H/3120VH, QNV-6012R/6022R/6032R/6082R/8010R/8020R/8030R/8080R/8080R/White	info	€ 48,00
Accessory	SBP-300WMS	Stainless Steel Wall Mount (Gooseneck)				NDAA Compliant	Stainless Steel Gooseneck Wall Mount. Compatible with XNP-6320HS, XNV-6080RS/8080RS/6120RS (need to purchase a separate cap SBP-300HMS6 for the dome cameras)	info	€ 600,00
Accessory	SBP-300WM1	Wall Mount				NDAA Compliant	Wall Mount. Compatible with SCP-3430H/2430H, SCP-3370TH/3370H, SCP-2370TH/2370H, SCP-3250H/2250H, SCP-3120VH, SNP-5430H/6320H/6320RH/5200H/3302H/6321H/5321H/6233H/6233HL/6233RH/5371H/5371H/3120VH, SNV-L6233HL/6233HL/6233RH/5371H/5371H/3120VH, All caps except SBP-329HM, SHP-3701H	info	€ 51,00
Accessory	SBP-300MMW1	Wall Mount				NDAA Compliant	Aluminum Wall Mount compatible with XNV-6081XNV-8081/XND-6081V, XND-8081V, QNV-6012R/6022R/6032R/6082R/8010R/8020R/8030R/8080R/8080R/White	info	€ 56,00
Accessory	SBP-300WMS1	Stainless Steel Wall Mount				NDAA Compliant	Stainless Steel wall mount for PTZ XNP-6320HS and dome XNV-6080RS, XNV-8080RS, XNV-6120RS (need to purchase a separate cap SBP-300HMS6 for the dome cameras)	info	€ 625,00
Accessory	SBP-300WM2	Wall Mount				NDAA Compliant	Aluminum Wall mount compatible with PNM-7000V/D/9000VQ/9020V/9030V/8080VQ/5081VQ/9320VQ/P, Ivory	info	€ 198,00
Accessory	SBP-400MMW	Outdoor Wall & Pole Mount				NDAA compliant	Wall & Pole Mount (White) Compatible with SBP-200C, SBP-250C, SBP-315C, SBP-115PFA, SBP-115PA, SPO-8315, SPO-6011	info	€ 317,00
Accessory	SBU-500PM	Pole Mount				NDAA Compliant	Pole Mount compatible with SBU-500WM	info	€ 667,00
Accessory	SBU-500WM	Wall Mount for the TNU-6320 (discontinued) and TNU-6321				NDAA Compliant	Wall mount for the TNU-6320 (discontinued) and TNU-6321, Colour: White, Material: Aluminum	info	€ 299,00
Accessory	SBP-300NB	Installation Box				NDAA Compliant	Installation Back box compatible with SBP-300WM, SBP-300WM1, SBP-300KM, SBP-300PM, IP66, Ivory	info	€ 282,00
Accessory	SBP-300NBW	Installation Box				NDAA Compliant	Installation Back box compatible with SBP-300MMW, SBP-300MMW1, SBP-300KM, SBP-300PM, IP66, QNV-6012R/6022R/6032R/6082R/8010R/8020R/8030R/8080R/8080R/White	info	€ 282,00
Accessory	SBP-300B	Mount Base				NDAA Compliant	Wall Mount Base compatible with Mounts SBP-300WM/300WM1, Ivory	info	€ 48,00
Accessory	SBP-300BW1	Wall Mount Bracket				NDAA Compliant	Top Mount Bracket, Aluminum, White, weight 700g(1.54lb), compatible with TNO-7180RLP	info	€ 50,00
Accessory	SBP-156LMW	Parapet Mount				NDAA Compliant	Aluminum Parapet Mount for Outdoor PTZ PLUS cameras. Compatible with XNP-9300RW/9250R/9250/8300RW/8250R/8250/6400RW/6400R/6400, White	info	€ 435,00
Accessory	SBP-156LMW1	Telescopic Parapet Mount				NDAA Compliant	Aluminum Telescopic Parapet Mount, cameras. Dimensions: 835 - 1098x1000x95mm (32.9-43.2x39.4x3.8"). Compatible with any 1.5 NOT mounts, White, RAL9003	info	€ 410,00
Accessory	SBP-300LM	Parapet Mount				NDAA Compliant	Parapet Mount Accessory, compatible with all full size outdoor PTZs and all caps, Ivory color	info	€ 172,00

■ New Product / Replacement
■ End of Sales
■ Price update

	Model code	Short description	Series	Resolution/Channels	Type	Notes	Full Description	Prod. page	MSRP, €
Hanwha Product									
Accessory	SBP-300LMW	Parapet Mount				NDAA Compliant	Aluminum Parapet Mount Accessory, QNV-6012R1/6022R1/6032R1/6082R1, White	info	€ 172,00
Accessory	SBP-300PM1	Pole Mount Adaptor				NDAA Compliant	Pole Mount Adaptor, aluminium, XNV-6120R, Ivory	info	€ 52,00
Accessory	SBP-300PMW2	Pole Mount Adaptor				NDAA Compliant	Pole Mount Bracket, Aluminum, White, compatible with QNV-6012R1/6022R1/6032R1/6082R1, QND-6012R1/6022R1/6032R1/6082R1 and TNO-7180R/PL	info	€ 78,00
Accessory	SBB-300PMW1	Pole Mount Adaptor				NDAA Compliant	Pole Mount Adaptor, aluminium, Compatible with SHB-4200H, SHB-4300HP, SHB-4301H2, SBP-300PMW1, White	info	€ 32,00
Accessory	SBP-300PMS	Stainless Steel Pole Mount Adaptor				NDAA Compliant	Stainless Steel Pole mount adaptor, Compatible with SBP-300WMS and SBP-300WMS1	info	€ 99,00
Accessory	SBP-302PM	Pole Mount Base				NDAA Compliant	Pole Mount Adapter compatible with SBO-100B1, PNO-9080R, SNO-8081R, QNO-7080R/6070R, QNO-7010R/7020R/7030R/6010R/6020R/6030R, QNO-6012R1/6022R1/6032R1	info	€ 44,00
Accessory	SBP-303PM	Pole Mount Base				NDAA Compliant	Pole mount adapter accessory for thermal bullet cameras, compatible with TNO-4040T, TNO-4030T, TNO-4050T, TNO-4030TR, TNO-4040TR, TNO-3010T/3020T/3030T	info	€ 50,00
Accessory	SBD-180PMW	Pole Mount				NDAA Compliant	Pole Mount (Core: Aluminum, Cap : Plastic), white, Supported products : PNV-A6081R/A6081R, XNV-8082R/9082R, XNV-6083R/8083R/9083R, XNV-6120R, XNV-6083Z/8083Z, XNV-6083RZ/8083RZ, PND-A6081R/A6081R, XND-9082R/9082R, XNF-9010R/9010R, XND-6083R/8083R/9083R, XNO-6083R/8083R/9083R, XND-C6083R/C7083R/C8083R/C9083R, XNO-C6083R/C7083R/C8083R/C9083R	info	€ 70,00
Accessory	SBD-140PMW	Pole Mount				NDAA Compliant	Pole Mount (Core: Aluminum, Cap : Plastic), white, Supported products : QNV-C8083R/C9083R, QNV-C8011R/C8012/C9011R, QND-6012R(1)/22R(1)/72R(1)/82R(1), QND-7012R/22R/82R, QNE-8011R/21R	info	€ 49,00
Accessory	SBD-140KMB	Corner Mount				NDAA Compliant	Corner Mount, SUS304, White, Supported products : QNV-C8011R/C8012/C9011R, QNV-C8083R/C9083R, QND-6011/6021, QND-8011/8021, QNF-8010/9010, QND-6012R(1)/6022R(1)/6072R(1)/6082R(1), QND-7012R/7022R/7082R, QNE-8011R/8021R, LND-6012R/6022R/6072R/ANE-6012R/L7012R	info	€ 70,00
Accessory	SBD-140PMB	Pole Mount				NDAA Compliant	Pole Mount, SUS304, White, Supported products : QNV-C8011R/C8012/C9011R, QNV-C8083R/C9083R, QND-6011/6021, QND-8011/8021, QNF-8010/9010, QND-6012R(1)/6022R(1)/6072R(1)/6082R(1), QND-7012R/7022R/7082R, QNE-8011R/8021R, LND-6012R/6022R/6072R/ANE-6012R/L7012R	info	€ 70,00
Accessory	SBD-110GP1	Wall Adaptor				NDAA Compliant	Adaptor plate for Single, Double, 4" Octagon, supported cameras: QNV-C8011R/C8012/C9011R, QND-6011/21, 8011/21, QNF-8010, 9010, LND-6012R/22R, QND-6012R/22R, 7012R/22R, QNE-8011R/21R, ANE-6012R, L7012R	info	€ 20,00
Accessory	SBO-090GP	Wall Adaptor				NDAA Compliant	Gang plate (for bullet) / Adaptor plate for Single, Double, 4" Octagon Compatible with QNO-C8083R / QNO-C9083R / ANO-L6012R / ANO-L6022R / ANO-L6082R / ANO-L7012R / ANO-L7022R / ANO-L7082R	info	€ 20,00
Accessory	SBD-137WMA	Wall Adaptor				NDAA Compliant	Wall adaptor plate to make a Q-Core camera compatible with SBP-137MMW and SBP-137MMW1	info	€ 20,00
Accessory	SBE-100PM	Pole Mount				NDAA Compliant	Pole Mount for Explosion-proof Cameras, compatible with TNO-6322R, TNU-6322E and TNU-6322ER	info	€ 592,00
Accessory	SBP-156KMW	Corner Mount Base				NDAA Compliant	Corner Mount Adapter compatible with SBP-156MMW for XNP-9300RW/9250R/9250/8300RW/8250R/8250/6400RW/6400R/6400, White	info	€ 110,00
Accessory	SBP-300KM1	Corner Mount Adaptor				NDAA Compliant	Corner Mount Adaptor, aluminium, Ivory	info	€ 68,00
Accessory	SBP-300KMW1	Corner Mount Adaptor				NDAA Compliant	Corner Mount Adaptor, aluminium, QNV-6012R1/6022R1/6032R1/6082R1, QND-6012R1/6022R1/6032R1/6082R1/white	info	€ 68,00
Accessory	SBP-300KMS	Stainless Steel Corner Mount Adaptor				NDAA Compliant	Stainless Steel Corner mount adaptor, Compatible with SBP-300WMS and SBP-300WMS1	info	€ 138,00
Accessory	SBP-156CMW	Pendant Mount				NDAA Compliant	Aluminum Pendant Mount Accessory, Compatible with XNP-9300RW/9250R/9250/8300RW/8250R/8250/6400RW/6400R/6400 and other accessories with 1-1/2" PF thread, White	info	€ 255,00
Accessory	SBP-302CMBW	Ceiling Mount				NDAA Compliant	Back box made to fit SBP-302CMW telescopic pendant mount, White color	info	€ 180,00
Accessory	SBP-300CM	Ceiling Mount				NDAA Compliant	Aluminum Pendant Mount Accessory, Ivory, Can be used with hanging mount and outdoor PTZ	info	€ 44,00
Accessory	SBP-300CMW	Ceiling Mount				NDAA Compliant	Aluminum Ceiling Mount Accessory, can be used with hanging mount and outdoor PTZ, QNV-6012R1/6022R1/6032R1/6082R1, QND-6012R1/6022R1/6032R1/6082R1, White	info	€ 46,00
Accessory	SBP-300CMW1	Ceiling Mount				NDAA Compliant	Ceiling Mount, Aluminum, White, compatible with Hanging Adaptors such as SBP-120HMW/140HMW/160HMW1/180HMW1, etc and Pipe extensions such as SBP-C15P, SBP-150CMP/300CMP/900CMP ※ For further compatible models, please visit our website or use Toolbox	info	€ 180,00
Accessory	SBP-900CMW	Ceiling Mount				NDAA Compliant	Ceiling Mount, Aluminum, White, compatible with Hanging Adaptors such as SBP-120HMW/140HMW/160HMW1/180HMW1, etc and Pipe extensions such as SBP-C15P, SBP-150CMP/300CMP/900CMP ※ For further compatible models, please visit our website or use Toolbox	info	€ 210,00
Accessory	SBP-150CM	Ceiling Mount				NDAA Compliant	Ceiling Mount, Aluminum, White, compatible with Hanging Adaptors such as SBP-120HMW/140HMW/160HMW1/180HMW1, etc. ※ For further compatible models, please visit our website or use Toolbox	info	€ 80,00
Accessory	SBP-300CM	Ceiling Mount				NDAA Compliant	Ceiling Mount, Aluminum, White, compatible with Hanging Adaptors such as SBP-120HMW/140HMW/160HMW1/180HMW1, etc. ※ For further compatible models, please visit our website or use Toolbox	info	€ 90,00
Accessory	SBP-140CMB	Ceiling Mount				NDAA Compliant	Ceiling Mount, Aluminum, White, compatible with SBP-150CMP, SBP-300CMP, SBP-900CMP etc ※ For further compatible models, please visit our website or use Toolbox	info	€ 35,00
Accessory	SBP-140CMT	Tile Grid Ceiling Mount				NDAA compliant	Tile Grid Ceiling Mount Pack of 4, Compatible with QND-6011/6021, QND-8011/8021, QNF-8010/9010, QND-6012R/6022R/6072R, QNV-C8011R/C8012/C9011R, QND-6012R/6022R/6072R, QNE-8011R/8021R, ANE-L6012R/L7012R/L7012L, QNV-C8083R/C9083R, XND-8082R/9082R, X plus indoor dome, P AI indoor dome	info	€ 139,00
Accessory	SBP-180CMB	Ceiling Mount				NDAA Compliant	Ceiling Mount, Aluminum, White, compatible with SBP-C15P, SBP-150CMP/300CMP/900CMP etc. (Pipe extension can be supported only 1 time) ※ For further compatible models, please visit our website or use Toolbox	info	€ 130,00
Accessory	SBP-180CMS	Ball Head Ceiling Mount Base				NDAA compliant	Ball Head Ceiling Mount Base, Aluminum, White, compatible with SBP-C15P, SBP-150CMP/300CMP/900CMP etc. (Pipe extension can be supported only 1 time) ※ For further compatible models, please visit our website or use Toolbox	info	€ 170,00
Accessory	SBP-150CMP	Ceiling Mount				NDAA Compliant	Ceiling Mount, Aluminum, White, compatible with - Base : SBP-140CMB, SBP-180CMB, - Pipe extension : SBP-C15P, SBP-150CMP/300CMP/900CMP ※ Extension should be done with SBP-180CMB ※ For further compatible models, please visit our website or use Toolbox	info	€ 45,00
Accessory	SBP-150NBW	Cabinet				NDAA Compliant	Installation Cabinet compatible with SBP-250MMW, SBP-156MMW, SBP-400MMW, SBP-150PMW, Direct camera compatible with QNV-C8083R/C9083R, XND-C6083R/C7083R/C8083R/C9083R, XNV-C6083R/C7083R/C8083R/C9083R, XND-6083R/8083R/9083R, XNV-6083R/8083R/9083R	info	€ 620,00



	Model code	Short description	Series	Resolution/Channels	Type	Notes	Full Description	Prod. page	MSRP, €
Hanwha Product									
Accessory	SBP-150PMW	Pole Mount				NDAA Compliant	Pole mount compatible with TNU-6321 & TNU-4041T/4051T	info	€ 230,00
Accessory	SBP-300CMP	Ceiling Mount				NDAA Compliant	Ceiling Mount, Aluminum, White, compatible with - Base : SBP-140CMB, SBP-180CMB, - Pipe extension : SBP-C15P, SBP-150CMP/300CMP/900CMP ※ Extension should be done with SBP-180CMB ※ For further compatible models, please visit our website or use Toolbox	info	€ 65,00
Accessory	SBP-300MTW	Telescopic Ceiling Mount				NDAA Compliant	Telescopic Ceiling Mount, Aluminum, White, compatible Accessories- Hanging Adaptor : SBP-120HMMW/140HMMW/160HMMW/180HMMW1, etc. - Pipe extension : SBP-C15P, SBP-150CMP/300CMP/900CMP ※ For further compatible models, please visit our website or use Toolbox	info	€ 278,00
Accessory	SBP-300CMTS	Ball Head Ceiling Mount				NDAA compliant	Ball Head Ceiling Mount, Aluminum, White, compatible with - Hanging Adaptor : SBP-120HMMW/140HMMW/160HMMW/180HMMW1, etc. - Pipe extension : SBP-C15P, SBP-150CMP/300CMP/900CMP ※ For further compatible models, please visit our website or use Toolbox	info	€ 400,00
Accessory	SBP-900CMP	Ceiling Mount				NDAA Compliant	Ceiling Mount, Aluminum, White, compatible with - Base : SBP-140CMB, SBP-180CMB, - Pipe extension : SBP-C15P, SBP-150CMP/300CMP/900CMP ※ Extension should be done with SBP-180CMB ※ For further compatible models, please visit our website or use Toolbox	info	€ 100,00
Accessory	SBP-C15P	Ceiling Mount				NDAA Compliant	Ceiling Mount, Aluminum, White, compatible with SBP-150CMP, SBP-300CMP, SBP-900CMP ※ For further compatible models, please visit our website or use Toolbox	info	€ 20,00
Accessory	SBP-303HF	Fiber Optic for PTZ				NDAA Compliant	Aluminum Built-in Stps Install Base for PTZ Cameras XNP-6550RH, XNP-6320H and QNP-6230H, RJ-45 to Fiber, 4 Weeks lead Time	info	€ 268,00
Accessory	SBP-099TMW	Tilted Mount Adapter				NDAA Compliant	Tilted Wall Mount (Poly Carbonate), Compatible with QNF-8010, QNF-9010	info	€ 46,00
Accessory	SBP-160TM	Tilted Mount Adapter				NDAA Compliant	Tilted Wall Mount (Poly Carbonate), 23° Tilt, Compatible with XND-6085/6085V, XNV-6080R/6085R/8080R, XNV-16084R, PNV-9080R, SNV-8081/8080/7084R/6084R/6085R/5084R, SCV-6081R	info	€ 16,00
Accessory	SBP-160MMW1	Wall Mount				NDAA Compliant	Wall Mount (Aluminum) , RAL9003, Indoor use only, Compatible with XND-C6083R/C7083R/ C8083R/ C9083R/ XND-6083R/8083R/9083R/ XNV-C6083R/C7083R/C8083R/C9083R, XND-8082R/9082R, XNF-9010R/9013R, PND-A6081R/9081R	info	€ 73,00
Accessory	SBP-140MMW	Wall Mount				NDAA Compliant	Wall Mount (Aluminum) , RAL9003, Indoor use only, Compatible with QNV-C8083R/9083R, white	info	€ 65,00
Accessory	SBP-142CMW	Ceiling Mount				NDAA Compliant	Ceiling Mount compatible with TNMC3620TDR/C3622TDR	info	€ 133,00
Accessory	SBP-142MMW	Wall Mount				NDAA Compliant	Wall Mount compatible with TNMC3620TDR/C3622TDR	info	€ 267,00
Accessory	SBP-160TMW1	Tilted Mount Adapter				NDAA Compliant	Tilted Wall Mount (Poly Carbonate), 23° Tilt, Compatible with PND-A6081R, PND-A9081R, XND-6081REV, XND-6081RV, XND-6081V, XND-6081VZ, XND-8081REV, XND-8081RV, XND-8081VZ, XND-8082RV, XNF-9010RV, XNF-9010RVM, White	info	€ 46,00
Accessory	SBP-300TM1	Tilted Mount Adapter				NDAA Compliant	Tilted Wall Mount (Poly Carbonate), 20° Tilt, Compatible with SMP fisheye cameras (SNF-8010, SNF-8010VM, XNF-8010R/RV/RVM, PNF-9010R/RV/RVM), Ivory	info	€ 55,00
Accessory	SBF-100B1	Fisheye Back Box				NDAA Compliant	Aluminum Back box for Fisheye cameras, Compatible with SNF-8010VM, XNF-8010R/RV/RVM, PNF-9010R/RV/RVM	info	€ 26,00
Accessory	SBF-100BW1	Fisheye Back Box				NDAA Compliant	Aluminum Back box for Fisheye cameras, Compatible with SNF-8010VM, XNF-8010R/RV/RVM, PNF-9010R/RV/RVM	info	€ 22,00
Accessory	SBO-100B1	Bullet Back Box				NDAA Compliant	Aluminum Back box for bullet cameras, Compatible with QNO-6030R / 6030R / 6010R, QNO-6032R/1 / 6022R/1 / 6012R/1, QNO-7030R / 7020R / 7010R, QNO-7080R/6070R, SNO-L6083R / L5083R, SCO-6083R	info	€ 46,00
Accessory	SBO-147B	Bullet Back Box				NDAA Compliant	Aluminum Waterproof Back box for bullet camera, Compatible with QNO-6082R, IP66/IK10, QNO-6012R, QNO-6022R, QNO-6032R, QNO-7082R	info	€ 75,00
Accessory	SBO-147BA	Back Box				NDAA Compliant	Cover- Aluminum, Top cover – Polycarbonate Back Box, White, RAL9003, Compatible with XNO-C6083R/C7083R/C8083R/C9083R	info	€ 20,00
Accessory	SBV-116B	Dome back box				NDAA Compliant	Dome Back box with knockouts, Compatible with XNV-6011, SNV-6013	info	€ 46,00
Accessory	SBV-136B	Dome Back Box				NDAA Compliant	Waterproof aluminum backbox with knockout panels, Compatible with XNP-6040H, QNV-7080R, QNV-6070R, HCV-6070R/6080R, HCV-6080, HCV-7070R/7080R, SNV-L6083R, SNV-L5083R, SCV-5082, SCV-5083, SCV-5085, SCV-5083R, SCV-5085R, SCV-6083R/ 6023R, Ivory	info	€ 33,00
Accessory	SBV-136BW	Dome Back Box				NDAA Compliant	Aluminum backbox with knockout panels, Compatible with QNV-8080R, QNV-6082R/6082R1, White	info	€ 33,00
Accessory	SBV-138TMW	Dome Back Box				NDAA Compliant	Tilt Mount Dome back box, Compatible with QNV-6072R/6082R, QNV-7082R, QNV-8080R UNV-6072R, White RAL9003	info	€ 49,00
Accessory	SBV-120GW	Dome Back box				NDAA Compliant	Dome Back box with knockouts, Compatible with QNV-6012R/6022R/6032R, QNV-6012R/1/6022R/1/6032R/1, QNV-8010R/8020R/8030R, White	info	€ 46,00
Accessory	SBV-156G	Dome Back box				NDAA Compliant	Back Box for Outdoor Vandal Domes, Compatible with PNV-9080R, XNV-6080R, XNV-8080R, XNV-6120R, XNV-6085, XNV-L6080R, SNV-5084R, SNV-6084R, SNV-7084R, SNV-8081R, SNV-8080, Ivory	info	€ 44,00
Accessory	SBV-156GW	Dome Back box				NDAA Compliant	Back Box for Outdoor Vandal Domes, Compatible with PNV-9080R, XNV-6080R, XNV-8080R, XNV-6120R, XNV-6085, XNV-L6080R, SNV-5084R, SNV-6084R, SNV-7084R, SNV-8081R, SNV-8080, White	info	€ 37,00
Accessory	SBV-160BW	Dome Back box				NDAA Compliant	Back Box for Indoor Vandal Domes and Fisheye, Compatible with PND-A6081R, PND-A9081R, XND-6081REV, XND-6081RV, XND-6081V, XND-6081VZ, XND-8081REV, XND-8081RV, XND-8081VZ, XND-8082RV, XNF-9010RV, XNF-9010RVM, White	info	€ 46,00
Accessory	SBV-180BW	Dome Back box				NDAA Compliant	Back Box for Indoor Domes and Vandal Domes, Compatible with XND-C9083R/C8083R/C7083R/C6083R, XND-C9083R/C8083R/C7083R/C6083R, XND-9083R/8083R/9083R/ XNV-9083R/8083R/9083R/ XND-9082R/9082RV, XNV-9082R/9082RV, White	info	€ 49,00
Accessory	SBV-180WW	Waterproof Back Box				NDAA Compliant	Waterproof Back Box for the white Vandal X-Core and X-Plus cameras Compatible models include XNV-6081R / XNV-8081R / XNV-6083R / XNV-8083R / XNV-9083R XNV-C6083R / XNV-C7083R / XNV-C8083R / XNV-C9083R	info	€ 120,00
Accessory	SBO-126B	Bullet Back Box				NDAA Compliant	Back box for bullet cameras, Compatible with XNO-L6080R	info	€ 49,00
Accessory	SCL-150	Lens Cable				NDAA Compliant	15m Lens cable for SLA-T1080FA, SLA-T2480A, SLA-T2480VA, SLA-T4680A and SLA-T4680VA	info	€ 91,00
Accessory	SPP-C45W	Cable				NDAA Compliant	RJ45 type converting cable (Plug-in to Pigtail), compatible QNV-6012R(1)/6022R(1)/6072R(1)/6082R(1), QNV-7012R/7022R/7032R/7082R, QNV-8010R/8020R/8080R, QNV-C6083R/C8083R/C9083R Pack of 5	info	€ 67,00

■ New Product / Replacement
■ End of Sales
■ Price update

	Model code	Short description	Series	Resolution/Channels	Type	Notes	Full Description	Prod. page	MSRP, €
Hanwha Product									
Accessory	SPP-C45WA	Cable				NDAA Compliant	RL45 type converting cable (Plugin to Pigtail), compatible with ANV-L6012RL6082R, ANV-L7012RL7082R Pack of 5	info	€ 67,00
Accessory	SPP-C7400	Cable for audio/alarm				NDAA Compliant	Audio and Alarm cable for TNV-C7013RC, QNV-C8083R/9083R, XNV-C6083R/C7083R/C8083R/C9083R, XND-C6083R/C7083R/C8083R/C9083R, (Pack of 3)	info	€ 45,00
Accessory	SPP-C1900	HDMI Cable				NDAA Compliant	HDMI Cable Pack of 3 compatible with QNV-C6083R	info	€ 100,00
Accessory	SHB-9000H	Fixed Housing				NDAA Compliant	TNB-9000 Box Camera Housing, Body/Sun shield : Aluminum, Front & Rear cap : ABS, Wall Mount Arm Included, Operating Temperature: -50°C ~ +60°C/-58°F ~ +140°F / 10-100% RH (condensing), Weight: 6.2kg(13.67 lb), Color: White, IP66, Input Voltage: 110vac, Thermostat controlled Fan and heater - UL 62365-1 Certified	info	€ 2 750,00
Accessory	SHB-4200	Fixed Housing				NDAA Compliant	Dimensions/Weight: 700mm(27.56 inches) / 40g(0.09lb)	info	€ 86,00
Accessory	SHB-4200H	Fixed Housing				NDAA Compliant	Outdoor Fixed Camera Housing w/Mounting Bracket, Compatible with all box cameras, Built-in heater and fan, IP66, 24VAC, Ivory	info	€ 129,00
Accessory	SHB-4300H	Fixed Housing				NDAA Compliant	Extreme Weatherproof Aluminum Fixed Camera Housing w/Mounting Bracket, Compatible with all box cameras, Built-in heater and fan, IP66, 24VAC, Ivory	info	€ 211,00
Accessory	SHB-4300H1	Fixed Housing				NDAA Compliant	Extreme Weatherproof Aluminum Fixed Camera Housing w/Mounting Bracket, Compatible with all box cameras, Built-in defroster/heater and fan, IP66, 24VAC, Ivory	info	€ 322,00
Accessory	SHB-4301H2	Fixed Housing				NDAA Compliant	Extreme Weatherproof Aluminum Fixed Camera Housing w/Mounting Bracket, Compatible with all box cameras, Built-in defroster/heater and fan, IP66, 230VAC, Ivory	info	€ 347,00
Accessory	SHB-4301HP	Fixed Housing				NDAA Compliant	Outdoor Fixed Camera Housing w/Mounting Bracket, Compatible with all box cameras, Built-in defroster/heater and fan, IP66, PoE/12VDC, Ivory	info	€ 450,00
Accessory	SBB-900	Fixed Mount				NDAA Compliant	Aluminum Wall Mount Adapter for box cameras enclosures, Bracket for SHB-9000H	info	€ 410,00
Accessory	STB-4150V	Box Mount				NDAA Compliant	Aluminum Fixed Camera Mount, Compatible with Box cameras, Bracket for STH-500/200, Silver	info	€ 28,00
Accessory	SBV-253WCW	Weather Cap				NDAA Compliant	Polycarbonate Weather Cap, White, RAL9003, Compatible with PNM-9031RV/PNM-C9022RV/PNM-9022V	info	€ 35,00
Accessory	SBV-120WCW	Weather Cap				NDAA Compliant	Aluminum Weather cap, Compatible with XNV- 6010/6020/8020R/8030R/8040R, QNV- 6010R/6020R/6030R/7010R/7020R/7030R, White	info	€ 28,00
Accessory	SBV-180WC	Weather Cap				NDAA Compliant	Aluminum Weather cap, Compatible with XNV-6080R/8080R/6120R/L6080R/PNV-9080R, SNV-8081R/8080R/7084R/6084R/6085R/5084R/R, SCV-6081R	info	€ 24,00
Accessory	SBV-161WCW	Weather Cap				NDAA Compliant	Polycarbonate Weather Cap, White, RAL9003, Compatible with XNV-C6083R/C7083R/C8083R/C9083R	info	€ 30,00
Accessory	SBV-140TMW	Tilt Mount				NDAA Compliant	Tilt Mount, Aluminum, White, weight 450g(0.98lb), compatible with QNV-C8083R/C9083R, QNV-C8011R/C8012/C9011R, QND-8011/21, QND-8011/21, QND-6012R/22R/72R/82R, QND-7012R/22R/82R, QNE-8011R/21R	info	€ 49,00
Accessory	SBV-140TBW	Tilt Mount				NDAA Compliant	Tilt Mount for TNV-C8011RW	info	€ 35,00
Accessory	SBV-140BW	Back Box				NDAA Compliant	Back Box, Aluminum, White, compatible with QNV-C8083R/C9083R, QNV-C8011R/C8012/C9011R, QND-6011/21, QND-8011/21, QND-6012R/22R/72R/82R, QND-7012R/22R/82R, QNE-8011R/21R	info	€ 49,00
Accessory	SBV-140WW	Waterproof Back Box				NDAA Compliant	Waterproof Back Box, Aluminum, White, compatible with QNV-C8083R/C9083R, QNV-C8011R/C8012/C9011R, QND-6011/6021, QND-8011/8021, QND-6012R/6022R/6082R, QND-7012R/7022R/7082R, QNE-8011R/8021R	info	€ 76,00
Accessory	SBO-140BW	Back Box				NDAA Compliant	Back Box, Aluminum, White, weight 390g(0.86lb), Compatible with: QNO-C8083R/C9083R, ANO-L6012R/22R/82R, ANO-L7012R/22R/82R	info	€ 49,00
Accessory	SBO-140WW	Waterproof Back Box				NDAA Compliant	Waterproof Back Box, Aluminum, White, compatible with QNO-C8083R/C9083R, ANO-L6012R/22R/82R, ANO-L7012R/22R/82R	info	€ 76,00
Accessory	SBV-A14B	Back Box				NDAA Compliant	Back Box for A series (ANE-L6012R, ANE-L7012R, ANO-L6012R, ANO-L6022R, ANO-L6082R, ANO-L7012R, ANO-L7022R, ANO-L7082R, ANV-L6012R, ANV-L6082R, ANV-L7012R, ANV-L7082R) and connect cables	info	€ 54,00
Accessory	SBV-215WCW	Weather Cap				NDAA Compliant	Weather Cap, White, Material: aluminum thread, plastic cap, compatible with PNM-C7083RVD, PNM-C12083RVD and PNM-7082RVD, PNM-12082RVD	info	€ 40,00
Accessory	SBP-SCP/SN	Swan Neck Bracket				NDAA Compliant	Swan Neck Bracket	info	€ 194,00
Accessory	SBP-300NM	Mounting accessory				NDAA Compliant EOS Limited stock available	Housing and Mount for PVM camera TNB-8030	info	€ 58,00
Accessory	SBE-100B	Pedestal Mount				NDAA Compliant	Stainless Steel Pedestal Mount for Explosion-proof Cameras, compatible with TNU-6322E and TNU-6322ER	info	€ 1 076,00
Accessory	SPB-PTZ6	Smoked Dome Cover				NDAA Compliant	Smoked Dome Cover for Indoor PTZ: XNP-6320/GNP-6230/SNP-6321/6320/5430/5321, SNP-L6233/L5233, SCP-3371/2373/2371/2273/2271	info	€ 99,00
Accessory	SPB-PTZ6W	Smoked Dome Cover				NDAA Compliant	Smoked Dome Cover for PTZ PLUS models: XNP-6400/6250/9250, XNP-6400R/6250R/9250R	info	€ 92,00
Accessory	SPB-PTZ73	Smoked Dome Cover				NDAA Compliant	Smoked Dome Cover for XNP-6120H	info	€ 86,00
Accessory	SPB-PTZ6W	Smoked Dome Cover				NDAA Compliant	Smoke Dome Cover compatible with XNP-C7310R & XNP-C9310R	info	€ 133,00
Accessory	SPB-VAN3	Smoked Dome Cover				NDAA Compliant	Smoked Dome Cover for SNV-8081R, SNV-8080, SNV-5084/6084/7084, SNV-5084R/6084R/7084R, SCV-6081R, XNV-6080R, XNV-8080R	info	€ 64,00
Accessory	SPB-VAN11	Smoked Dome Cover				NDAA Compliant	Smoked Dome Cover for XNV- 6010/6020/ 8020R/8030R/8040R	info	€ 23,00

■ New Product / Replacement
■ End of Sales
■ Price update

	Model code	Short description	Series	Resolution/Channels	Type	Notes	Full Description	Prod. page	MSRP, €
Hanwha Product									
Accessory	SPB-VAN12	Smoked Dome Cover				NDAA Compliant	Smoked Dome Cover for QNV-6010R/6020R/6030R/7010R/7020R/7030R	info	€ 23,00
Accessory	SPB-VAN14W	Smoked Dome Cover				NDAA Compliant	Smoked dome cover compatible with XNV-6012M/6022RM	info	€ 35,00
Accessory	SPB-VAN71	Smoked Dome Cover				NDAA Compliant	Smoked Dome Cover for XNV-6120/6120R	info	€ 74,00
Accessory	SPB-VAN72	Smoked Dome Cover				NDAA Compliant	Smoked Dome Cover for QNV-6070R/7080R	info	€ 33,00
Accessory	SPB-VAN81	Smoked Dome Cover				NDAA Compliant	Smoked Dome Cover for XNV-6085	info	€ 74,00
Accessory	SPB-VAN85W	Smoked Dome Cover				NDAA Compliant	Smoked Dome Cover for XNV-6081R/8081R/8081RE/8081RE, PNV-A9081R, White	info	€ 74,00
Accessory	SPB-VAN88W	Smoked Dome Cover				NDAA Compliant	Smoked Dome Cover for XNV-C9083R, XNV-C8083R, XNV-C7083R, XNV-C6083R, White	info	€ 85,00
Accessory	SPB-VAN89W	Vandal Dome Backbox				NDAA Compliant	Vandal Dome Backbox. Material : [Top cover] Aluminum + PC / [Dome bubble] Hard-coated Polycarbonate. Color : [Top cover]White / [Dome bubble] Transparent smoked. Supported products : XNV-6083RZ/8083RZ/9083RZ/6083Z/6083Z	info	€ 80,00
Accessory	SPB-FC085W	Smoked Dome Cover				NDAA Compliant	Smoked Dome Cover for XND-6081F/6081RF/8081RF, PND-A9081RF, White	info	€ 69,00
Accessory	SPB-VAW12	Smoked Dome Cover				NDAA Compliant	Smoked Dome Cover for QNV-6012R/6022R/6032R, QNV-8010R/8020R/8030R, LNV-6012R/6022R/6032R, QNV-6012R1/6022R1/6032R1, White	info	€ 24,00
Accessory	SPB-VAW72	Smoked Dome Cover				NDAA Compliant	Smoked Dome Cover for QNV-6082R/6082R1/8080R, LNV-6070R/6072R, White	info	€ 33,00
Accessory	SPB-IND6	Smoked Dome Cover				NDAA Compliant	Smoked Dome Cover for SCD-6083R, SCD-5080, SCD-5082, SCD-5083, SCD-5083R, SND-6011R, SND-L6083R, SND-L5083R, HCD-6080R/8070R	info	€ 36,00
Accessory	SPB-IND11	Smoked Dome Cover				NDAA Compliant	Smoked Dome Cover for XND-6010/8020/8020R/8030R/8040R	info	€ 23,00
Accessory	SPB-IND12	Smoked Dome Cover				NDAA Compliant	Smoked Dome Cover for QND-6010R/6020R/6030R / 7010R/7020R/7030R, White	info	€ 23,00
Accessory	SPB-IND81	Smoked Dome Cover				NDAA Compliant	Smoked Dome Cover for XND-6080V/XND-6080RV/ XND-8080RV	info	€ 19,00
Accessory	SPB-IND81V	Smoked Dome Cover				NDAA Compliant	Smoked Dome Cover for XND-6080V/XND-6080RV/ XND-8080RV	info	€ 42,00
Accessory	SPB-IND85W	Smoked Dome Cover				NDAA Compliant	Smoked Dome Cover for XND-6081V/6081RV/8081RV/6081REV/8081REV, PND-A9081RV, White	info	€ 69,00
Accessory	SPB-IND88W	Smoked Dome Cover				NDAA Compliant	Smoked Dome Cover for XND-C9083RV, XND-C8083RV, XND-C7083RV, XND-C6083RV, white	info	€ 74,00
Accessory	SPG-IND12B	Black Dome Cover				NDAA Compliant	Black Dome Cover with Clear Bubble for QND-6010R/6020R/6030R/7010R/7020R/7030R	info	€ 22,00
Accessory	SPG-IND16B	Black Dome Cover				NDAA Compliant	Black Dome Cover with Clear Bubble for QND-6021/6011/8021/8011	info	€ 20,00
Accessory	SPG-IND72B	Black Dome Cover				NDAA Compliant	Black Dome Cover with Clear Bubble for QND-6070R, QND-7080R, LND-6071R, LND-6072R	info	€ 23,00
Accessory	SPG-PTZ95W	Black Dome Cover				NDAA Compliant	Dome Cover compatible with XNP-C7310R & XNP-C9310R	info	€ 133,00
Accessory	SPG-VAN13W	Conduit Dome Cover				NDAA Compliant	Conduit dome cover for TNV-C7013RC, White, Aluminum, 198.3x198.6x44mm (7.81x7.82x1.70")	info	€ 79,00
Accessory	SPB-INW13	Smoked Dome Cover				NDAA Compliant	Smoked Dome Cover for QND-8010R/8020R/8030R, White	info	€ 23,00
Accessory	SPB-INW72	Smoked Dome Cover				NDAA Compliant	Smoked Dome Cover for LND-6072R, QND-6070R, QND-6082R, QND-6082R1, White	info	€ 23,00
Accessory	SPB-INW73	Smoked Dome Cover				NDAA Compliant	Smoked Dome Cover for QND-8080R, White	info	€ 23,00
Accessory	SPB-MDC51V	Smoked Dome Cover				NDAA Compliant	Smoked Dome Cover for PNM-9322VQP (PTZ dome only)	info	€ 140,00
Accessory	SPB-MDC41	Smoked Dome Cover				NDAA Compliant	Tinted dome cover for PNM-9084RQZ and PNM-9085RQZ	info	€ 230,00
Accessory	SPB-MDC31	Smoked Dome Cover				NDAA Compliant	Tinted dome cover for PNM-9084QZ and PNM-9083VT	info	€ 95,00
Accessory	SPB-MDC41W	Smoked Dome Cover				NDAA Compliant	Tinted dome cover for PNM-9022V	info	€ 125,00
Monitors									
Monitor	SMT-3231PV	32" AI PVM Monitor			PVM Monitor	NDAA compliant	32" AI Enabled, IP public view monitor (AI PVM) PIP & PBP support, 1080p (1920 x 1080 60Hz), HDMI, Ethernet, 16:9 aspect ratio, Built-in speaker (2x2 W), VESA mountable (100 x 100mm / 200 x 100mm), black casing, AI face & Object detection, Display for visual deterrent, customizable text overlay with pre-configured "recording in progress" OSD ZMP IP camera built-in, 3.06mm fixed lens, (107.7" H and 59.0V), 120dB WDR, H.265/H.264/MJPEG, slide show & live video, micro SD/SDHC/SDXC, bi-directional audio, hallway view mode, portrait and landscape display support, HPeE 802.3bz, DC 24V. ***Power adapter not included***	info	€ 2 950,00
Monitor	SMT-3221PV	32" AI PVM Monitor (Non PIP/PBP)			PVM Monitor	NDAA compliant	32" AI Enabled IP public view monitor (AI PVM), 1080p (1920 x 1080 60Hz), HDMI (x2), Ethernet, 16:9 Aspect Ratio, Built-in speaker (2W x2), Face Detection for Visual Deterrence, AI Analytics, Customizable Banner Overlay Messages, Built-in ZMP IP Camera, 3.06 mm Fixed Lens (107.7" H, 59.0V), 120dB WDR, H.265/H.264/MJPEG, Slide Show & Live Video, Micro SD/SDHC/SDXC, VESA Compatible (100x100 / 200x100 / 200x200), Black Cabinet, Halfway View Mode, Portrait and Landscape Display Support, HPeE 802.3bz, DC 24V. ***Power adapter not included***	info	€ 2 350,00
Monitor	SMT-2731PV	27" AI PVM Monitor			PVM Monitor	NDAA compliant	27" AI Enabled, IP public view monitor (AI PVM) PIP & PBP support, 1080p (1920 x 1080 60Hz), HDMI, Ethernet, 16:9 aspect ratio, Built-in speaker (2x2 W), VESA mountable (100 x 100mm / 200 x 100mm), black casing, AI face & Object detection, Display for visual deterrent, customizable text overlay with pre-configured "recording in progress" OSD ZMP IP camera built-in, 3.06mm fixed lens, (107.7" H and 59.0V), 120dB WDR, H.265/H.264/MJPEG, slide show & live video, micro SD/SDHC/SDXC, bi-directional audio, hallway view mode, portrait and landscape display support, HPeE 802.3bz, DC 24V. ***Power adapter not included***	info	€ 2 500,00

New Product / Replacement
End of Sales
Price update

	Model code	Short description	Series	Resolution/ Channels	Type	Notes	Full Description	Prod. page	MSRP, €
Hanwha Product									
Lens	AG3Z2812FCS-MPWIR-32	5MP Varifocal Auto Iris CS-Mount				NDAA Compliant	1/2.7" CS mount 2.8-8.5mm F1.2-360C Aspherical 5 Megapixel Varifocal DC Drive IR Corrected with 31cm Lens Lead		€ 202,00
Lens	EG3Z3915FCS-MPWIR-32	8MP Varifocal Auto Iris CS-Mount				NDAA Compliant	1/1.8" CS mount 3.9-10.0mm, F1.5-360C Aspherical, 8 Megapixel Varifocal DC Drive IR Corrected with 31cm Lens Lead		€ 236,00
Lens	EG6Z0915FCS-MPWIR-32	12MP Varifocal Auto Iris CS-Mount				NDAA Compliant	1/1.8" CS mount 9.0-50.0mm F1.5-360C Aspherical 12 Megapixel Varifocal DC Drive IR Corrected with 31cm Lens Lead		€ 395,00
Lens	AG3Z2812KCS-MPWIR-32	5MP Varifocal P-Iris CS-Mount				NDAA Compliant	1/2.7" CS mount 2.8-8.5mm F1.2-16C Aspherical 5 Megapixel Varifocal P-Iris Drive IR Corrected with 31cm Lens Lead		€ 221,00
Lens	EG3Z3915KCS-MPWIR	8MP Varifocal P-Iris CS-Mount				NDAA Compliant	1/1.8" CS mount 3.9-10.0mm, F1.5-16C Aspherical, 8 Megapixel Varifocal P-Iris Drive IR Corrected with V-Cable 31cm Lens Lead		€ 258,00
Lens	EG6Z0915KCS-MPWIR-V32	12MP Varifocal P-Iris CS-Mount				NDAA Compliant	1/1.8" CS mount 9.0-50.0mm F1.5-360C Aspherical 12 Megapixel Varifocal "P-Iris" Drive IR Corrected with 31cm Lens Lead		€ 403,00
Lens	AG3Z2812TCS-MPWIR-32	5MP Varifocal ICS CS-Mount				NDAA Compliant	1/2.7" CS mount 2.8-8.5mm F1.2-16C Aspherical 5 Megapixel Varifocal ICS Drive IR Corrected with 31cm Lens Lead		€ 365,00
Lens	EG3Z3915TCS-MPWIR-32	8MP Varifocal ICS CS-Mount				NDAA Compliant	1/1.8" CS mount 3.9-10.0mm, F1.5-16C Aspherical, 8 Megapixel Varifocal ICS Drive IR Corrected with 31cm Lens Lead		€ 358,00
Lens	EG6Z0915TCS-MPWIR-32	12 MP Varifocal ICS CS-Mount				NDAA Compliant	1/1.8" CS mount 9.0-50.0mm F1.5-360C Aspherical 12 Megapixel Varifocal "with P-Iris connector" Drive IR Corrected with 31cm Lens Lead		€ 764,00

New Product / Replacement
 End of Sales
 Price update

	Model code
Hanwha Product	
4K Cameras & up	
Camera - Network	TNB-9000
Camera - Network	XNF-9010RS
Camera - Network	PNM-9322VQP
Camera - Network	PNM-C34404RQPZ
Camera - Network	PNM-C32083RVQ
Camera - Network	PNM-C32083RQZ
Camera - Network	PNM-C16083RVQ
Camera - Network	PNM-C16013RVQ
Camera - Network	PNM-C16083RQZ
Camera - Network	PNM-9085RQZ1
Camera - Network	PNM-9084RQZ1
Camera - Network	PNM-9084QZ1
Camera - Network	PNM-9002VQ
Camera - Network	PNM-12082RVD
Camera - Network	PNM-C12083RVD
Camera - Network	PNM-9022V
Camera - Network	PNM-C9022RV
Camera - Network	PNO-A9081RLP
Camera - Network	PNO-A9081R
Camera - Network	PNO-A9311R
Camera - Network	XNO-C9083R
Camera - Network	XNO-9083R
Camera - Network	XNO-9082R
Camera - Network	PNV-A9081RLP
Camera - Network	PNV-A9081R

New Product / Replacement
 End of Sales
 Price update

	Model code
Hanwha Product	
Camera - Network	XNV-9083R
Camera - Network	XNV-9083RZ
Camera - Network	XNV-9082R
Camera - Network	XNV-C9083R
Camera - Network	XND-C9083RV
Camera - Network	PND-A9081RF
Camera - Network	PND-A9081RV
Camera - Network	XND-9083RV
Camera - Network	XND-9082RF
Camera - Network	XND-9082RV
Camera - Network	XNP-9300RW
Camera - Network	XNP-9250R
Camera - Network	XNP-9250
Camera - Network	XNP-C9253
Camera - Network	XNP-C9253R
Camera - Network	XNP-C9303RW
Camera - Network	XNP-C9310R
Camera - Network	TNF-9010
Camera - Network	XNF-9010RVM
Camera - Network	XNF-9010RV
Camera - Network	XNF-9013RV
Camera - Network	QNF-9010
Camera - Network	PNB-A9001LP

New Product / Replacement
End of Sales
Price update

	Model code
Hanwha Product	
Camera - Network	PNB-A9001
Camera - Network	XNB-9002
Camera - Network	XNB-9003
Camera - Network	PNM-9000GB
Camera - Network	PNM-9031RV
Camera - Network	QNV-C9011R
Camera - Network	QNV-C9083R
Camera - Network	QNO-C9083R
Camera - Network	QNE-C9013RL
6MP Cameras	
Camera - Network	PNM-8082VT
Camera - Network	XNO-C8083R
Camera - Network	XNO-8083R
Camera - Network	XNO-8082R
Camera - Network	XNV-8083R
Camera - Network	XNV-8083R
Camera - Network	XNV-8083RZ
Camera - Network	XNV-8083Z
Camera - Network	XNV-8082R
Camera - Network	XND-8082RF
Camera - Network	XND-8082RV
Camera - Network	XND-8083RV
Camera - Network	XND-8093RV
Camera - Network	XNV-C8083R
Camera - Network	XND-C8083RV
Camera - Network	XNB-8002

New Product / Replacement
 End of Sales
 Price update

	Model code
Hanwha Product	
Camera - Network	XNB-8003
Camera - Network	XNP-8300RW
Camera - Network	XNP-8250R
Camera - Network	XNP-8250
Camera - Network	XNP-C8253
Camera - Network	XNP-C8253R
Camera - Network	XNP-C8303RW
Camera - Network	XNF-8010RVM
Camera - Network	XNF-8010RV
Camera - Network	XNF-8010R
Camera - Network	QNF-8010
Camera - Network	QNV-C8011R
Camera - Network	QNV-C8012
5MP Cameras	
Camera - Network	XNV-8081Z
Camera - Network	XNV-8081RE
Camera - Network	XNV-8081R
Camera - Network	XND-8081VZ
Camera - Network	XND-8081FZ
Camera - Network	XND-8081REV
Camera - Network	XND-8081RV
Camera - Network	XND-8081RF
Camera - Network	XNO-8080R
Camera - Network	XNO-8020R
Camera - Network	XNO-8030R
Camera - Network	XNO-8040R

New Product / Replacement
 End of Sales
 Price update

	Model code
Hanwha Product	
Camera - Network	XNV-8080RSA
Camera - Network	XNV-8080R
Camera - Network	XNV-8020R
Camera - Network	XNV-8030R
Camera - Network	XNV-8040R
Camera - Network	XND-8080RV
Camera - Network	XND-8080R
Camera - Network	XND-8020R
Camera - Network	XND-8030R
Camera - Network	XND-8040R
Camera - Network	XND-8020F
Camera - Network	XNB-8000
Camera - Network	QNB-8002
Camera - Network	TNV-8011C
Camera - Network	TNV-C8011RW
Camera - Network	QNO-8080R
Camera - Network	QNO-8010R
Camera - Network	QNO-8020R
Camera - Network	QNV-8080R
Camera - Network	QNV-8010R
Camera - Network	QNV-8020R
Camera - Network	QND-8080R
Camera - Network	QND-8010R
Camera - Network	QND-8020R
Camera - Network	QNE-8011R
Camera - Network	QNE-C8013RL
Camera - Network	QND-8011
Camera - Network	QND-8021
Camera - Network	QNV-C8083R

New Product / Replacement
 End of Sales
 Price update

	Model code
Hanwha Product	
Camera - Network	QNO-C8083R
4MP Cameras	
Camera - Network	PNM-7082RVD
Camera - Network	PNM-C7083RVD
Camera - Network	XNP-C7310R
Camera - Network	XNO-C7083R
Camera - Network	XNV-C7083R
Camera - Network	XND-C7083RV
Camera - Network	QNO-7082R
Camera - Network	QNO-7012R
Camera - Network	QNO-7022R
Camera - Network	QNO-7032R
Camera - Network	QNV-7082R
Camera - Network	QNV-7012R
Camera - Network	QNV-7022R
Camera - Network	QNV-7032R
Camera - Network	QND-7082R
Camera - Network	QND-7012R
Camera - Network	QND-7022R
Camera - Network	QND-7032R
Camera - Network	ANE-L7012L
Camera - Network	ANE-L7012R
Camera - Network	ANO-L7012R
Camera - Network	ANO-L7022R
Camera - Network	ANO-L7082R
Camera - Network	ANVL7012R
Camera - Network	ANVL7082R
3MP Cameras	
Camera - Network	TNV-7011RC

New Product / Replacement
 End of Sales
 Price update

	Model code
Hanwha Product	
Camera - Network	TNV-C7013RC
2MP Cameras	
Camera - Network	PND-A6081R
Camera - Network	PNV-A6081R
Camera - Network	PNV-A6081R-E1T
Camera - Network	PNV-A6081R-E2T
Camera - Network	PND-A6081RF
Camera - Network	PND-A6081RV
Camera - Network	PNB-A6001
Camera - Network	XNV-6081Z
Camera - Network	XNV-6081RE
Camera - Network	XNV-6081R
Camera - Network	XNV-6083R
Camera - Network	XNV-6083RZ
Camera - Network	XNV-6083Z
Camera - Network	XNV-C6083R
Camera - Network	XNV-C6083
Camera - Network	XNV-6081
Camera - Network	XND-6081VZ
Camera - Network	XND-6081REV
Camera - Network	XND-6083RV
Camera - Network	XND-C6083RV

New Product / Replacement
 End of Sales
 Price update

	Model code
Hanwha Product	
Camera - Network	XND-6081RV
Camera - Network	XND-6081RF
Camera - Network	XND-6081V
Camera - Network	XNP-6550RH
Camera - Network	XNP-6400RW
Camera - Network	XNP-6400R
Camera - Network	XNP-6400
Camera - Network	XNP-6371RH
Camera - Network	QNP-6320HS
Camera - Network	XNP-6120H
Camera - Network	XNP-6040H
Camera - Network	XNP-C6403
Camera - Network	XNP-C6403R
Camera - Network	XNP-C6403RW
Camera - Network	XNO-6085R
Camera - Network	XNO-6085
Camera - Network	XNO-6083R
Camera - Network	XNO-C6083R
Camera - Network	XNO-6123R
Camera - Network	XNO-6120R
Camera - Network	XNO-6120
Camera - Network	XNO-6080R
Camera - Network	XNO-6020R

■ New Product / Replacement
■ End of Sales
■ Price update

	Model code
Hanwha Product	
Camera - Network	XNO-6010R
Camera - Network	XNO-L6080R
Camera - Network	XNV-6085
Camera - Network	XNV-6120R
Camera - Network	XNV-6123R
Camera - Network	XNV-6120
Camera - Network	XNV-6080RSA
Camera - Network	XNV-6080R
Camera - Network	XNV-6080
Camera - Network	XNV-L6080R
Camera - Network	XNV-L6080
Camera - Network	XNV-6010
Camera - Network	XNV-6020R
Camera - Network	XNV-6022R
Camera - Network	XNV-6022RM
Camera - Network	XNV-6012
Camera - Network	XNV-6012M
Camera - Network	XNV-6013M
Camera - Network	XNV-6011
Camera - Network	XND-6085
Camera - Network	XND-6080RV
Camera - Network	XND-6080R
Camera - Network	XND-6080V
Camera - Network	XND-6080
Camera - Network	XND-L6080R

New Product / Replacement
End of Sales
Price update

	Model code
Hanwha Product	
Camera - Network	XND-6010
Camera - Network	XND-6020R
Camera - Network	XND-6011F
Camera - Network	XNZ-6320A
Camera - Network	XNZ-L6320A
Camera - Network	XNB-6003
Camera - Network	XNB-6005
Camera - Network	XNB-6000
Camera - Network	XNB-H6461H
Camera - Network	XNB-6001
Camera - Network	XNB-6002
Camera - Network	TID-600R
Camera - Network	TNU-6321
Camera - Network	TNB-6030
Camera - Network	QNP-6250R
Camera - Network	QNP-6320R
Camera - Network	QNP-6250H
Camera - Network	QNP-6250
Camera - Network	QNP-6320H
Camera - Network	QNP-6320
Camera - Network	QNO-6012R
Camera - Network	QNO-6012R1
Camera - Network	QNO-6022R
Camera - Network	QNO-6022R1
Camera - Network	QNO-6082R
Camera - Network	QNO-6082R1

New Product / Replacement
 End of Sales
 Price update

	Model code
Hanwha Product	
Camera - Network	QNO-C6083R
Camera - Network	QNV-6012R
Camera - Network	QNV-6012R1
Camera - Network	QNV-6022R
Camera - Network	QNV-6022R1
Camera - Network	QNV-6082R
Camera - Network	QNV-6082R1
Camera - Network	QNV-6023R
Camera - Network	QNV-6024RM
Camera - Network	QNV-C6083R
Camera - Network	QND-6012R
Camera - Network	QND-6012R1
Camera - Network	QND-6022R
Camera - Network	QND-6022R1
Camera - Network	QND-6082R
Camera - Network	QND-6082R1
Camera - Network	QND-6011
Camera - Network	QND-6021
Camera - Network	QNB-6002
Camera - Network	ANE-L6012R
Camera - Network	ANO-L6012R
Camera - Network	ANO-L6022R
Camera - Network	ANO-L6082R
Camera - Network	ANV-L6012R
Camera - Network	ANV-L6023R
Camera - Network	ANV-L6082R
Camera - Network	LNO-6072R
Explosion-proof Cameras	
Camera - Network	TNO-C8083E

New Product / Replacement
 End of Sales
 Price update

	Model code
Hanwha Product	
Camera - Network	TNU-6322E
Camera - Network	TNU-6322ER
Camera - Network	TNU-6320E
Camera - Network	TNO-6322ER
Thermal Cameras	
Camera - Network	TNU-4051T
Camera - Network	TNU-4041T
Camera - Network	TNO-4030TR
Camera - Network	TNO-4040TR
Camera - Network	TNO-4041TR
Camera - Network	TNO-4050T
Camera - Network	TNO-4051T
Camera - Network	TNO-4040T
Camera - Network	TNO-4041T
Camera - Network	TNO-4030T
Camera - Network	TNO-L4030T
Camera - Network	TNO-L4030TR
Camera - Network	TNO-L4040T
Camera - Network	TNO-L4040TR
Camera - Network	TNO-L4050T
Camera - Network	TNS-9040IBC
Camera - Network	TNS-9050IBC
Camera - Network	TNS-9060IBC
Camera - Network	TNM-C4940TD
Camera - Network	TNM-C4950TD
Camera - Network	TNM-C4960TD
Camera - Network	TNM-C3620TDR
Camera - Network	TNM-C3622TDR

New Product / Replacement
 End of Sales
 Price update

	Model code
Hanwha Product	
Camera - Network	TNM-C4940TDR
Camera - Network	TNM-C4942TDR
Camera - Network	TNO-3010T
Camera - Network	TNO-3020T
Camera - Network	TNO-3030T
Camera - Network	TNO-L3030T
Camera - Network	TNO-3040T
Camera - Network	TNO-3050T
Camera - Network	TNO-C3010TRA
Camera - Network	TNO-C3012TRA
Camera - Network	TNO-C3020TRA
Camera - Network	TNO-C3022TRA
Camera - Network	TNO-C3030TRA
Camera - Network	TNO-C3032TRA
Camera - Network	TNO-7180RLP
NVRs	
Recording - Network	XRN-428S-1T
Recording - Network	XRN-6410DB4
Recording - Network	XRN-6420DB4
Recording - Network	XRN-6410B4
Recording - Network	XRN-6420B4
Recording - Network	XRN-6410RB2
Recording - Network	XRN-6410B2
Recording - Network	XRN-3210B4
Recording - Network	XRN-3210RB2
Recording - Network	XRN-3210B2
Recording - Network	XRN-3220B4
Recording - Network	PRN-3205B2
Recording - Network	PRN-1605B2
Recording - Network	PRN-3205B4
Recording - Network	XRN-1620B2

■ New Product / Replacement
■ End of Sales
■ Price update

	Model code
Hanwha Product	
Recording - Network	XRN-1620B2-4TB-S
Recording - Network	XRN-1620B2-6TB-S
Recording - Network	XRN-1620B2-8TB-S
Recording - Network	XRN-1620SB1
Recording - Network	XRN-1620SB1-4TB-S
Recording - Network	XRN-1620SB1-6TB-S
Recording - Network	XRN-820S
Recording - Network	XRN-820S-4TB-S
Recording - Network	XRN-820S-6TB-S
Recording - Network	XRN-815S
Recording - Network	XRN-815S-4TB-S
Recording - Network	XRN-815S-8TB-S
Recording - Network	XRN-420S
Recording - Network	QRN-430S
Recording - Network	QRN-430S-4TB-S
Recording - Network	QRN-830S
Recording - Network	QRN-830S-4TB-S
Recording - Network	QRN-1630S
Recording - Network	QRN-1630S-4TB-S
Recording - Network	ARN-410S
Recording - Network	ARN-810S
Recording - Network	ARN-1610S
Recording - Network	TRM-1610M
Recording - Network	TRM-810S
Recording - Network	TRM-410S
Encoders and Decoders	
Encoder - Network	SPE-1630
Encoder - Network	SPE-420
Decoder - Network	SPD-152
IP Audio Systems	
Speaker	SPA-C100B
Speaker	SPA-C100W
Speaker	SPA-W100B
Speaker	SPA-W100W
Speaker	SPA-H100B
Speaker	SPA-H100W
Speaker	SPA-P100B

New Product / Replacement
 End of Sales
 Price update

	Model code
Hanwha Product	
Speaker	SPA-P100W
Audio Module	SPA-D1000
Microphone	SPA-M1000
Microphone	SPA-M2000
Audio Bridge	SPA-B1000
Audio Server	SPA-S1000
Analog HD+ Cameras	
Camera - Analog HD	HCO-7070RA
Camera - Analog HD	HCO-7010RA
Camera - Analog HD	HCO-7020RA
Camera - Analog HD	HCO-7030RA
Camera - Analog HD	HCV-7070RA
Camera - Analog HD	HCV-7010RA
Camera - Analog HD	HCV-7020RA
Camera - Analog HD	HCV-7030RA
Camera - Analog HD	HCD-7070RA
Camera - Analog HD	HCD-7010RA
Camera - Analog HD	HCD-7020RA
Camera - Analog HD	HCD-7030RA
Camera - Analog HD	HCB-7000A
Camera - Analog HD	HCB-7000PHA
Camera - Analog HD	HCO-6080R
Camera - Analog HD	HCO-6080
Camera - Analog HD	HCO-6070R
Camera - Analog HD	HCO-6020R
Camera - Analog HD	HCV-6080R
Camera - Analog HD	HCV-6080
Camera - Analog HD	HCV-6070R
Camera - Analog HD	HCD-6080R
Camera - Analog HD	HCD-6070R
Camera - Analog HD	HCD-6010
Camera - Analog HD	HCD-6020R
Camera - Analog HD	HCB-6001
Camera - Analog HD	HCB-6000
Camera - Analog HD	HCB-6000PH
Camera - Analog HD	HCP-6320A
Camera - Analog HD	HCP-6320HA
DVRs	
Recording - Analog	HRX-635A
Recording - Analog	HRX-635A-4TB-S
Recording - Analog	HRX-635A-6TB-S
Recording - Analog	HRX-1635

■ New Product / Replacement
■ End of Sales
■ Price update

	Model code
Hanwha Product	
Recording - Analog	HRX-1635-3TB-S
Recording - Analog	HRX-1635-4TB-S
Recording - Analog	HRX-1634
Recording - Analog	HRX-1634-3TB-S
Recording - Analog	HRX-1634-4TB-S
Recording - Analog	HRX-435
Recording - Analog	HRX-435-4TB-S
Recording - Analog	HRX-435-6TB-S
Recording - Analog	HRX-435-12TB-S
Recording - Analog	HRX-434
Recording - Analog	HRX-434-4TB-S
Recording - Analog	HRX-434-6TB-S
Recording - Analog	HRX-420
Recording - Analog	HRX-420-2TB
Lens modules for Multi-Sensor and Box Ca	
Lens	SLA-T1080F
Lens	SLA-T2480
Lens	SLA-T2480V
Lens	SLA-T4680
Lens	SLA-T4680V
Lens	SLA-T4680D
Lens	SLA-T4680DS
Lens	SLA-T4680DW
Lens	SLA-T1080FA
Lens	SLA-T2480A
Lens	SLA-T2480VA
Lens	SLA-T4680A
Lens	SLA-T4680VA
Lens	SLA-T2480WA
Lens	SLA-T2480WDA
Lens	SLA-T4680DA
Lens	SLA-T4680DSA
Lens	SLA-5M3700Q
Lens	SLA-5M4600Q
Lens	SLA-5M7000Q

New Product / Replacement
 End of Sales
 Price update

	Model code
Hanwha Product	
Lens	SLA-2M2400Q
Lens	SLA-2M2800Q
Lens	SLA-2M3600Q
Lens	SLA-2M6000Q
Lens	SLA-5M3700P
Lens	SLA-5M4600P
Lens	SLA-5M7000P
Lens	SLA-2M2400P
Lens	SLA-2M2800P
Lens	SLA-2M3600P
Lens	SLA-2M6000P
Lens	SLA-2M1200P
Lens	SLA-M2890DN
Lens	SLA-M2890PN
Lens	SLA-M8550D
Accessories	
Accessory	SP1-50
Accessory	SPM-4210
Accessory	SPO-6011
Accessory	SPO-8315
Accessory	SHP-1563FPW
Accessory	SHP-1520FW
Accessory	SHP-1680F
Accessory	SHP-1680FW
Accessory	SHP-1730FPW
Accessory	SHD-1128FPW
Accessory	SHD-1198FW
Accessory	SHD-1200FPW
Accessory	SHD-1350FPW
Accessory	SHD-1370FPW
Accessory	SHD-1400FPW
Accessory	SHD-1400FW
Accessory	SHD-1408FW
Accessory	SHD-1408FPW
Accessory	SHD-1600FPW

New Product / Replacement
 End of Sales
 Price update

	Model code
Hanwha Product	
Accessory	SHD-2000FPW
Accessory	SHD-2500FPW
Accessory	SHD-2510FPW
Accessory	SHD-3000F1
Accessory	SHD-3000F3
Accessory	SHD-3000F4
Accessory	SHD-3000F5
Accessory	SHP-3701H
Accessory	SHF-1500F
Accessory	SPC-100AC
Accessory	SBC-140WB
Accessory	SBC-170C
Accessory	SBC-170CW
Accessory	SBC-170CB
Accessory	SBC-165W
Accessory	SBS-165B
Accessory	SBS-165TM
Accessory	SHS-165F
Accessory	SBC-180B
Accessory	SBC-160BF
Accessory	SBC-180B
Accessory	SBC-200B
Accessory	DSC-160-PC
Accessory	DSC-160-VC
Accessory	SBC-XNP-6400
Accessory	SBC-XNV-C9083R
Accessory	SBL-100C
Accessory	SBL-101C
Accessory	SBL-100D
Accessory	SBP-09HMMW
Accessory	SBP-120HMMW
Accessory	SBP-122HM
Accessory	SBP-122HMMW

New Product / Replacement
 End of Sales
 Price update

	Model code
Hanwha Product	
Accessory	SBP-140HMMW
Accessory	SBP-125HMMW
Accessory	SBP-156HMMW
Accessory	SBP-156HMMWP
Accessory	SBP-156HMMWR
Accessory	SBP-159HMMW1
Accessory	SBP-167HM
Accessory	SBP-168HM
Accessory	SBP-180HMMW1
Accessory	SBP-187HM
Accessory	SBP-200HMMW
Accessory	SBP-201HM
Accessory	SBP-201HMMW
Accessory	SBP-215HMMW
Accessory	SBP-250HMMW
Accessory	SBP-250WMMW
Accessory	SBP-11SPFA
Accessory	SBP-11SPA
Accessory	SBP-276HMMW
Accessory	SBP-300HMS
Accessory	SBP-300HMMW5
Accessory	SBP-300HMS6
Accessory	SBP-300HMS7
Accessory	SBP-300HMMW7
Accessory	SBP-300HMS8
Accessory	SBP-300HMMW8
Accessory	SBP-301HMMW3
Accessory	SBP-301HMMW2
Accessory	SBP-301HMS
Accessory	SBP-315HMMW
Accessory	SBP-317HMMW
Accessory	SBP-200C

New Product / Replacement
 End of Sales
 Price update

	Model code
Hanwha Product	
Accessory	SBP-250C
Accessory	SBP-315C
Accessory	SBP-120WM
Accessory	SBP-120WMW
Accessory	SBP-125WMW1
Accessory	SBP-137WM
Accessory	SBP-137WMW
Accessory	SBP-137WM1
Accessory	SBP-137WMW1
Accessory	SBP-156WMW
Accessory	SBP-187WMW
Accessory	SBP-156WA
Accessory	SBP-060S
Accessory	SBP-060BA
Accessory	SBP-150S
Accessory	SBE-100WM
Accessory	SBP-300WM
Accessory	SBP-300WMW
Accessory	SBP-300WMS
Accessory	SBP-300WM1
Accessory	SBP-300WMW1
Accessory	SBP-300WMS1
Accessory	SBP-380WM2
Accessory	SBP-400WMW
Accessory	SBU-500PM
Accessory	SBU-500WM
Accessory	SBP-300NB
Accessory	SBP-300NBW
Accessory	SBP-300B
Accessory	SBP-300BW1
Accessory	SBP-156LMW
Accessory	SBP-156LMW1
Accessory	SBP-300LM

New Product / Replacement
 End of Sales
 Price update

	Model code
Hanwha Product	
Accessory	SBP-300LMW
Accessory	SBP-300PM1
Accessory	SBP-300PMW2
Accessory	SBB-300PMW1
Accessory	SBP-300PMS
Accessory	SBP-302PM
Accessory	SBP-303PM
Accessory	SBD-180PMW
Accessory	SBD-140PMW
Accessory	SBD-140KMB
Accessory	SBD-140PMB
Accessory	SBD-110GP1
Accessory	SBO-090GP
Accessory	SBD-137WMA
Accessory	SBE-100PM
Accessory	SBP-156KMW
Accessory	SBP-300KM1
Accessory	SBP-300KMW1
Accessory	SBP-300KMS
Accessory	SBP-156CMW
Accessory	SBP-302CMBW
Accessory	SBP-300CM
Accessory	SBP-300CMW
Accessory	SBP-300CMW1
Accessory	SBP-900CMW
Accessory	SBP-150CMI
Accessory	SBP-300CMI
Accessory	SBP-140CMB
Accessory	SBP-140CMT
Accessory	SBP-180CMB
Accessory	SBP-180CMS
Accessory	SBP-150CMP
Accessory	SBP-150NBW

New Product / Replacement
 End of Sales
 Price update

	Model code
Hanwha Product	
Accessory	SBP-150PMW
Accessory	SBP-300CMP
Accessory	SBP-300CMTW
Accessory	SBP-300CMTS
Accessory	SBP-900CMP
Accessory	SBP-C15P
Accessory	SBP-303HF
Accessory	SBP-099TMW
Accessory	SBP-160TM
Accessory	SBP-160MMW1
Accessory	SBP-140WMW
Accessory	SBP-142CMW
Accessory	SBP-142WMW
Accessory	SBP-160TMW1
Accessory	SBP-300TM1
Accessory	SBF-100B1
Accessory	SBF-100BW1
Accessory	SBO-100B1
Accessory	SBO-147B
Accessory	SBO-147BA
Accessory	SBV-116B
Accessory	SBV-136B
Accessory	SBV-136BW
Accessory	SBV-138TMW
Accessory	SBV-120GW
Accessory	SBV-158G
Accessory	SBV-158GW
Accessory	SBV-160BW
Accessory	SBV-180BW
Accessory	SBV-180WW
Accessory	SBO-126B
Accessory	SCL-150
Accessory	SPP-C45W

New Product / Replacement
 End of Sales
 Price update

	Model code
Hanwha Product	
Accessory	SPP-C45WA
Accessory	SPP-C7400
Accessory	SPP-C1900
Accessory	SHB-9000H
Accessory	SHB-4200
Accessory	SHB-4200H
Accessory	SHB-4300H
Accessory	SHB-4300H1
Accessory	SHB-4301H2
Accessory	SHB-4301HP
Accessory	SBB-900
Accessory	STB-4150V
Accessory	SBV-253WCW
Accessory	SBV-120WCW
Accessory	SBV-160WC
Accessory	SBV-161WCW
Accessory	SBV-140TMW
Accessory	SBV-140TBW
Accessory	SBV-140BW
Accessory	SBV-140WW
Accessory	SBO-140BW
Accessory	SBO-140WW
Accessory	SBV-A14B
Accessory	SBV-215WCW
Accessory	SBP-SCP/ISN
Accessory	SBP-300NM
Accessory	SBE-100B
Accessory	SPB-PTZ6
Accessory	SPB-PTZ65W
Accessory	SPB-PTZ73
Accessory	SPB-PTZ95W
Accessory	SPB-VAN3
Accessory	SPB-VAN11

New Product / Replacement
End of Sales
Price update

	Model code
Hanwha Product	
Accessory	SPB-VAN12
Accessory	SPB-VAN14W
Accessory	SPB-VAN71
Accessory	SPB-VAN72
Accessory	SPB-VAN81
Accessory	SPB-VAN85W
Accessory	SPB-VAN88W
Accessory	SPB-VAN89W
Accessory	SPB-FC085W
Accessory	SPB-VAW12
Accessory	SPB-VAW72
Accessory	SPB-IND6
Accessory	SPB-IND11
Accessory	SPB-IND12
Accessory	SPB-IND81
Accessory	SPB-IND81V
Accessory	SPB-IND85W
Accessory	SPB-IND88W
Accessory	SPG-IND12B
Accessory	SPG-IND16B
Accessory	SPG-IND72B
Accessory	SPG-PTZ95W
Accessory	SPG-VAN13W
Accessory	SPB-INW13
Accessory	SPB-INW72
Accessory	SPB-INW73
Accessory	SPB-MDC51V
Accessory	SPB-MDC41
Accessory	SPB-MDC31
Accessory	SPB-MDC41W
Monitors	
Monitor	SMT-3231PV
Monitor	SMT-3221PV
Monitor	SMT-2731PV

New Product / Replacement
End of Sales
Price update

	Model code
Hanwha Product	
Monitor	SMT-2721PV
Monitor	SMT-1030PV
Monitor	SMT-1031PV
Monitor	SMT-1031PVW
Monitor	SMT-4343
Monitor	SMT-3240
Monitor	SMT-2740
Monitor	SMT-3215
Monitor	SMT-2710
Monitor	SMT-2431
Monitor	SMT-2212
Monitor	SMT-1935
Monitor Stand	SBM-4343
Monitor Stand	SPU-60240
Controllers	
Controller - Analog	SPC-2001
Controller - Analog	SPC-7000
Controller - Analog	SPC-2010
Controller - Analog	SPC-1010
AI appliance	
AI appliance	AIB-800
Open Platform Application License	
Open Platform Application License	AIA-C01BLK
Open Platform Application License	AIA-C01FAC
Open Platform Application License	AIA-C01RET
Open Platform Application License	AIA-C01TRF
VMS	
SSM 2.x	SSW-CH00L
SSM 2.x	SSW-CH01L
SSM 2.x	SSW-CH04L
SSM 2.x	SSW-CH08L
SSM 2.x	SSW-CH16L
SSM 2.x	SSW-CH32L
SSM 2.x	SSW-CH64L
SSM 2.x	SSW-CH128L
SSM 2.x	SSW-VD10L
SSM 2.x	SSW-TS10L
SSM 2.x	SSW-PL01L
SSM 2.x	SSW-PL02L
SSM 2.x	SSW-PL03L
SSM 2.x	SSW-PL04L
SSM 2.x	SSW-PL10L
3rd Party Products	
VMS	
Wisenet WAVE	WAVE-PRO-01
Wisenet WAVE	WAVE-PRO-04
Wisenet WAVE	WAVE-PRO-08
Wisenet WAVE	WAVE-PRO-16
Wisenet WAVE	WAVE-PRO-24

New Product / Replacement
 End of Sales
 Price update

	Model code
Hanwha Product	
Wisenet WAVE	WAVE-PRO-48
Wisenet WAVE	WAVE-VW-02
Wisenet WAVE	WAVE-ENC-04
Wisenet WAVE	WAVE-IO-01
Wisenet WAVE	WAVE-EMB-04
WAVE APPLIANCE	
WAVE Appliance	WRN-810S-4CH
WAVE Appliance	WRN-810S-4CH-4TB-HDV2
WAVE Appliance	WRN-810S-4CH-6TB-HDV2
WAVE Appliance	WRN-810S-8CH
WAVE Appliance	WRN-810S-8CH-4TB-HDV2
WAVE Appliance	WRN-810S-8CH-6TB-HDV2
WAVE Appliance	WRN-810S-8CH-12TB-HDV2
WAVE Appliance	WRN-1610S-4CH
WAVE Appliance	WRN-1610S-4CH-4TB-HDV2
WAVE Appliance	WRN-1610S-4CH-6TB-HDV2
WAVE Appliance	WRN-1610S-4CH-8TB-HDV2
WAVE Appliance	WRN-1610S-8CH
WAVE Appliance	WRN-1610S-8CH-4TB-HDV2
WAVE Appliance	WRN-1610S-8CH-6TB-HDV2
WAVE Appliance	WRN-1610S-8CH-8TB-HDV2
WAVE Appliance	WRN-1610S-16CH
WAVE Appliance	WRN-1610S-16CH-4TB-HDV2
WAVE Appliance	WRN-1610S-16CH-6TB-HDV2
WAVE Appliance	WRN-1610S-16CH-8TB-HDV2
WAVE Appliance	WRN-1610S-16CH-24TB-HDV2
WAVE Appliance	WRN-2010S
WAVE Appliance	WRN-2010S-4CH-6TB
WAVE Appliance	WRN-2010S-8CH-8TB
WAVE Appliance	WRN-2010S-16CH-16TB
WAVE Appliance	WRN-2110B1
WAVE Appliance	WRN-2110B1-4CH-6TB
WAVE Appliance	WRN-2110B1-16CH-16TB
WAVE Appliance	WRN-2110B1-36CH-40TB
WAVE Appliance	WRN-2110SB1
WAVE Appliance	WRN-2110SB1-4CH-6TB
WAVE Appliance	WRN-2110SB1-16CH-16TB
WAVE Appliance	WRN-2110SB1-36CH-40TB
A.I. Tech	
Out of Box products	XNO-6020R-V/INT
Out of Box products	TNO-4030T/INT
Out of Box products	TNO-4040T/INT
Out of Box products	TNO-4050T/INT
Out of Box products	XNO-6080R/INT
Software	AIT-PPE-1CH
Software	AIT-INTRUSION-1CH
Software	AIT-LOST-1CH
Software	AIT-DASH-PRO-1CH
Support	AIT-SUP-12T
Support	AIT-SUP-24T
Support	AIT-SUP-HR
Support	AIT-CONF-APP
Support	AIT-OPTIM-APP-1M
Support	AIT-OPTIM-APP-2M
Support	AIT-CONF-DASH
FF Group	
Out of Box products	XNO-6123R/RW

New Product / Replacement
 End of Sales
 Price update

	Model code
Hanwha Product	
Out of Box products	XNO-C6083R/RW
Out of Box products	XNV-C6083R/RW
Out of Box products	XNO-6120R/RW
Out of Box products	XNC-6080R/RW
Out of Box products	XNV-6080R/RW
Software	FFG-RW-1CH
a2	
Software	A2-NOMASK-APP-1CH
Software	A2-NOMASK-APP-25CH
Software	A2-NOMASK-APP-100CH
Software	A2-NOMASK-APP-250CH
Out of Box products	XNV-6011MSK
Out of Box products	XND-6010MSK
Out of Box products	XNB-6000MSK
Out of Box products	XNO-6080R/MSK
Software	A2-AID-PCK100-1CH
Software	A2-AID-PCK250-1CH
Software	A2-AID-PCK500-1CH
Software	A2-AID-PCK1000-1CH
Software	A2-AID-PCK1001-1CH
Software	A2-AID-INTERFACE-5CH
Software	A2-AID-INTERFACE-20CH
Software	A2-AID-INTERFACE-50CH
Software	A2-AID-CENTRAL-BD2
Software	A2-AID-CENTRAL-BD4
Software	A2-AID-CENTRAL-BD8
Software	A2-AID-INTEGRATION
Software	A2-AID-RMSERV-D
Software	A2-AID-RMSERV-H
Storage	
Storage - HDD	ST1000VX005-HW
Storage - HDD	ST2000VX017-HW
Storage - HDD	ST3000VX015-HW
Storage - HDD	ST4000VX016-HW
Storage - HDD	ST6000VX009-HW
Storage - HDD	ST8000VE001-HW
Storage - HDD	ST8000VX010-HW
Storage - HDD	ST10000VE001-HW
Storage - HDD	ST12000VE001-HW
Storage - HDD	ST16000VE002-HW
Storage - HDD	ST2000NM000B-HW
Storage - HDD	ST4000NM000B-HW
Storage - HDD	ST6000NM019B-HW
Storage - HDD	ST8000NM019B-HW
Storage - HDD	ST10000NM017B-HW
Storage - HDD	ST12000NM001J-HW
Storage - HDD	ST14000NM001J-HW
Storage - HDD	ST16000NM001J-HW
Storage - HDD	ST18000NM000J-HW
Storage - HDD	ST20000NM007D-HW
Storage - HDD	WD20PURX-64AKYY0-HW
Storage - HDD	WD30PURX-64AKYY0-HW
Storage - HDD	WD42PURU-64C4CY0-HW
Storage - HDD	WD63PURU-64C4FY0-HW
Storage - HDD	WD8001PURA-64B6VY0-HW
Storage - HDD	WD101PURA-64B8KY0-HW
Storage - SD card	SAMSUNG-MB-MC64SA

New Product / Replacement
End of Sales
Price update

	Model code
Hanwha Product	
Storage - SD card	SAMSUNG-MB-MC128SA
Storage - SD card	SAMSUNG-MB-MC256SA
Storage - SD card	SAMSUNG-MB-MC512SA
Storage - SD card	SAMSUNG-MB-MJ32KA
Storage - SD card	SAMSUNG-MB-MJ64KA
Storage - SD card	SAMSUNG-MB-MJ128KA
Storage - SD card	SAMSUNG-MB-MJ256KA
GJD	
Security Lights	SECL-IR850-POE-S
Security Lights	SECL-IR850-IPPOEPL-M
Security Lights	SECL-WL928-POE-S
Security Lights	SECL-WL1856-IPPOEPL-M
Security Lights	SECL-BRCKT-WALL-1
Security Lights	SECL-BRCKT-WALL-2
Security Lights	SECL-BRCKT-WALL-3
Security Lights	SECL-IR850-DC-S
Security Lights	SECL-IR850-DC-M
Security Lights	SECL-BRCKT-POLE
Displays	
Monitor	LS24D302GAUXEN
Monitor	LS27D302GAUXEN
Monitor	LH32DCE2LGGXEN
Signage	LH32QCEPGCXEN
Signage	LH43QCEPGCXEN
Signage	LH50QCEPGCXEN
Signage	LH59QCEBGCXEN
Signage	LH65QCEBGCXEN
Signage	LH75QCEBGCXEN
Signage	LH85QCEBGCXEN
Videowall	LH46VMBUBGBXEN
Videowall	LH55VMBUBGBXEN
Videowall	LH55VCEBGBXEN
Videowall	LH55VHCEBGBXEN
Videowall	LH55VCRBGBXEN
Videowall	LH55VHCRBGBXEN
Video Recording Servers	
Server + Storage	1U-4BAY-SERVER-12TB-RAW
Server + Storage	1U-4BAY-SERVER-24TB-RAW
Server + Storage	1U-4BAY-SERVER-32TB-RAW
Server + Storage	1U-4BAY-SERVER-40TB-RAW
Server + Storage	1U-4BAY-SERVER-48TB-RAW
Server + Storage	1U-4BAY-SERVER-56TB-RAW
Server Config	1U-4BAY-SERVER-RAID6CONFIG
Server Upgrade	1U-4BAY-SERVER-WINSERVEROS
Server + Storage	2U-12BAY-SERVER-64TB-RAW
Server + Storage	2U-12BAY-SERVER-72TB-RAW
Server + Storage	2U-12BAY-SERVER-80TB-RAW
Server + Storage	2U-12BAY-SERVER-88TB-RAW
Server + Storage	2U-12BAY-SERVER-96TB-RAW
Server + Storage	2U-12BAY-SERVER-110TB-RAW
Server + Storage	2U-12BAY-SERVER-120TB-RAW
Server + Storage	2U-12BAY-SERVER-144TB-RAW
Server + Storage	2U-12BAY-SERVER-168TB-RAW
Server + Storage	2U-12BAY-SERVER-192TB-RAW
Server Config	2U-12BAY-SERVER-RAID6CONFIG
Server Upgrade	2U-12BAY-SERVER-WINSERVEROS
Server Upgrade	10GB NIC-UPGRADE
Client	CLIENT-QUBE-I5-2MO

- New Product / Replacement
- End of Sales
- Price update

Model code	
Hanwha Product	
Client	CLIENT-QUBE-I7-2MO
Client	CLIENT-QUBE-I7-2MO-4TB
Client	CLIENT-QUBE-I7-2MO-8TB
Client	CLIENT-QUBE-I7-2MO-16TB
Client	CLIENT-QUBE-I7-2MO-24TB
Client	QUBE-I5-2MO-4-MON-UPGRADE-T1000
Client	QUBE-I7-2MO-4-MON-UPGRADE-T1000
Client	QUBE-I7-2MO-4TB-4-MON-UPGRADE-T1000
Client Upgrade	QUBE 4 MON UPGRADE T1000
Client	SL-1U-RCKMNT-CLIENT-2MO
Client	SL-1U-RCKMNT-CLIENT-4MO
Management Server	1U-MSERVER
AMG	
PoE Power Supply	AMGPSU-124-P60
PoE Power Supply	AMGPSU-148-P240
PoE Converter	AMG250-1GBT-1S-P90
PoE Converter	AMG250-2GBT-1S-P180
PoE Switch	AMG350-4GAT-1G-P120
SFP Multimode	SFP-MM-100M-BX2-31
SFP Multimode	SFP-MM-100M-BX2-55
SFP Singlemode	SFP-SM-100M-BX20-31
SFP Singlemode	SFP-SM-100M-BX20-55
PoE injector	AMG150-2GBT-P180/HWEU
PoE injector	AMG150-4GAT-P120/HWEU
PoE Switch	AMG570-2GBT-2GAT-2S-P240/HWEU
PoE Router	AMG750-1G-4GAT-1E4-P120/HWEU
Rack Chassis	AMG2034-1256-DD/HWEU
SNI	
PoE Converter	SNI-1MC
PoE Converter	SNI-1MC-PS
PoE injector	SNI-1PI
PoE injector	SNI-1PI-PS
SFP Copper	SNI-SFP-CU
SFP Multimode	SNI-SFP-MM
SFP Singlemode	SNI-SFP-SM
PoE Power Supply	120W PSU
Lenses	
Lens	TAMRON-M13VG550IR
Lens	TAMRON-M13VG2713IR
Lens	TAMRON-M13VG288IR
Lens	TAMRON-M13VG850IR
Lens	TAMRON-M118VG1250IR
Lens	TAMRON-M117VG3817IR
Lens	TAMRON-M118VG413IR
Lens	TAMRON-M13VP288IR130
Lens	TAMRON-M13VP850IR130
Lens	TAMRON-M118VP413IRCS
Lens	TAMRON-M118VP1250IR
Lens	TAMRON-M118VP413IR
Lens	TAMRON-M13VM288IR
Lens	TAMRON-M118VM413IR
Lens	A4Z2812CS-MPIR
Lens	A6Z8516CS-MP
Lens	A3Z2812CS-MPWIR
Lens	E3Z3915CS-MPWIR
Lens	TG3Z0312FCS-MPIR-32
Lens	AG4Z2812FCS-MPIR-32
Lens	AG6Z8516FCS-MP-32

New Product / Replacement
End of Sales
Price update

	Model code
Hanwha Product	
Lens	AG3Z2812FCS-MPWIR-32
Lens	EG3Z3915FCS-MPWIR-32
Lens	EG6Z0915FCS-MPWIR-32
Lens	AG3Z2812KCS-MPWIR-32
Lens	EG3Z3815KCS-MPWIR
Lens	EG6Z0915KCS-MPWIR-V32
Lens	AG3Z2812TCS-MPWIR-32
Lens	EG3Z3915TCS-MPWIR-32
Lens	EG6Z0915TCS-MPWIR-32