



SMT-4345

43inch UHD monitor with two windows PIP/PBP



Key Features

- 43 inch UHD Monitor, support up to 3840×2160@60Hz
- Brightness 300 cd/m², Contrast 1200:1
- Viewing Angle (H/V) : 178°/178°, Response Time : 8ms
- Video Input : HDMI(2), DP(1), two windows PIP/PBP
- Panel Life : 30,000 hours
- Designed and tested on 24/7 operation

SMT-4345

43inch UHD monitor with two windows PIP/PBP



Specifications

Display

Type	LED Monitor
Screen Size	43inch
Max. Resolution	3840x2160
Brightness	300 cd/m ²
Contrast Ratio	1200:1
Aspect Ratio	16:9
Viewing Angle (H/V)	178°/178°
Display Color	1.07B
Response Time	8ms
Panel Life	30,000 hours

Interface

Video	Connectors	HDMI(2), DP(1), two windows PIP/PBP
HDMI	Connector	HDMI x 2
	Available Format	640x480@60Hz, 800x600@56Hz/60Hz/72Hz/75Hz, 1024x768@60Hz/70Hz/75Hz, 1280x720@60Hz, 1280x800@60Hz, 1280x960@60Hz, 1280x1024@60Hz/75Hz, 1440x900@60Hz, 1680x1050@60Hz, 1920x1080@50Hz/60Hz, 2560x1440@60Hz, 3840x2160@60Hz, 3840x2160P@30/50/60Hz, 720x480P@60Hz, 720x576P@50Hz, 1280x720P@50Hz, 1920x1080P@50/60Hz
DP	Connector	DP
	Available Format	640x480@60Hz, 800x600@56Hz/60Hz/72Hz/75Hz, 1024x768@60Hz/70Hz/75Hz, 1280x1024@60Hz/75Hz, 1440x900@60Hz, 1680x1050@60Hz, 1920x1080@50Hz/60Hz, 2560x1440@60Hz, 3840x2160P@30/50/60Hz, 720x480P@60Hz, 720x576P@50Hz, 1280x720P@50Hz, 1920x1080P@50/60Hz, 1280x800@60Hz, 1280x960@60Hz, 1280x720@60Hz
Audio	Connector	Audio Out
	Output Signal	Speakers : 6Ω 2W x 2
Application Support		Remote controller

On Screen Display

Functions	VESA™ DPMS Compatible
Language	Korean, English, Русский, Deutsch, Français, Español, Italiano, Português, Chinese (Simplified), Chinese (Traditional), Japanese, Arabic

Design and specifications are subject to change without notice. The latest product information / specification can be found at HanwhaVision.com
Hanwha Vision is formerly known as Hanwha Techwin.

General

Electrical	Input Voltage	AC 100 ~ 240V(50/60Hz)
	Power Consumption	85W
Environmental	Operating Temperature	0 ~ +40°C (+32°F ~ +104°F)
	Operating Humidity	10% ~ 80% (non-condensing)
Mechanical	Dimensions without Stand (WxHxD)	954.9x570.3x79.8mm (37.6x22.5x3.2")
	Weight	5.8kg(12.8lb)
	Packing Dimension (WxHxD)	1077x780x200mm (42.4x30.7x7.9")
	Packing Weight	10.5kg(23.2lb)
	Cabinet Color	Black
	VESA Mounts Interface	200x200mm

SMT-4345

SMT-4345

43inch UHD monitor with two windows PIP/PBP



CAD

Unit: mm [inch]

