


# TEST REPORT

**Application No.:** KSCR2407001238AT  
**Applicant:** ZHEJIANG DAHUA VISION TECHNOLOGY CO.,LTD.  
**Address of Applicant:** No.1399, Binxing Road, Binjiang District, Hangzhou, P.R.China  
**Manufacturer:** ZHEJIANG DAHUA VISION TECHNOLOGY CO.,LTD.  
**Address of Manufacturer:** No.1399, Binxing Road, Binjiang District, Hangzhou, P.R.China  
**Equipment Under Test (EUT):**  
**EUT Name:** Video Intercom KIT  
**Model No.:** DHI-KTD03(F);DHI-KTD03(S) ♣  
♣ Please refer to section 2 of this report which indicates which model was actually tested and which were electrically identical.  
**Trade Mark:**   
**Standard(s) :** EN 55032: 2015+A11:2020+A1:2020  
EN 61000-3-3: 2013+ A1:2019+A2:2021  
EN IEC 61000-3-2: 2019+A1:2021  
EN 50130-4: 2011 +A1:2014  
EN 55035: 2017+A11:2020  
**Date of Receipt:** 2024-07-03  
**Date of Test:** 2024-07-04 to 2024-08-07  
**Date of Issue:** 2024-08-08

<b>Test Result:</b>	<b>Pass*</b>
---------------------	--------------

\* In the configuration tested, the EUT complied with the standards specified above.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.





# Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 2 of 132

<i>Revision Record</i>			
<i>Version</i>	<i>Description</i>	<i>Date</i>	<i>Remark</i>
00	Original	2024-08-08	/

<b>Authorized for issue by:</b>			
<b>Tested By</b>			
	<u>Tommie_Tang/Project Engineer</u>		
<b>Approved By</b>			
	<u>Terry Hou /Reviewer</u>		

## 2 Test Summary

<b>Emission Part</b>				
<b>Item</b>	<b>Standard</b>	<b>Method</b>	<b>Requirement</b>	<b>Result</b>
Conducted Emissions at Mains Power Port (150kHz-30MHz)	EN 55032: 2015+A11:2020+A1:2020	EN 55032: 2015+A11:2020+A1:2020	Class B	Pass
Asymmetric Mode Conducted Emissions(150kHz-30MHz)		EN 55032: 2015+A11:2020+A1:2020	Class B	Pass
Radiated Emissions (30MHz-1GHz)		EN 55032: 2015+A11:2020+A1:2020	Class B	Pass
Radiated Emissions (Above 1GHz)		EN 55032: 2015+A11:2020+A1:2020	Class B	Pass
Voltage Fluctuations and Flicker	EN 61000-3-3: 2013+ A1:2019+A2:2021	EN 61000-3-3: 2013+ A1:2019+A2:2021	Clause 5	Pass
Harmonic Current Emission	EN IEC 61000-3-2: 2019+A1:2021	EN IEC 61000-3-2: 2019+A1:2021	Class A	Pass

<b>Immunity Part</b>				
<b>Item</b>	<b>Standard</b>	<b>Method</b>	<b>Requirement</b>	<b>Result</b>
Electrostatic Discharge	EN 50130-4: 2011 +A1:2014	EN 61000-4-2:2009	6kV Contact Discharge, 2,4,8kV Air Discharge	Pass
Radiated Immunity(80MHz-2.7GHz)		EN IEC 61000-4-3: 2020	10V/m, 80%, 1kHz sinusoidal Amp. Mod.	Pass
Electrical Fast Transients & Burst at AC Power Port		EN 61000-4-4:2012	2kV, 5/50ns Tr/Td, 100kHz Repetition Frequency	Pass
Electrical Fast Transients & Burst at Signal Port		EN 61000-4-4:2012	1kV, 5/50ns Tr/Td, 100kHz Repetition Frequency	Pass
Surge at AC Power Port		EN 61000-4-5:2014 +A1:2017	1.2/50µs Tr/Td, 0.5,1kV Line to Line, 0.5,1,2kV Line to Ground	Pass
Surge at Signal Port		EN 61000-4-5:2014 +A1:2017	1.2/50µs Tr/Td, 0.5,1kV line-to-ground	Pass
Conducted Immunity at Power Port (150kHz-100MHz)		EN 61000-4-6:2014	10Vrms (emf),80%,1kHz sinusoidal Amp. Mod.	Pass
Conducted Immunity at Signal Port (150kHz-100MHz)		EN 61000-4-6:2014	10Vrms (emf),80%,1kHz sinusoidal Amp. Mod	Pass
Mains Supply Voltage Variations		EN 50130-4:2011+A1:2014	Unom+10%, Unom-15%	Pass

Immunity Part					
Item	Standard	Method	Requirement	Result	
Voltage Dips and Interruptions		EN IEC 61000-4-11:2020	80 % UT for 250per, 70 % UT for 25per, 40 % UT for 10per, 0 % UT for 250per	Pass	
Electrostatic Discharge	EN 55035: 2017+A11:2020	EN 61000-4-2: 2009	±4kV Contact Discharge; ±2kV, ±4kV, ±8kV Air Discharge	Pass	
Radiated Immunity (80MHz-1GHz, 1800MHz, 2600MHz, 3500MHz, 5000MHz)		EN IEC 61000-4-3: 2020	3V/m, 80%, 1kHz Amp. Mod.	Pass	
Electrical Fast Transients & Burst at AC Power Port		EN 61000-4-4: 2012	1kV; 5/50ns Tr/Td; 5kHz Repetition Frequency	Pass	
Electrical Fast Transients & Burst at Signal Port		EN 61000-4-4: 2012	0,5kV; 5/50ns Tr/Td; 5kHz Repetition Frequency	Pass	
Surge at AC Power Port		EN 61000-4-5: 2014 +A1: 2017	1,2/50µs Tr/Td; 1kV Line to Line	Pass	
Surge at Signal Port		EN 61000-4-5: 2014 +A1: 2017	1,2/50µs Tr/Td; 0,5 kV Shield to Ground	Pass	
Conducted Immunity at AC Power Port (150kHz-80MHz)		EN 61000-4-6: 2014	0,15 to 10MHz 3Vrms (emf), 10 to 30MHz 3V to 1Vrms(emf), 30 to 80MHz 1Vrms(emf), 80%, 1kHz Amp. Mod.	Pass	
Conducted Immunity at Signal Port (150kHz-80MHz)		EN 61000-4-6: 2014	0,15 to 10MHz 3Vrms (emf), 10 to 30MHz 3V to 1Vrms(emf), 30 to 80MHz 1Vrms(emf), 80%, 1kHz Amp. Mod.	Pass	
Voltage Dips and Interruptions			EN IEC 61000-4-11:2020	<5% residual voltage for 0,5cycle, 70% residual voltage for 25cycles, <5% residual voltage for 250cycles	Pass

Model No.: DHI-KTD03(F);DHI-KTD03(S)

Only the model DHI-KTD03(F) was tested.

There are series models mentioned in this report, and they are identical in electrical and electronic characters. Only the model DHI-KTD03(F) was tested since their differences were the model number and appearance.

### 3 Contents

	Page
<b>1 COVER PAGE</b> .....	<b>1</b>
<b>2 Test Summary</b> .....	<b>3</b>
<b>3 Contents</b> .....	<b>5</b>
<b>4 General Information</b> .....	<b>6</b>
4.1 Details of E.U.T. ....	6
4.2 Description of Support Units.....	6
4.3 Measurement Uncertainty & Decision Rule.....	6
4.4 Test Location.....	7
4.5 Test Facility.....	7
4.6 Deviation from Standards.....	7
4.7 Abnormalities from Standard Conditions.....	7
4.8 EMS Monitor.....	7
<b>5 Equipment List</b> .....	<b>8</b>
<b>6 Emission Test Results</b> .....	<b>17</b>
6.1 Conducted Emissions at Mains Power Port (150kHz-30MHz).....	17
6.2 Asymmetric Mode Conducted Emissions(150kHz-30MHz).....	22
6.3 Radiated Emissions (30MHz-1GHz).....	29
6.4 Radiated Emissions (Above 1GHz).....	35
6.5 Voltage Fluctuations and Flicker.....	41
6.6 Harmonic Current Emission.....	43
<b>7 Immunity Test Results</b> .....	<b>48</b>
7.1 Electrostatic Discharge.....	49
7.2 Radiated Immunity(80MHz-2.7GHz).....	51
7.3 Electrical Fast Transients & Burst at AC Power Port.....	52
7.4 Electrical Fast Transients & Burst at Signal Port.....	53
7.5 Surge at AC Power Port.....	54
7.6 Surge at Signal Port.....	55
7.7 Conducted Immunity at Power Port (150kHz-100MHz).....	56
7.8 Conducted Immunity at Signal Port (150kHz-100MHz).....	57
7.9 Mains Supply Voltage Variations.....	58
7.10 Voltage Dips and Interruptions.....	59
7.11 Electrostatic Discharge.....	61
7.12 Radiated Immunity (80MHz-1GHz,1800MHz,2600MHz,3500MHz,5000MHz).....	63
7.13 Electrical Fast Transients & Burst at AC Power Port.....	65
7.14 Electrical Fast Transients & Burst at Signal Port.....	66
7.15 Surge at AC Power Port.....	67
7.16 Surge at Signal Port.....	69
7.17 Conducted Immunity at AC Power Port (150kHz-80MHz).....	70
7.18 Conducted Immunity at Signal Port (150kHz-80MHz).....	71
7.19 Voltage Dips and Interruptions.....	72
<b>8 Test Setup Photo</b> .....	<b>74</b>
<b>9 EUT Constructional Details (EUT Photos)</b> .....	<b>101</b>

## 4 General Information

### 4.1 Details of E.U.T.

Power supply:	AC 100-240V,50/60Hz Adapter Model: ADS-65LSI-52-1 48060G INPUT: 100-240V,50/60Hz,1.5A max. OUTPUT: 48.0V,1.25A,60.0W
---------------	---

### 4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
PoE Switch	/	/	/

### 4.3 Measurement Uncertainty & Decision Rule

#### Measurement Uncertainty:

No.	Item	Measurement Uncertainty ( $U_{LAB}$ ) *	$U_{CISPR}$
1	Conducted Emission at mains port using AMN	2.4dB (9kHz to 150kHz)	3.8dB (9kHz to 150kHz)
		2.2dB (150kHz to 30MHz)	3.4dB (150kHz to 30MHz)
2	Conducted Emission at telecommunication port using AAN	4.0 dB (150kHz to 30MHz)	5.0dB (150kHz to 30MHz)
3	Radiated Power	3.2dB	4.5dB (30MHz to 300MHz)
4	Radiated Emission (10m)	4.1 dB	6.3dB (30MHz-1GHz)
5	Radiated Emission (3m)	4.6 dB (30MHz-1GHz)	6.3dB (30MHz-1GHz)
		5.0dB (1GHz-6GHz)	5.2dB (1GHz-6GHz)
		5.2dB (6GHz-18GHz)	5.5dB (6GHz-18GHz)
		5.3dB (18GHz-40GHz)	N/A

Note: The measurement uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

#### Decision Rule:

- CISPR 16-4-2 for emission measurements is as below described.  
Pass means the test result passed the test standard requirement, please find the detailed decision rule in the report relative section.
- $U_{LAB}$  less than  $U_{CISPR}$ , therefore:
  - compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit.
  - non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.
- For immunity testing no decision rule is applicable.

#### **4.4 Test Location**

All tests were performed at:

Compliance Certification Services (Kunshan) Inc.

No.10 Weiye Rd, Innovation park, Eco&Tec, Development Zone, Kunshan City, Jiangsu, China.

Tel: +86 512 5735 5888 Fax: +86 512 5737 0818

No tests were sub-contracted.

Note:

- 1.SGS is not responsible for wrong test results due to incorrect information (e.g., max. internal working frequency, antenna gain, cable loss, etc) is provided by the applicant. (If applicable).
- 2.SGS is not responsible for the authenticity, integrity and the validity of the conclusion based on results of the data provided by applicant. (If applicable).
3. Sample source: sent by customer.

#### **4.5 Test Facility**

The test facility is recognized, certified, or accredited by the following organizations:

- **A2LA**

Compliance Certification Services (Kunshan) Inc. is accredited by the American Association for Laboratory Accreditation (A2LA). Certificate No. 2541.01.

- **FCC**

Compliance Certification Services (Kunshan) Inc. has been recognized as an accredited testing laboratory. Designation Number: CN1172.

- **ISED**

Compliance Certification Services (Kunshan) Inc. has been recognized by Innovation, Science and Economic Development Canada (ISED) as an accredited testing laboratory. Company Number: 2324E

- **VCCI**

The 3m and 10m Semi-anechoic chamber and Shielded Room of Compliance Certification Services (Kunshan) Inc. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-20134, R-11600, C-11707, T-11499, G-10216 respectively.

#### **4.6 Deviation from Standards**

None

#### **4.7 Abnormalities from Standard Conditions**

None

#### **4.8 EMS Monitor**

Visual: Work status of EUT

## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 8 of 132

### 5 Equipment List

Conducted Emissions at Mains Power Port (150kHz-30MHz)					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
EMI TEST RECEIVER	R&S	ESCI	KS301101	03/19/2024	03/18/2025
TWO-LINE V-NETWORK	R&S	ENV216	KS301197	01/15/2024	01/14/2025
V (V-LISN)	SCHWARZBECK	NNLK 8129	KS301091	01/15/2024	01/14/2025
Pulse LIMITER	R&S	ESH3-Z2	KUS1902E001	01/15/2024	01/14/2025
Software	Faratronic	EZ_EMCC-v3A1	N/A	N/A	N/A

Asymmetric Mode Conducted Emissions(150kHz-30MHz)					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
EMI TEST RECEIVER	R&S	ESCI	KS301101	03/19/2024	03/18/2025
TWO-LINE V-NETWORK	R&S	ENV216	KS301197	01/15/2024	01/14/2025
V (V-LISN)	SCHWARZBECK	NNLK 8129	KS301091	01/15/2024	01/14/2025
Pulse LIMITER	R&S	ESH3-Z2	KUS1902E001	01/15/2024	01/14/2025
CISPR22 FOUR BALANCED TELECOM PARIS ISN	FCC	FCC-TLISN-T2-02	KS301144	10/20/2023	10/19/2024
COUPLING AND DECOUPLING NETWORK	TESEQ	ISN ST08	KS301171	01/15/2024	01/14/2025
IMPEDANCE STABILIZATION NETWORK	TESEQ	ISN T800	KS301185	10/20/2023	10/19/2024
IMPEDANCE STABILIZATION NETWORK	TESEQ	ISN T8-CAT6	KS301285	10/20/2023	10/19/2024
RF CURRENT PROBE	FCC	F-65A	CZ301012	01/15/2024	01/14/2025
Software	Faratronic	EZ_EMCC-v3A1	N/A	N/A	N/A

Radiated Emissions (30MHz-1GHz)					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
EMI Test Receiver	R&S	ESCI	KS301196	08/24/2023	08/23/2024
Antenna	TESEQ	CBL 6112D	KUS1806E006	03/23/2024	03/22/2025
Software	Faratronic	EZ_EMCC v3A1	N/A	N/A	N/A

Radiated Emissions (Above 1GHz)					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Spectrum Analyzer	R&S	FSU26	KS301206	03/19/2024	03/18/2025
Preamplifier	PANSHAN TECHNOLOGY	LNA:1~18G	KSEM010-2	01/15/2024	01/14/2025



## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 9 of 132

Horn-antenna	SCHWARZBECK	BBHA9120D	KS301079	03/19/2024	03/18/2025
Software	Faratronic	EZ_EMV-v 3A1	N/A	N/A	N/A

### Voltage Fluctuations and Flicker

Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Harmonic & Flicker Tester	SCHAFFNER	CCN 1000-1	KS301033	08/24/2023	08/23/2024
AC Power Source	SCHAFFNER	NSG 1007	KS301087	08/24/2023	08/23/2024
Software	TESEQ	CTS4-v 4.24.0	N/A	N/A	N/A
Harmonic/Flicker Analyzer	KIKUSUI	KHA3000	KUS2009M002 -1	03/19/2024	03/18/2025
Line Impedance Network	KIKUSUI	SPEC71116	KUS2009M002 -1	03/19/2024	03/18/2025
Switcher	KIKUSUI	SPEC71092	KUS2009M002 -2	03/19/2024	03/18/2025
AC Power Supply(Master)	KIKUSUI	PCR24000WE 2	KUS2009M002 -3	03/19/2024	03/18/2025
AC Power Supply(Slave)	KIKUSUI	PCR24000WE 2	KUS2009M002 -4	03/19/2024	03/18/2025
Software	KIKUSUI	HarmoCapture 3-vv 2.5.2.00	N/A	N/A	N/A

### Harmonic Current Emission

Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Harmonic & Flicker Tester	SCHAFFNER	CCN 1000-1	KS301033	08/24/2023	08/23/2024
AC Power Source	SCHAFFNER	NSG 1007	KS301087	08/24/2023	08/23/2024
Software	TESEQ	CTS4-v 4.24.0	N/A	N/A	N/A
Harmonic/Flicker Analyzer	KIKUSUI	KHA3000	KUS2009M002 -1	03/19/2024	03/18/2025
Line Impedance Network	KIKUSUI	SPEC71116	KUS2009M002 -1	03/19/2024	03/18/2025
Switcher	KIKUSUI	SPEC71092	KUS2009M002 -2	03/19/2024	03/18/2025
AC Power Supply(Master)	KIKUSUI	PCR24000WE 2	KUS2009M002 -3	03/19/2024	03/18/2025
AC Power Supply(Slave)	KIKUSUI	PCR24000WE 2	KUS2009M002 -4	03/19/2024	03/18/2025
Software	KIKUSUI	HarmoCapture 3-vv 2.5.2.00	N/A	N/A	N/A

### Electrostatic Discharge

Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
ESD Simulator	EM TEST	DITO 509030	KS301147	01/15/2024	01/14/2025



## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 10 of 132

<b>Radiated Immunity(80MHz-2.7GHz)</b>					
<b>Equipment</b>	<b>Manufacturer</b>	<b>Model No.</b>	<b>Inventory No.</b>	<b>Cal Date</b>	<b>Cal Due Date</b>
Synthesized Signal Generator	AGILENT	83732B	KS301183	01/15/2024	01/14/2025
Laser probe interface	AR Worldwide	FI7000	KS301193-2	03/19/2024	03/18/2025
E-Field Sensor	AR Worldwide	FL7006 100K-6G	KS301193-1	03/23/2024	03/22/2025
Amplifier Research (80~1000MHz 150w)	AR Worldwide	150W1000M1	KS301139	08/24/2023	08/23/2024
Amplifier Research (1~6GHz 50w)	AR Worldwide	50S1G6M1	KS301231	08/24/2023	08/23/2024
Dual Directional Coupler (1-11G)	AR Worldwide	C1-A47NFNF 35dB	KS301193-5	N.C.R	N.C.R
Dual Directional Coupler (80~1000MHz 400w)	AR Worldwide	DC6180	KS301193-6	N.C.R	N.C.R
RF POWER METER	BOONTON	4232A-01	KS301022	03/19/2024	03/18/2025
POWER SENSOR	BOONTON	51085	H3010235-1	03/19/2024	03/18/2025
POWER SENSOR	BOONTON	51085	H3010235-2	03/19/2024	03/18/2025
Antenna	AR Worldwide	TP1000A	CZ301029	N.C.R	N.C.R
Software	AR	emc ware-v 3.2.0.4	N/A	N/A	N/A

<b>Electrical Fast Transients &amp; Burst at AC Power Port</b>					
<b>Equipment</b>	<b>Manufacturer</b>	<b>Model No.</b>	<b>Inventory No.</b>	<b>Cal Date</b>	<b>Cal Due Date</b>
EMC Immunity Tester	EMC PARTNER	Transient2000	KS301188-1	08/24/2023	08/23/2024
Coupling Network	EMC PARTNER	CN-EFT1000	KS301188-3	08/24/2023	08/23/2024
Burst Generator	SANKI	EFT-0404S	KUS2009M002-7	12/24/2023	12/23/2024
Coupling and Decoupling Network	SANKI	CDN-4350	KUS2009M002-8	08/11/2023	08/10/2024

<b>Electrical Fast Transients &amp; Burst at Signal Port</b>					
<b>Equipment</b>	<b>Manufacturer</b>	<b>Model No.</b>	<b>Inventory No.</b>	<b>Cal Date</b>	<b>Cal Due Date</b>
EMC Immunity Tester	EMC PARTNER	Transient2000	KS301188-1	08/24/2023	08/23/2024
Coupling Network	EMC PARTNER	CN-EFT1000	KS301188-3	08/24/2023	08/23/2024
Burst Generator	SANKI	EFT-0404S	KUS2009M002-7	12/24/2023	12/23/2024
Coupling and Decoupling Network	SANKI	CDN-4350	KUS2009M002-8	08/11/2023	08/10/2024

<b>Surge at AC Power Port</b>					
<b>Equipment</b>	<b>Manufacturer</b>	<b>Model No.</b>	<b>Inventory No.</b>	<b>Cal Date</b>	<b>Cal Due Date</b>
EMC Immunity Tester	EMC PARTNER	TRA2006	KS301188-1	08/24/2023	08/23/2024
Coupling and	EMC PARTNER	CDN-UTP8	KS301188-2	08/24/2023	08/23/2024

## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 11 of 132

Decoupling Network					
Surge Generator	SANKI	LSG-0506S	KUS2009M002-5	08/11/2023	08/10/2024
Coupling and Decoupling Network	SANKI	CDN-5350	KUS2009M002-6	08/11/2023	08/10/2024

### Surge at Signal Port

Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
EMC Immunity Tester	EMC PARTNER	TRA2006	KS301188-1	08/24/2023	08/23/2024
Coupling and Decoupling Network	EMC PARTNER	CDN-UTP8	KS301188-2	08/24/2023	08/23/2024
Surge Generator	SANKI	LSG-0506S	KUS2009M002-5	08/11/2023	08/10/2024
Coupling and Decoupling Network	SANKI	CDN-5350	KUS2009M002-6	08/11/2023	08/10/2024

### Conducted Immunity at Power Port (150kHz-100MHz)

Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Test System for Conducted and Radiated Immunity	TESEQ	NSG 4070B	KSZZ201705E003	01/15/2024	01/14/2025
Amplifier	TESEQ	SCCXE75	KSZZ201705E004	01/15/2024	01/14/2025
EM-Koppelzange	SCHAFFNER	KEMZ 801	CZ301002	01/15/2024	01/14/2025
Attenuator	EURO MC	7860 ORGEVAL	CZ301084	03/19/2024	03/18/2025
Directional Coupler	HIGH POWER	C21A8	CZ750021	08/24/2023	08/23/2024
CDN (Coupling and Decoupling Network)	SCHAFFNER	CDN M216	CZ301085	03/19/2024	03/18/2025
CDN (Coupling and Decoupling Network)	SCHAFFNER	CDN M316	CZ301025	03/19/2024	03/18/2025
CDN (Coupling and Decoupling Network)	TESEQ	CDN S751	KS301184-2	03/19/2024	03/18/2025
CDN (Coupling and Decoupling Network)	TESEQ	CDN M116	KS301184-1	03/19/2024	03/18/2025
CDN	TESEQ	CDN T2-10S	KS301286	03/19/2024	03/18/2025
CDN	TESEQ	CDN T4-10S	KS301287	03/19/2024	03/18/2025
CDN	3Ctest	CDNRJ45	KS301288	08/11/2023	08/10/2024
Current Clamp	TESEQ	IP-DR250	KS201703E001	01/15/2024	01/14/2025
CDN	TESEQ	CDN M432	KUS2003M001-1	01/15/2024	01/14/2025
CDN	TESEQ	CDN M432-3LN	KUS2003M001-2	01/15/2024	01/14/2025



## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 12 of 132

CDN	TESEQ	CDN M532	KUS2003M001-3	01/15/2024	01/14/2025
CDN	TESEQ	CDN M232	KSZ201706E001	04/13/2024	04/12/2025
CDN	TESEQ	CDN M332	KSZ201706E002	03/19/2024	03/18/2025
Software	TESEQ	NSG 4070-v 1.3.0.1	N/A	N/A	N/A

### Conducted Immunity at Signal Port (150kHz-100MHz)

Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Test System for Conducted and Radiated Immunity	TESEQ	NSG 4070B	KSZ201705E003	01/15/2024	01/14/2025
Amplifier	TESEQ	SCCXE75	KSZ201705E004	01/15/2024	01/14/2025
EM-Koppelzange	SCHAFFNER	KEMZ 801	CZ301002	01/15/2024	01/14/2025
Attenuator	EURO MC	7860 ORGEVAL	CZ301084	03/19/2024	03/18/2025
Directional Coupler	HIGH POWER	C21A8	CZ750021	08/24/2023	08/23/2024
CDN (Coupling and Decoupling Network)	SCHAFFNER	CDN M216	CZ301085	03/19/2024	03/18/2025
CDN (Coupling and Decoupling Network)	SCHAFFNER	CDN M316	CZ301025	03/19/2024	03/18/2025
CDN (Coupling and Decoupling Network)	TESEQ	CDN S751	KS301184-2	03/19/2024	03/18/2025
CDN (Coupling and Decoupling Network)	TESEQ	CDN M116	KS301184-1	03/19/2024	03/18/2025
CDN	TESEQ	CDN T2-10S	KS301286	03/19/2024	03/18/2025
CDN	TESEQ	CDN T4-10S	KS301287	03/19/2024	03/18/2025
CDN	3Ctest	CDNRJ45	KS301288	08/11/2023	08/10/2024
Current Clamp	TESEQ	IP-DR250	KS201703E001	01/15/2024	01/14/2025
CDN	TESEQ	CDN M432	KUS2003M001-1	01/15/2024	01/14/2025
CDN	TESEQ	CDN M432-3LN	KUS2003M001-2	01/15/2024	01/14/2025
CDN	TESEQ	CDN M532	KUS2003M001-3	01/15/2024	01/14/2025
CDN	TESEQ	CDN M232	KSZ201706E001	04/13/2024	04/12/2025
CDN	TESEQ	CDN M332	KSZ201706E002	03/19/2024	03/18/2025
Software	TESEQ	NSG 4070-v 1.3.0.1	N/A	N/A	N/A

## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 13 of 132

<b>Mains Supply Voltage Variations</b>					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
EMC Immunity Tester	EMC PARTNER	TRA2006	KS301188-1	08/24/2023	08/23/2024
Switcher	KIKUSUI	SPEC71092	KUS2009M002-2	03/19/2024	03/18/2025
AC Power Supply(Master)	KIKUSUI	PCR24000WE 2	KUS2009M002-3	03/19/2024	03/18/2025
AC Power Supply(Slave)	KIKUSUI	PCR24000WE 2	KUS2009M002-4	03/19/2024	03/18/2025
Software	KIKUSUI	Quick Immunity Sequencer 2-v 4.0.3.02	N/A	N/A	N/A

<b>Voltage Dips and Interruptions</b>					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
EMC Immunity Tester	EMC PARTNER	TRA2006	KS301188-1	08/24/2023	08/23/2024
Switcher	KIKUSUI	SPEC71092	KUS2009M002-2	03/19/2024	03/18/2025
AC Power Supply(Master)	KIKUSUI	PCR24000WE 2	KUS2009M002-3	03/19/2024	03/18/2025
AC Power Supply(Slave)	KIKUSUI	PCR24000WE 2	KUS2009M002-4	03/19/2024	03/18/2025
Software	KIKUSUI	Quick Immunity Sequencer 2-v 4.0.3.02	N/A	N/A	N/A

<b>Electrostatic Discharge</b>					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
ESD Simulator	EM TEST	DITO 509030	KS301147	01/15/2024	01/14/2025

<b>Radiated Immunity (80MHz-1GHz,1800MHz,2600MHz,3500MHz,5000MHz)</b>					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Synthesized Signal Generator	AGILENT	83732B	KS301183	01/15/2024	01/14/2025
Laser probe interface	AR Worldwide	FI7000	KS301193-2	03/19/2024	03/18/2025
E-Field Sensor	AR Worldwide	FL7006 100K-6G	KS301193-1	03/23/2024	03/22/2025
Amplifier Research (80~1000MHz 150w)	AR Worldwide	150W1000M1	KS301139	08/24/2023	08/23/2024
Amplifier Research (1~6GHz 50w)	AR Worldwide	50S1G6M1	KS301231	08/24/2023	08/23/2024
Dual Directional Coupler (1-11G)	AR Worldwide	C1-A47NFNF 35dB	KS301193-5	N.C.R	N.C.R
Dual Directional Coupler (80~1000MHz 400w)	AR Worldwide	DC6180	KS301193-6	N.C.R	N.C.R
RF POWER METER	BOONTON	4232A-01	KS301022	03/19/2024	03/18/2025



## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 14 of 132

POWER SENSOR	BOONTON	51085	H3010235-1	03/19/2024	03/18/2025
POWER SENSOR	BOONTON	51085	H3010235-2	03/19/2024	03/18/2025
Antenna	AR Worldwide	TP1000A	CZ301029	N.C.R	N.C.R
Software	AR	emc ware-v 3.2.0.4	N/A	N/A	N/A

### Electrical Fast Transients & Burst at AC Power Port

Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
EMC Immunity Tester	EMC PARTNER	Transient2000	KS301188-1	08/24/2023	08/23/2024
Burst Generator	SANKI	EFT-0404S	KUS2009M002 -7	12/24/2023	12/23/2024
Coupling and Decoupling Network	SANKI	CDN-4350	KUS2009M002 -8	08/11/2023	08/10/2024

### Electrical Fast Transients & Burst at Signal Port

Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
EMC Immunity Tester	EMC PARTNER	Transient2000	KS301188-1	08/24/2023	08/23/2024
Coupling Network	EMC PARTNER	CN-EFT1000	KS301188-3	08/24/2023	08/23/2024
Burst Generator	SANKI	EFT-0404S	KUS2009M002 -7	12/24/2023	12/23/2024
Coupling and Decoupling Network	SANKI	CDN-4350	KUS2009M002 -8	08/11/2023	08/10/2024

### Surge at AC Power Port

Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
EMC Immunity Tester	EMC PARTNER	TRA2006	KS301188-1	08/24/2023	08/23/2024
Surge Generator	SANKI	LSG-0506S	KUS2009M002 -5	08/11/2023	08/10/2024
Coupling and Decoupling Network	SANKI	CDN-5350	KUS2009M002 -6	08/11/2023	08/10/2024

### Surge at Signal Port

Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
EMC Immunity Tester	EMC PARTNER	TRA2006	KS301188-1	08/24/2023	08/23/2024
Coupling and Decoupling Network	EMC PARTNER	CDN-UTP8	KS301188-2	08/24/2023	08/23/2024
Surge Generator	SANKI	LSG-0506S	KUS2009M002 -5	08/11/2023	08/10/2024
Coupling and Decoupling Network	SANKI	CDN-5350	KUS2009M002 -6	08/11/2023	08/10/2024

## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 15 of 132

<b>Conducted Immunity at AC Power Port (150kHz-80MHz)</b>					
<b>Equipment</b>	<b>Manufacturer</b>	<b>Model No.</b>	<b>Inventory No.</b>	<b>Cal Date</b>	<b>Cal Due Date</b>
Test System for Conducted and Radiated Immunity	TESEQ	NSG 4070B	KSZ201705E003	01/15/2024	01/14/2025
Amplifier	TESEQ	SCCXE75	KSZ201705E004	01/15/2024	01/14/2025
EM-Koppelzange	SCHAFFNER	KEMZ 801	CZ301002	01/15/2024	01/14/2025
Attenuator	EURO MC	7860 ORGEVAL	CZ301084	03/19/2024	03/18/2025
Directional Coupler	HIGH POWER	C21A8	CZ750021	08/24/2023	08/23/2024
CDN (Coupling and Decoupling Network)	SCHAFFNER	CDN M216	CZ301085	03/19/2024	03/18/2025
CDN (Coupling and Decoupling Network)	SCHAFFNER	CDN M316	CZ301025	03/19/2024	03/18/2025
CDN (Coupling and Decoupling Network)	TESEQ	CDN M116	KS301184-1	03/19/2024	03/18/2025
CDN	TESEQ	CDN M432	KUS2003M001-1	01/15/2024	01/14/2025
CDN	TESEQ	CDN M432-3LN	KUS2003M001-2	01/15/2024	01/14/2025
CDN	TESEQ	CDN M532	KUS2003M001-3	01/15/2024	01/14/2025
CDN	TESEQ	CDN M232	KSZ201706E001	04/13/2024	04/12/2025
CDN	TESEQ	CDN M332	KSZ201706E002	03/19/2024	03/18/2025
Software	TESEQ	NSG 4070-v 1.3.0.1	N/A	N/A	N/A

<b>Conducted Immunity at Signal Port (150kHz-80MHz)</b>					
<b>Equipment</b>	<b>Manufacturer</b>	<b>Model No.</b>	<b>Inventory No.</b>	<b>Cal Date</b>	<b>Cal Due Date</b>
Test System for Conducted and Radiated Immunity	TESEQ	NSG 4070B	KSZ201705E003	01/15/2024	01/14/2025
Amplifier	TESEQ	SCCXE75	KSZ201705E004	01/15/2024	01/14/2025
EM-Koppelzange	SCHAFFNER	KEMZ 801	CZ301002	01/15/2024	01/14/2025
Attenuator	EURO MC	7860 ORGEVAL	CZ301084	03/19/2024	03/18/2025
Directional Coupler	HIGH POWER	C21A8	CZ750021	08/24/2023	08/23/2024
CDN	TESEQ	CDN T2-10S	KS301286	03/19/2024	03/18/2025
CDN	TESEQ	CDN T4-10S	KS301287	03/19/2024	03/18/2025
CDN	3Ctest	CDNRJ45	KS301288	08/11/2023	08/10/2024
Current Clamp	TESEQ	IP-DR250	KS201703E001	01/15/2024	01/14/2025
Software	TESEQ	NSG 4070-v	N/A	N/A	N/A



## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 16 of 132

		1.3.0.1			
--	--	---------	--	--	--

Voltage Dips and Interruptions					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
EMC Immunity Tester	EMC PARTNER	TRA2006	KS301188-1	08/24/2023	08/23/2024
Switcher	KIKUSUI	SPEC71092	KUS2009M002-2	03/19/2024	03/18/2025
AC Power Supply(Master)	KIKUSUI	PCR24000WE 2	KUS2009M002-3	03/19/2024	03/18/2025
AC Power Supply(Slave)	KIKUSUI	PCR24000WE 2	KUS2009M002-4	03/19/2024	03/18/2025
Software	KIKUSUI	Quick Immunity Sequencer 2-v 4.0.3.02	N/A	N/A	N/A

General used equipment					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Digital Pressure Meter	Mengde	DYM3	CZ750023	01/15/2024	01/14/2025
Temperature & Humidity Recorder	JDRK	RS-WS-N01-6J	KSEM024-1 KSEM024-2 KSEM024-3 KSEM024-6 KSEM024-7 KSEM024--8 KSEM024--9	03/19/2024	03/18/2025

## 6 Emission Test Results

### 6.1 Conducted Emissions at Mains Power Port (150kHz-30MHz)

Test Requirement: EN 55032: 2015+A11:2020+A1:2020

Test Method: EN 55032: 2015+A11:2020+A1:2020

Limit:

0.15MHz-0.5MHz 66dB(μV)-56dB(μV) quasi-peak, 56dB(μV)-46dB(μV) average

0.5MHz-5MHz 56dB(μV) quasi-peak, 46dB(μV) average

5MHz-30MHz 60dB(μV) quasi-peak, 50dB(μV) average

Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz

#### 6.1.1 E.U.T. Operation

Operating Environment:

Temperature: 24 °C


Humidity: 48 % RH

Atmospheric Pressure: 1010 mbar

#### 6.1.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	Normal Working_Powered by adapter, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.
Final test	01	Normal Working_Powered by POE, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.

#### 6.1.3 Test Setup Diagram



#### 6.1.4 Measurement Procedure and Data

An initial pre-scan was performed with peak detector. Quasi-Peak or Average measurement were performed at the frequencies with maximized peak emission were detected.

Remark: Level= Read Level+ Cable Loss+ LISN Factor

# Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 18 of 132

Test Mode: 00; Line: Live line

## Test Data :



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1501	18.09	20.25	38.34	55.99	-17.65	Average
2	0.1501	31.05	20.25	51.30	65.99	-14.69	QP
3	0.1692	13.66	20.17	33.83	55.00	-21.17	Average
4	0.1692	28.85	20.17	49.02	65.00	-15.98	QP
5	0.1876	13.50	20.10	33.60	54.14	-20.54	Average
6	0.1876	28.45	20.10	48.55	64.14	-15.59	QP
7	0.2112	14.18	20.06	34.24	53.16	-18.92	Average
8	0.2112	24.50	20.06	44.56	63.16	-18.60	QP
9	0.3143	20.42	20.08	40.50	49.86	-9.36	Average
10	0.3143	27.38	20.08	47.46	59.86	-12.40	QP
11	0.5913	6.93	19.90	26.83	46.00	-19.17	Average
12	0.5913	14.47	19.90	34.37	56.00	-21.63	QP

## Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 19 of 132

Test Mode: 00; Line: Neutral Line

### Test Data :



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1504	18.71	20.18	38.89	55.98	-17.09	Average
2	0.1504	32.46	20.18	52.64	65.98	-13.34	QP
3	0.1550	19.51	20.18	39.69	55.73	-16.04	Average
4	0.1550	31.21	20.18	51.39	65.73	-14.34	QP
5	0.1620	16.73	20.17	36.90	55.36	-18.46	Average
6	0.1620	30.02	20.17	50.19	65.36	-15.17	QP
7	0.1742	15.74	20.15	35.89	54.76	-18.87	Average
8	0.1742	28.26	20.15	48.41	64.76	-16.35	QP
9	0.3237	22.14	20.09	42.23	49.61	-7.38	Average
10	0.3237	29.00	20.09	49.09	59.61	-10.52	QP
11	0.5342	6.66	19.91	26.57	46.00	-19.43	Average
12	0.5342	14.12	19.91	34.03	56.00	-21.97	QP

# Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 20 of 132

Test Mode: 01; Line: Live line

## Test Data :



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1532	6.18	20.24	26.42	55.83	-29.41	Average
2	0.1532	26.08	20.24	46.32	65.83	-19.51	QP
3	0.4292	21.48	20.05	41.53	47.27	-5.74	Average
4	0.4292	26.49	20.05	46.54	57.27	-10.73	QP
5	0.7580	13.49	19.78	33.27	46.00	-12.73	Average
6	0.7580	18.03	19.78	37.81	56.00	-18.19	QP
7	0.8459	13.39	19.81	33.20	46.00	-12.80	Average
8	0.8459	17.95	19.81	37.76	56.00	-18.24	QP
9	1.3180	12.90	19.94	32.84	46.00	-13.16	Average
10	1.3180	17.04	19.94	36.98	56.00	-19.02	QP
11	23.1280	24.73	19.76	44.49	50.00	-5.51	Average
12	23.1280	28.60	19.76	48.36	60.00	-11.64	QP

# Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 21 of 132

Test Mode: 01; Line: Neutral Line

## Test Data :



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1551	9.84	20.18	30.02	55.72	-25.70	Average
2	0.1551	26.51	20.18	46.69	65.72	-19.03	QP
3	0.1691	9.16	20.15	29.31	55.00	-25.69	Average
4	0.1691	23.73	20.15	43.88	65.00	-21.12	QP
5	0.1990	13.43	20.12	33.55	53.65	-20.10	Average
6	0.1990	19.99	20.12	40.11	63.65	-23.54	QP
7	0.4268	20.35	20.06	40.41	47.32	-6.91	Average
8	0.4268	25.58	20.06	45.64	57.32	-11.68	QP
9	1.2500	10.87	19.90	30.77	46.00	-15.23	Average
10	1.2500	15.17	19.90	35.07	56.00	-20.93	QP
11	23.1290	25.84	19.80	45.64	50.00	-4.36	Average
12	23.1290	29.64	19.80	49.44	60.00	-10.56	QP

### 6.2 Asymmetric Mode Conducted Emissions(150kHz-30MHz)

Test Requirement: EN 55032: 2015+A11:2020+A1:2020

Test Method: EN 55032: 2015+A11:2020+A1:2020

Limit:

0.15 MHz -0.5MHz 84dB(μV)-74dB(μV) quasi-peak, 74dB(μV)-64dB(μV) average

0.5 MHz -30MHz 74dB(μV) quasi-peak, 64dB(μV) average

Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz

#### 6.2.1 E.U.T. Operation


Operating Environment:

Temperature: 24 °C Humidity: 48 % RH Atmospheric Pressure: 1010 mbar

#### 6.2.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	Normal Working_Powered by adapter, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.
Final test	01	Normal Working_Powered by POE, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.

#### 6.2.3 Test Setup Diagram



#### 6.2.4 Measurement Procedure and Data

An initial pre-scan was performed with peak detector. Quasi-Peak or Average measurement were performed at the frequencies with maximized peak emission were detected.

Remark: Level= Read Level+ Cable Loss+ LISN Factor

## Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 23 of 132

Test Mode: 00


### Test Data :



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.5744	41.02	19.88	60.90	64.00	-3.10	Average
2	0.5744	40.67	19.88	60.55	74.00	-13.45	QP
3	0.7461	33.85	19.78	53.63	64.00	-10.37	Average
4	0.7461	33.47	19.78	53.25	74.00	-20.75	QP
5	0.9198	35.95	19.70	55.65	64.00	-8.35	Average
6	0.9198	35.66	19.70	55.36	74.00	-18.64	QP
7	1.1470	34.79	19.71	54.50	64.00	-9.50	Average
8	1.1470	36.81	19.71	56.52	74.00	-17.48	QP
9	1.7220	32.98	19.83	52.81	64.00	-11.19	Average
10	1.7220	32.64	19.83	52.47	74.00	-21.53	QP
11	3.7300	35.79	19.94	55.73	64.00	-8.27	Average
12	3.7300	35.61	19.94	55.55	74.00	-18.45	QP

Test Mode: 00

**Test Data :**



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.4711	34.24	19.95	54.19	64.49	-10.30	Average
2	0.4711	37.59	19.95	57.54	74.49	-16.95	QP
3	0.7047	32.17	19.80	51.97	64.00	-12.03	Average
4	0.7047	36.36	19.80	56.16	74.00	-17.84	QP
5	0.9381	34.29	19.69	53.98	64.00	-10.02	Average
6	0.9381	37.92	19.69	57.61	74.00	-16.39	QP
7	1.1840	32.86	19.72	52.58	64.00	-11.42	Average
8	1.1840	36.12	19.72	55.84	74.00	-18.16	QP
9	3.0740	33.02	19.91	52.93	64.00	-11.07	Average
10	3.0740	36.34	19.91	56.25	74.00	-17.75	QP
11	18.2320	37.92	20.14	58.06	64.00	-5.94	Average
12	18.2320	40.29	20.14	60.43	74.00	-13.57	QP

# Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 25 of 132

Test Mode: 00

## Test Data :



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.9408	32.88	19.69	52.57	64.00	-11.43	Average
2	0.9408	33.66	19.69	53.35	74.00	-20.65	QP
3	1.1690	36.06	19.71	55.77	64.00	-8.23	Average
4	1.1690	35.83	19.71	55.54	74.00	-18.46	QP
5	5.1460	34.80	19.97	54.77	64.00	-9.23	Average
6	5.1460	36.22	19.97	56.19	74.00	-17.81	QP
7	5.6160	33.78	19.98	53.76	64.00	-10.24	Average
8	5.6160	35.33	19.98	55.31	74.00	-18.69	QP
9	13.4180	27.51	20.01	47.52	64.00	-16.48	Average
10	13.4180	29.64	20.01	49.65	74.00	-24.35	QP
11	18.2440	35.76	20.15	55.91	64.00	-8.09	Average
12	18.2440	38.05	20.15	58.20	74.00	-15.80	QP

# Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 26 of 132

Test Mode: 01

## Test Data :



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.5705	37.11	19.88	56.99	64.00	-7.01	Average
2	0.5705	37.57	19.88	57.45	74.00	-16.55	QP
3	0.9171	26.07	19.70	45.77	64.00	-18.23	Average
4	0.9171	29.64	19.70	49.34	74.00	-24.66	QP
5	1.1480	38.60	19.71	58.31	64.00	-5.69	Average
6	1.1480	43.96	19.71	63.67	74.00	-10.33	QP
7	3.7060	33.85	19.94	53.79	64.00	-10.21	Average
8	3.7060	34.25	19.94	54.19	74.00	-19.81	QP
9	6.8090	24.91	20.00	44.91	64.00	-19.09	Average
10	6.8090	34.81	20.00	54.81	74.00	-19.19	QP
11	19.7080	28.40	20.20	48.60	64.00	-15.40	Average
12	19.7080	32.21	20.20	52.41	74.00	-21.59	QP

## Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 27 of 132

Test Mode: 01

### Test Data :



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	1.1740	32.34	19.72	52.06	64.00	-11.94	Average
2	1.1740	32.68	19.72	52.40	74.00	-21.60	QP
3	2.2210	34.96	19.88	54.84	64.00	-9.16	Average
4	2.2210	34.91	19.88	54.79	74.00	-19.21	QP
5	3.7010	35.19	19.94	55.13	64.00	-8.87	Average
6	3.7010	35.47	19.94	55.41	74.00	-18.59	QP
7	6.8110	29.05	20.00	49.05	64.00	-14.95	Average
8	6.8110	38.34	20.00	58.34	74.00	-15.66	QP
9	17.6930	38.49	20.12	58.61	64.00	-5.39	Average
10	17.6930	41.44	20.12	61.56	74.00	-12.44	QP
11	18.2430	39.07	20.15	59.22	64.00	-4.78	Average
12	18.2430	42.45	20.15	62.60	74.00	-11.40	QP

# Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 28 of 132

Test Mode: 01

## Test Data :



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	1.1690	35.43	19.71	55.14	64.00	-8.86	Average
2	1.1690	35.29	19.71	55.00	74.00	-19.00	QP
3	1.4040	33.76	19.77	53.53	64.00	-10.47	Average
4	1.4040	34.26	19.77	54.03	74.00	-19.97	QP
5	5.6170	32.11	19.98	52.09	64.00	-11.91	Average
6	5.6170	33.87	19.98	53.85	74.00	-20.15	QP
7	6.8120	29.31	20.00	49.31	64.00	-14.69	Average
8	6.8120	37.81	20.00	57.81	74.00	-16.19	QP
9	16.2270	34.99	20.05	55.04	64.00	-8.96	Average
10	16.2270	37.47	20.05	57.52	74.00	-16.48	QP
11	18.2430	35.50	20.15	55.65	64.00	-8.35	Average
12	18.2430	38.53	20.15	58.68	74.00	-15.32	QP

## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 29 of 132

### 6.3 Radiated Emissions (30MHz-1GHz)

Test Requirement: EN 55032: 2015+A11:2020+A1:2020

Test Method: EN 55032: 2015+A11:2020+A1:2020

Limit:

Test Distance: 3m

30MHz-230MHz: 40 dB(μV/m) quasi-peak

230MHz-1GHz: 47 dB(μV/m) quasi-peak

Detector: Peak for pre-scan (120kHz resolution bandwidth) 30MHz to 1000MHz

Test Distance: 10m

30MHz-230MHz: 30 dB(μV/m) quasi-peak

230MHz-1GHz: 37 dB(μV/m) quasi-peak

Detector: Peak for pre-scan (120kHz resolution bandwidth) 30MHz to 1000MHz

Highest internal frequency (F<sub>x</sub>): F<sub>x</sub> ≤ 108MHz

Highest measured frequency: 1GHz

#### 6.3.1 E.U.T. Operation

Operating Environment:

Temperature: 25.7 °C


Humidity: 54.2 % RH

Atmospheric Pressure: 1010 mbar

#### 6.3.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	Normal Working_Powered by adapter, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.
Final test	01	Normal Working_Powered by POE, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.

### 6.3.3 Test Setup Diagram



### 6.3.4 Measurement Procedure and Data

Frequency range: 30MHz-1GHz

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Quasi-peak measurements were conducted based on the peak sweep graph. The EUT was measured by BiConiLog antenna with 2 orthogonal polarities.

The red line show in graphic is the limit in standard used in this section.

Level=Read Level + Antenna Factor + Cable Loss - Preamp Factor

## Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 31 of 132

Test Mode: 00; Polarity: Horizontal

### Test Data :



No.	Frequency (MHz)	Reading (dBUV)	Correct Factor(dB/m)	Result (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Height (cm)	Degree (deg.)	Remark
1	66.2660	28.86	6.73	35.59	40.00	-4.41	100	94	QP
2	77.0510	27.22	9.72	36.94	40.00	-3.06	100	79	QP
3	106.7590	22.19	12.94	35.13	40.00	-4.87	100	64	QP
4	147.9210	26.12	11.87	37.99	40.00	-2.01	100	344	QP
5	225.3080	26.05	12.84	38.89	40.00	-1.11	100	314	QP
6	501.1790	23.40	20.91	44.31	47.00	-2.69	100	314	QP

## Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 32 of 132

Test Mode: 00; Polarity: Vertical

### Test Data :



No.	Frequency (MHz)	Reading (dBUV)	Correct Factor(dB/m)	Result (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Height (cm)	Degree (deg.)	Remark
1	77.0510	28.54	9.72	38.26	40.00	-1.74	100	103	QP
2	104.9030	25.01	13.25	38.26	40.00	-1.74	100	28	QP
3	145.3510	26.16	12.78	38.94	40.00	-1.06	100	328	QP
4	225.3080	25.94	12.84	38.78	40.00	-1.22	100	103	QP
5	250.3010	19.68	14.54	34.22	47.00	-12.78	100	336	QP
6	501.1790	21.78	20.91	42.69	47.00	-4.31	100	58	QP

## Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 33 of 132

Test Mode: 01; Polarity: Horizontal

### Test Data :



No.	Frequency (MHz)	Reading (dBUV)	Correct Factor(dB/m)	Result (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Height (cm)	Degree (deg.)	Remark
1	74.6570	28.03	9.09	37.12	40.00	-2.88	100	36	QP
2	102.0010	25.36	12.86	38.22	40.00	-1.78	100	332	QP
3	147.9210	26.49	11.87	38.36	40.00	-1.64	100	254	QP
4	250.3010	29.15	14.54	43.69	47.00	-3.31	100	26	QP
5	375.9390	25.59	16.99	42.58	47.00	-4.42	100	84	QP
6	501.1790	21.42	20.91	42.33	47.00	-4.67	100	113	QP

## Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 34 of 132

Test Mode: 01; Polarity: Vertical

### Test Data :



No.	Frequency (MHz)	Reading (dBUV)	Correct Factor(dB/m)	Result (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Height (cm)	Degree (deg.)	Remark
1	74.6570	28.16	9.09	37.25	40.00	-2.75	100	61	QP
2	102.0010	25.15	12.86	38.01	40.00	-1.99	100	144	QP
3	111.7380	25.00	13.99	38.99	40.00	-1.01	100	273	QP
4	145.3510	25.44	12.78	38.22	40.00	-1.78	100	76	QP
5	155.3640	27.27	11.68	38.95	40.00	-1.05	100	360	QP
6	225.3080	26.12	12.84	38.96	40.00	-1.04	100	53	QP

**6.4 Radiated Emissions (Above 1GHz)**

Test Requirement: EN 55032: 2015+A11:2020+A1:2020

Test Method: EN 55032: 2015+A11:2020+A1:2020

Limit:

1000MHz-6000MHz: 74 dB(μV/m) peak; 54 dB(μV/m) average

Detector: Peak for pre-scan (1000kHz resolution bandwidth) 1000MHz to 6000MHz

Highest internal frequency (Fx):

Highest measured frequency:

Fx ≤ 108MHz 1GHz

108MHz < Fx ≤ 500MHz 2GHz

500MHz < Fx ≤ 1GHz 5GHz

Fx > 1GHz 5 × Fx up to a maximum of 6GHz

**6.4.1 E.U.T. Operation**

Operating Environment:

Temperature: 24.5 °C


Humidity: 51.2 % RH

Atmospheric Pressure: 1010 mbar

**6.4.2 Test Mode Description**

Pre-scan / Final test	Mode Code	Description
Final test	00	Normal Working_Powered by adapter, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.
Final test	01	Normal Working_Powered by POE, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.

**6.4.3 Test Setup Diagram**



## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 36 of 132

### 6.4.4 Measurement Procedure and Data

Frequency range: Above 1GHz

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Average measurements were conducted based on the peak sweep graph. The EUT was measured by Horn antenna with 2 orthogonal polarities.

The red line show in graphic is the limit in standard used in this section.

Level=Read Level + Antenna Factor + Cable Loss - Preamp Factor

## Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 37 of 132

Test Mode: 00; Polarity: Horizontal

### Test Data :



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (deg.)	Remark
1	1500.00	44.26	-20.79	23.47	54.00	-30.53	200	32	Average
2	1500.00	58.99	-20.79	38.20	74.00	-35.80	200	32	Peak
3	1808.75	40.37	-20.16	20.21	54.00	-33.79	100	111	Average
4	1808.75	56.00	-20.16	35.84	74.00	-38.16	100	111	Peak
5	2400.00	40.26	-17.78	22.48	54.00	-31.52	100	58	Average
6	2400.00	55.63	-17.78	37.85	74.00	-36.15	100	58	Peak
7	4942.50	37.33	-10.69	26.64	54.00	-27.36	200	66	Average
8	4942.50	52.19	-10.69	41.50	74.00	-32.50	200	66	Peak
9	5615.00	36.63	-8.33	28.30	54.00	-25.70	100	187	Average
10	5615.00	52.31	-8.33	43.98	74.00	-30.02	100	187	Peak
11	5893.75	37.38	-7.18	30.20	54.00	-23.80	100	96	Average
12	5893.75	52.96	-7.18	45.78	74.00	-28.22	100	96	Peak

## Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 38 of 132

Test Mode: 00; Polarity: Vertical

### Test Data :



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (deg.)	Remark
1	1500.00	40.10	-20.79	19.31	54.00	-34.69	100	36	Average
2	1500.00	54.21	-20.79	33.42	74.00	-40.58	100	36	Peak
3	2400.00	40.25	-17.78	22.47	54.00	-31.53	100	125	Average
4	2400.00	55.26	-17.78	37.48	74.00	-36.52	100	125	Peak
5	3773.75	39.30	-14.18	25.12	54.00	-28.88	200	44	Average
6	3773.75	55.17	-14.18	40.99	74.00	-33.01	200	44	Peak
7	4885.00	37.05	-10.85	26.20	54.00	-27.80	100	331	Average
8	4885.00	52.39	-10.85	41.54	74.00	-32.46	100	331	Peak
9	5598.75	36.70	-8.39	28.31	54.00	-25.69	100	223	Average
10	5598.75	52.35	-8.39	43.96	74.00	-30.04	100	223	Peak
11	5887.50	37.34	-7.20	30.14	54.00	-23.86	200	58	Average
12	5887.50	51.35	-7.20	44.15	74.00	-29.85	200	58	Peak

## Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 39 of 132

Test Mode: 01; Polarity: Horizontal

### Test Data :



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (deg.)	Remark
1	1500.00	45.92	-20.79	25.13	54.00	-28.87	100	21	Average
2	1500.00	60.21	-20.79	39.42	74.00	-34.58	100	21	Peak
3	2400.00	40.62	-17.78	22.84	54.00	-31.16	200	44	Average
4	2400.00	55.77	-17.78	37.99	74.00	-36.01	200	44	Peak
5	3765.00	38.51	-14.20	24.31	54.00	-29.69	100	336	Average
6	3765.00	53.42	-14.20	39.22	74.00	-34.78	100	336	Peak
7	4495.00	37.76	-11.98	25.78	54.00	-28.22	200	52	Average
8	4495.00	52.95	-11.98	40.97	74.00	-33.03	200	52	Peak
9	4913.75	38.13	-10.77	27.36	54.00	-26.64	100	48	Average
10	4913.75	52.99	-10.77	42.22	74.00	-31.78	100	48	Peak
11	5793.75	37.80	-7.59	30.21	54.00	-23.79	200	221	Average
12	5793.75	52.83	-7.59	45.24	74.00	-28.76	200	221	Peak

## Compliance Certification Services (Kunshan) Inc.


CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 40 of 132

Test Mode: 01; Polarity: Vertical

### Test Data :



No.	Frequency (MHz)	Reading (dBuV)	Correct Factor(dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Degree (deg.)	Remark
1	1500.00	40.35	-20.79	19.56	54.00	-34.44	200	335	Average
2	1500.00	55.16	-20.79	34.37	74.00	-39.63	200	335	Peak
3	2400.00	42.11	-17.78	24.33	54.00	-29.67	100	47	Average
4	2400.00	56.85	-17.78	39.07	74.00	-34.93	100	47	Peak
5	3783.75	39.28	-14.14	25.14	54.00	-28.86	100	224	Average
6	3783.75	53.41	-14.14	39.27	74.00	-34.73	100	224	Peak
7	4842.50	37.85	-10.98	26.87	54.00	-27.13	100	36	Average
8	4842.50	52.58	-10.98	41.60	74.00	-32.40	100	36	Peak
9	5637.50	37.53	-8.23	29.30	54.00	-24.70	100	214	Average
10	5637.50	52.26	-8.23	44.03	74.00	-29.97	100	214	Peak
11	5853.75	37.45	-7.34	30.11	54.00	-23.89	100	38	Average
12	5853.75	51.84	-7.34	44.50	74.00	-29.50	100	38	Peak

**6.5 Voltage Fluctuations and Flicker**

Test Requirement: EN 61000-3-3: 2013+ A1:2019+A2:2021

Test Method: EN 61000-3-3: 2013+ A1:2019+A2:2021

**6.5.1 E.U.T. Operation**


Operating Environment:

Temperature: 24 °C Humidity: 48 % RH Atmospheric Pressure: 1010 mbar

**6.5.2 Test Mode Description**

Pre-scan / Final test	Mode Code	Description
Final test	00	Normal Working_Powered by adapter, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.
Final test	01	Normal Working_Powered by POE, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.

**6.5.3 Test Setup Diagram**



**6.5.4 Measurement Procedure and Data**



## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 42 of 132

Test Mode:00

Parameter values recorded during the test:

Vrms at the end of test (Volt):	230.14		
T-max (mS):	0	Test limit (mS):	500.0 Pass
Highest dc (%):	0.00	Test limit (%):	3.30 Pass
Highest dmax (%):	0.00	Test limit (%):	4.00 Pass
Highest Pst (10 min. period):	0.248	Test limit:	1.000 Pass
Highest Plt (2 hr. period):	0.108	Test limit:	0.650 Pass

Test Mode:01

Parameter values recorded during the test:

Vrms at the end of test (Volt):	230.17		
T-max (mS):	0	Test limit (mS):	500.0 Pass
Highest dc (%):	0.00	Test limit (%):	3.30 Pass
Highest dmax (%):	0.00	Test limit (%):	4.00 Pass
Highest Pst (10 min. period):	0.261	Test limit:	1.000 Pass
Highest Plt (2 hr. period):	0.114	Test limit:	0.650 Pass

### 6.6 Harmonic Current Emission

Test Requirement: EN IEC 61000-3-2: 2019+A1:2021

Test Method: EN IEC 61000-3-2: 2019+A1:2021

#### 6.6.1 E.U.T. Operation


Operating Environment:

Temperature: 24 °C Humidity: 48 % RH Atmospheric Pressure: 1010 mbar

#### 6.6.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	Normal Working_Powered by adapter, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.
Final test	01	Normal Working_Powered by POE, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.

#### 6.6.3 Test Setup Diagram



#### 6.6.4 Measurement Procedure and Data

Frequency Range: 100Hz to 2kHz



# Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 44 of 132

Test Mode: 00

### Highest parameter values during test:

V <sub>RMS</sub> (Volts):	230.24	Frequency(Hz):	50.00
I <sub>Peak</sub> (Amps):	0.853	I <sub>RMS</sub> (Amps):	0.182
I <sub>Fund</sub> (Amps):	0.080	Crest Factor:	4.712
Power (Watts):	16.4	Power Factor:	0.396

Harm#	Harms(avg)	100%Limit	%of Limit	Harms(max)	150%Limit	%of Limit	Status
2	0.002	1.080	N/A	0.004	1.620	N/A	Pass
3	0.068	2.300	3.0	0.070	3.450	2.0	Pass
4	0.002	0.430	N/A	0.003	0.645	N/A	Pass
5	0.066	1.140	5.8	0.066	1.710	3.9	Pass
6	0.002	0.300	N/A	0.003	0.450	N/A	Pass
7	0.062	0.770	8.0	0.062	1.155	5.4	Pass
8	0.002	0.230	N/A	0.003	0.345	N/A	Pass
9	0.057	0.400	14.3	0.057	0.600	9.6	Pass
10	0.002	0.184	N/A	0.004	0.276	N/A	Pass
11	0.052	0.330	15.7	0.052	0.495	10.5	Pass
12	0.002	0.153	N/A	0.003	0.230	N/A	Pass
13	0.046	0.210	21.7	0.046	0.315	14.6	Pass
14	0.002	0.131	N/A	0.003	0.197	N/A	Pass
15	0.039	0.150	26.1	0.039	0.225	17.5	Pass
16	0.001	0.115	N/A	0.003	0.173	N/A	Pass
17	0.033	0.132	24.8	0.033	0.198	16.6	Pass
18	0.001	0.102	N/A	0.003	0.153	N/A	Pass
19	0.026	0.118	22.2	0.027	0.178	15.0	Pass
20	0.001	0.092	N/A	0.002	0.138	N/A	Pass
21	0.020	0.107	18.9	0.021	0.161	12.8	Pass
22	0.001	0.084	N/A	0.002	0.125	N/A	Pass
23	0.015	0.098	15.0	0.015	0.147	10.2	Pass
24	0.001	0.077	N/A	0.002	0.115	N/A	Pass
25	0.010	0.090	10.9	0.010	0.135	7.5	Pass
26	0.001	0.071	N/A	0.001	0.107	N/A	Pass
27	0.006	0.083	7.1	0.006	0.125	5.0	Pass
28	0.001	0.066	N/A	0.001	0.099	N/A	Pass
29	0.003	0.078	N/A	0.004	0.116	N/A	Pass
30	0.001	0.061	N/A	0.001	0.092	N/A	Pass
31	0.003	0.073	N/A	0.003	0.109	N/A	Pass
32	0.001	0.058	N/A	0.001	0.086	N/A	Pass
33	0.004	0.068	N/A	0.004	0.102	N/A	Pass
34	0.000	0.054	N/A	0.001	0.081	N/A	Pass
35	0.005	0.064	N/A	0.005	0.096	N/A	Pass
36	0.000	0.051	N/A	0.001	0.077	N/A	Pass
37	0.005	0.061	8.6	0.005	0.091	5.9	Pass
38	0.000	0.048	N/A	0.001	0.073	N/A	Pass
39	0.005	0.058	8.9	0.005	0.087	6.0	Pass
40	0.000	0.046	N/A	0.001	0.069	N/A	Pass



## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 45 of 132

Test Mode: 00

Harm#	Harmonics V-rms	Limit V-rms	% of Limit	Status
2	0.165	0.460	35.80	OK
3	0.462	2.072	22.29	OK
4	0.035	0.460	7.58	OK
5	0.031	0.921	3.40	OK
6	0.081	0.460	17.66	OK
7	0.066	0.691	9.52	OK
8	0.044	0.460	9.57	OK
9	0.016	0.460	3.39	OK
10	0.026	0.460	5.55	OK
11	0.037	0.230	16.04	OK
12	0.016	0.230	6.80	OK
13	0.031	0.230	13.47	OK
14	0.015	0.230	6.50	OK
15	0.030	0.230	13.10	OK
16	0.013	0.230	5.52	OK
17	0.025	0.230	10.74	OK
18	0.017	0.230	7.34	OK
19	0.027	0.230	11.88	OK
20	0.009	0.230	3.74	OK
21	0.018	0.230	7.85	OK
22	0.008	0.230	3.59	OK
23	0.020	0.230	8.82	OK
24	0.005	0.230	2.29	OK
25	0.010	0.230	4.41	OK
26	0.011	0.230	4.68	OK
27	0.013	0.230	5.48	OK
28	0.008	0.230	3.34	OK
29	0.006	0.230	2.46	OK
30	0.006	0.230	2.77	OK
31	0.006	0.230	2.82	OK
32	0.005	0.230	2.27	OK
33	0.008	0.230	3.43	OK
34	0.003	0.230	1.24	OK
35	0.008	0.230	3.28	OK
36	0.003	0.230	1.39	OK
37	0.012	0.230	5.22	OK
38	0.003	0.230	1.36	OK
39	0.009	0.230	3.92	OK
40	0.005	0.230	2.32	OK



# Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 46 of 132

Test Mode: 01

### Highest parameter values during test:

V <sub>RMS</sub> (Volts):	230.24	Frequency(Hz):	50.00
I <sub>Peak</sub> (Amps):	0.867	I <sub>RMS</sub> (Amps):	0.149
I <sub>Fund</sub> (Amps):	0.057	Crest Factor:	6.120
Power (Watts):	10.3	Power Factor:	0.326

Harm#	Harms(avg)	100%Limit	%of Limit	Harms(max)	150%Limit	%of Limit	Status
2	0.003	1.080	N/A	0.007	1.620	N/A	Pass
3	0.043	2.300	1.9	0.046	3.450	1.3	Pass
4	0.003	0.430	N/A	0.006	0.645	N/A	Pass
5	0.042	1.140	3.7	0.044	1.710	2.6	Pass
6	0.003	0.300	N/A	0.006	0.450	N/A	Pass
7	0.041	0.770	5.3	0.043	1.155	3.7	Pass
8	0.003	0.230	N/A	0.006	0.345	N/A	Pass
9	0.039	0.400	9.8	0.041	0.600	6.9	Pass
10	0.003	0.184	N/A	0.006	0.276	N/A	Pass
11	0.037	0.330	11.3	0.039	0.495	7.9	Pass
12	0.003	0.153	N/A	0.006	0.230	N/A	Pass
13	0.035	0.210	16.9	0.037	0.315	11.8	Pass
14	0.003	0.131	N/A	0.005	0.197	N/A	Pass
15	0.033	0.150	22.1	0.035	0.225	15.4	Pass
16	0.003	0.115	N/A	0.005	0.173	N/A	Pass
17	0.031	0.132	23.3	0.032	0.198	16.2	Pass
18	0.003	0.102	N/A	0.005	0.153	N/A	Pass
19	0.028	0.118	23.8	0.029	0.178	16.5	Pass
20	0.002	0.092	N/A	0.005	0.138	N/A	Pass
21	0.026	0.107	23.8	0.027	0.161	16.5	Pass
22	0.002	0.084	N/A	0.004	0.125	N/A	Pass
23	0.023	0.098	23.4	0.024	0.147	16.1	Pass
24	0.002	0.077	N/A	0.004	0.115	N/A	Pass
25	0.020	0.090	22.4	0.021	0.135	15.4	Pass
26	0.002	0.071	N/A	0.004	0.107	N/A	Pass
27	0.018	0.083	21.0	0.018	0.125	14.5	Pass
28	0.002	0.066	N/A	0.003	0.099	N/A	Pass
29	0.015	0.078	19.2	0.015	0.116	13.2	Pass
30	0.002	0.061	N/A	0.003	0.092	N/A	Pass
31	0.012	0.073	17.2	0.013	0.109	11.8	Pass
32	0.001	0.058	N/A	0.003	0.086	N/A	Pass
33	0.010	0.068	14.9	0.011	0.102	10.3	Pass
34	0.001	0.054	N/A	0.002	0.081	N/A	Pass
35	0.008	0.064	12.5	0.008	0.096	8.6	Pass
36	0.001	0.051	N/A	0.002	0.077	N/A	Pass
37	0.006	0.061	10.0	0.006	0.091	6.9	Pass
38	0.001	0.048	N/A	0.001	0.073	N/A	Pass
39	0.004	0.058	N/A	0.005	0.087	N/A	Pass
40	0.001	0.046	N/A	0.001	0.069	N/A	Pass



## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 47 of 132

Test Mode: 01

Harm#	Harmonics V-rms	Limit V-rms	% of Limit	Status
2	0.175	0.460	37.94	OK
3	0.455	2.072	21.97	OK
4	0.037	0.460	7.99	OK
5	0.037	0.921	4.02	OK
6	0.083	0.460	18.06	OK
7	0.067	0.691	9.66	OK
8	0.046	0.460	9.94	OK
9	0.012	0.460	2.61	OK
10	0.024	0.460	5.25	OK
11	0.028	0.230	12.12	OK
12	0.018	0.230	7.84	OK
13	0.028	0.230	12.28	OK
14	0.014	0.230	6.28	OK
15	0.024	0.230	10.63	OK
16	0.014	0.230	6.14	OK
17	0.028	0.230	12.25	OK
18	0.016	0.230	6.88	OK
19	0.027	0.230	11.62	OK
20	0.010	0.230	4.34	OK
21	0.026	0.230	11.51	OK
22	0.009	0.230	3.86	OK
23	0.026	0.230	11.40	OK
24	0.008	0.230	3.50	OK
25	0.024	0.230	10.55	OK
26	0.011	0.230	4.65	OK
27	0.023	0.230	9.79	OK
28	0.008	0.230	3.66	OK
29	0.020	0.230	8.71	OK
30	0.008	0.230	3.34	OK
31	0.019	0.230	8.37	OK
32	0.005	0.230	2.35	OK
33	0.018	0.230	7.78	OK
34	0.004	0.230	1.81	OK
35	0.014	0.230	6.04	OK
36	0.004	0.230	1.82	OK
37	0.011	0.230	4.59	OK
38	0.004	0.230	1.82	OK
39	0.009	0.230	3.86	OK
40	0.005	0.230	2.00	OK

## 7 Immunity Test Results

### Performance Criteria Description in EN 50130-4:2011 +A1:2014

There shall be no damage, malfunction or change of status due to the conditioning. Flickering of an indicator during the application of the discharges is permissible, providing that there is no residual change in the EUT or any change in outputs, which could be interpreted by associated equipment as a change.

For further details, please refer to Clause 7.4, 8.4, 9.4, 10.4, 11.4, 12.4 and 13.4, of EN 50130-4.

### General Performance Criteria Description in EN 55035: 2017+A11:2020


- Criterion A The equipment shall continue to operate as intended without operator intervention. No degradation of performance, loss of function or change of operating state is allowed below a performance level specified by the manufacturer when the equipment is used as intended. The performance level may be replaced by a permissible loss of performance. If the minimum performance level or the permissible performance loss is not specified by the manufacturer, then either of these may be derived from the product description and documentation, and by what the user may reasonably expect from the equipment if used as intended.
- Criterion B During the application of the disturbance, degradation of performance is allowed. However, no unintended change of actual operating state or stored data is allowed to persist after the test.  
After the test, the equipment shall continue to operate as intended without operator intervention; no degradation of performance or loss of function is allowed, below a performance level specified by the manufacturer, when the equipment is used as intended. The performance level may be replaced by a permissible loss of performance. If the minimum performance level (or the permissible performance loss), or recovery time, is not specified by the manufacturer, then either of these may be derived from the product description and documentation, and by what the user may reasonably expect from the equipment if used as intended.
- Criterion C Loss of function is allowed, provided the function is self-recoverable, or can be restored by the operation of the controls by the user in accordance with the manufacturer's instructions. A reboot or re-start operation is allowed.  
Information stored in non-volatile memory, or protected by a battery backup, shall not be lost.

### 7.1 Electrostatic Discharge

Test Requirement: EN 50130-4: 2011 +A1:2014

Test Method: EN 61000-4-2:2009

#### 7.1.1 Test Setup Diagram



#### 7.1.2 E.U.T. Operation

Operating Environment:

Temperature: 27 °C

Humidity: 56 % RH

Atmospheric Pressure: 1010 mbar

#### 7.1.3 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	Normal Working_Powered by adapter, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.
Final test	01	Normal Working_Powered by POE, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.

## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 50 of 132

### 7.1.4 Test Condition and Results:

Number of Discharge: Minimum 10 times at each test point for Air Discharge; Minimum 50 times at each test point for Contact or VCP & HCP Discharge

Discharge Mode: Single Discharge

Discharge Period: 1 second minimum

Test Point 1: All insulated enclosure & seams.

Test Point 2: All accessible metal parts of the enclosure.

Test Point 3: All sides.

Discharge type	Level (kV)	Polarity	Test Point	Result / Observations
Air Discharge	2,4,8	+	1	A
Air Discharge	2,4,8	-	1	A
Contact Discharge	6	+	2	A
Contact Discharge	6	-	2	A
Horizontal Coupling	6	+	3	A
Horizontal Coupling	6	-	3	A
Vertical Coupling	6	+	3	A
Vertical Coupling	6	-	3	A


A: No degradation in the performance of the EUT was observed

**7.2 Radiated Immunity(80MHz-2.7GHz)**

Test Requirement: EN 50130-4: 2011 +A1:2014

Test Method: EN IEC 61000-4-3: 2020

**7.2.1 Test Setup Diagram**



**7.2.2 E.U.T. Operation**

Operating Environment:

Temperature: 24.5 °C

Humidity: 51.2 % RH

Atmospheric Pressure: 1010 mbar

**7.2.3 Test Mode Description**

Pre-scan / Final test	Mode Code	Description
Final test	00	Normal Working_Powered by adapter, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.
Final test	01	Normal Working_Powered by POE, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.

**7.2.4 Test Condition and Results:**

Modulation: 80%, 1 kHz Amplitude Modulation & 0.5s ON 0.5s OFF Pulse Modulation

Frequency	Level (V/m)	EUT Face	Dwell time	Result / Observations
80MHz-2.7GHz	10	Front	3s	A
80MHz-2.7GHz	10	Back	3s	A
80MHz-2.7GHz	10	Left	3s	A
80MHz-2.7GHz	10	Right	3s	A
80MHz-2.7GHz	10	Top	3s	A
80MHz-2.7GHz	10	Underside	3s	A


A: No degradation in the performance of the EUT was observed

### 7.3 Electrical Fast Transients & Burst at AC Power Port

Test Requirement: EN 50130-4: 2011 +A1:2014

Test Method: EN 61000-4-4:2012

#### 7.3.1 Test Setup Diagram



#### 7.3.2 E.U.T. Operation

Operating Environment:

Temperature: 25 °C

Humidity: 51 % RH

Atmospheric Pressure: 1010 mbar

#### 7.3.3 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	Normal Working_Powered by adapter, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.
Final test	01	Normal Working_Powered by POE, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.

#### 7.3.4 Test Condition and Results:

Repetition Frequency: 100kHz

Burst Period: 300ms

Test Duration: 1 minute per level & polarity

Test Line	Level (kV)	Polarity	CDN/Clamp	Result / Observations
AC power port	2	+	CDN	A
AC power port	2	-	CDN	A


A: No degradation in the performance of the EUT was observed

### 7.4 Electrical Fast Transients & Burst at Signal Port

Test Requirement: EN 50130-4: 2011 +A1:2014

Test Method: EN 61000-4-4:2012

#### 7.4.1 Test Setup Diagram



#### 7.4.2 E.U.T. Operation

Operating Environment:

Temperature: 24 °C

Humidity: 55 % RH

Atmospheric Pressure: 1010 mbar

#### 7.4.3 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	Normal Working_Powered by adapter, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.
Final test	01	Normal Working_Powered by POE, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.

#### 7.4.4 Test Condition and Results:

Repetition Frequency: 100kHz

Burst Period: 300ms

Test Duration: 1 minute per level & polarity


Test Line	Level (kV)	Polarity	CDN/Clamp	Result / Observations
Signal Port	1	+	Clamp	A
Signal Port	1	-	Clamp	A

A: No degradation in the performance of the EUT was observed

**7.5 Surge at AC Power Port**

Test Requirement: EN 50130-4: 2011 +A1:2014  
 Test Method: EN 61000-4-5:2014 +A1:2017

**7.5.1 Test Setup Diagram**



**7.5.2 E.U.T. Operation**

Operating Environment:  
 Temperature: 24 °C      Humidity: 55 % RH      Atmospheric Pressure: 1010 mbar

**7.5.3 Test Mode Description**

Pre-scan / Final test	Mode Code	Description
Final test	00	Normal Working_Powered by adapter, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.
Final test	01	Normal Working_Powered by POE, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.

**7.5.4 Test Condition and Results:**

Interval: 60s between each surge  
 No. of surges: 5 positive, 5 negative


Test Line	Level (kV)	Polarity	Phase (deg)	Result / Observations
L-N	0.5,1	+	0°	A
L-N	0.5,1	-	0°	A
L-N	0.5,1	+	90°	A
L-N	0.5,1	-	90°	A
L-N	0.5,1	+	180°	A
L-N	0.5,1	-	180°	A
L-N	0.5,1	+	270°	A
L-N	0.5,1	-	270°	A

A: No degradation in the performance of the EUT was observed

### 7.6 Surge at Signal Port

Test Requirement: EN 50130-4: 2011 +A1:2014  
 Test Method: EN 61000-4-5:2014 +A1:2017

#### 7.6.1 Test Setup Diagram



#### 7.6.2 E.U.T. Operation

Operating Environment:  
 Temperature: 25 °C      Humidity: 55 % RH      Atmospheric Pressure: 1010 mbar

#### 7.6.3 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	Normal Working_Powered by adapter, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.
Final test	01	Normal Working_Powered by POE, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.

#### 7.6.4 Test Condition and Results:

Interval: 60s between each surge  
 No. of surges: 5 positive, 5 negative.

Port	Line	Level (kV)	Polarity	Result / Observations
Signal port	Line-Ground	0.5	+	A
Signal port	Line-Ground	0.5	-	A
Signal port	Line-Ground	1	+	A
Signal port	Line-Ground	1	-	A


A: No degradation in the performance of the EUT was observed

**7.7 Conducted Immunity at Power Port (150kHz-100MHz)**

Test Requirement: EN 50130-4: 2011 +A1:2014

Test Method: EN 61000-4-6:2014

**7.7.1 Test Setup Diagram**



**7.7.2 E.U.T. Operation**

Operating Environment:

Temperature: 24 °C

Humidity: 55 % RH

Atmospheric Pressure: 1010 mbar

**7.7.3 Test Mode Description**

Pre-scan / Final test	Mode Code	Description
Final test	00	Normal Working_Powered by adapter, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.
Final test	01	Normal Working_Powered by POE, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.

**7.7.4 Test Condition and Results:**

Modulation: 80%, 1 kHz Amplitude Modulation & 0.5s ON 0.5s OFF Pulse Modulation


Cable port	Level (Vrms)	CDN/Clamp	Dwell time	Result / Observations
AC power port	10	CDN	3s	A
A: No degradation in the performance of the EUT was observed				

**7.8 Conducted Immunity at Signal Port (150kHz-100MHz)**

Test Requirement: EN 50130-4: 2011 +A1:2014

Test Method: EN 61000-4-6:2014

**7.8.1 Test Setup Diagram**



**7.8.2 E.U.T. Operation**

Operating Environment:

Temperature: 24 °C

Humidity: 55 % RH

Atmospheric Pressure: 1010 mbar

**7.8.3 Test Mode Description**

Pre-scan / Final test	Mode Code	Description
Final test	00	Normal Working_Powered by adapter, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.
Final test	01	Normal Working_Powered by POE, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.

**7.8.4 Test Condition and Results:**

Modulation: 80%, 1 kHz Amplitude Modulation & 0.5s ON 0.5s OFF Pulse Modulation

Cable port	Level (Vrms)	CDN/Clamp	Dwell time	Result / Observations
Signal or Control port	10	CDN	3s	A


A: No degradation in the performance of the EUT was observed

### 7.9 Mains Supply Voltage Variations

Test Requirement: EN 50130-4: 2011 +A1:2014

Test Method: EN 50130-4:2011+A1:2014

#### 7.9.1 Test Setup Diagram



#### 7.9.2 E.U.T. Operation

Operating Environment:

Temperature: 24 °C      Humidity: 55 % RH      Atmospheric Pressure: 1010 mbar

#### 7.9.3 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	Normal Working_Powered by adapter, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.
Final test	01	Normal Working_Powered by POE, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.

#### 7.9.4 Test Condition and Results:

Voltage max.: AC 264V (Umax: Unom + 10%)

Voltage min.: AC 85V (Umin: Unom - 15%)

Unom Voltage: AC 100-240V

Test phenomenon description for the EUT:


1. The EUT working normal, before the conditioning.
  2. Monitor the EUT during the conditioning period and detected no any changes in states, during the conditioning.
  3. No degradation in the performance of the EUT was observed, after the conditioning.
- A: No degradation in the performance of the EUT was observed

**7.10 Voltage Dips and Interruptions**

Test Requirement: EN 50130-4: 2011 +A1:2014

Test Method: EN IEC 61000-4-11:2020

**7.10.1 Test Setup Diagram**



**7.10.2 E.U.T. Operation**

Operating Environment:

Temperature: 24 °C

Humidity: 55 % RH

Atmospheric Pressure: 1010 mbar

**7.10.3 Test Mode Description**

Pre-scan / Final test	Mode Code	Description
Final test	00	Normal Working_Powered by adapter, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.
Final test	01	Normal Working_Powered by POE, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.

## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 60 of 132

### 7.10.4 Test Condition and Results:

Performance Criterion:

0% of UT (Supply Voltage) for 250 Periods;

40% of UT for 10 Periods;

70% of UT for 25 Periods; 80% of UT for 250 Periods;

No. of Dips / Interruptions: 3 per Level

Time between dropout 10s

Level % UT	Phase (deg)	Duration	No. of Dips / Interruptions	Result / Observations
80	0°	250 Cycles	3	A
80	180°	250 Cycles	3	A
70	0°	25 Cycles	3	A
70	180°	25 Cycles	3	A
40	0°	10 Cycles	3	A
40	180°	10 Cycles	3	A
0	0°	250 Cycles	3	B
0	180°	250 Cycles	3	B

A: No degradation in the performance of the EUT was observed

B: During the test, the EUT working abnormally.


After the test, the EUT automatically recovering working normally.

### 7.11 Electrostatic Discharge

Test Requirement: EN 55035: 2017+A11:2020

Test Method: EN 61000-4-2: 2009

#### 7.11.1 Test Setup Diagram



#### 7.11.2 E.U.T. Operation

Operating Environment:

Temperature: 27 °C

Humidity: 56 % RH

Atmospheric Pressure: 1010 mbar

#### 7.11.3 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	Normal Working_Powered by adapter, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.
Final test	01	Normal Working_Powered by POE, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.

## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 62 of 132

### 7.11.4 Test Condition and Results:

Performance Criterion: B

Discharge Impedance: 330Ω/150pF

Number of Discharge: Minimum 10 times at each test point

Discharge Mode: Single Discharge

Discharge Period: 1 second minimum

Test Point 1: All insulated enclosure & seams.

Test Point 2: All accessible metal parts of the enclosure.

Test Point 3: All sides.

Discharge type	Level (kV)	Polarity	Test Point	Result / Observations
Air Discharge	2,4,8	+	1	A
Air Discharge	2,4,8	-	1	A
Contact Discharge	4	+	2	A
Contact Discharge	4	-	2	A
Horizontal Coupling	4	+	3	A
Horizontal Coupling	4	-	3	A
Vertical Coupling	4	+	3	A
Vertical Coupling	4	-	3	A


A: No degradation in the performance of the EUT was observed

### 7.12 Radiated Immunity (80MHz-1GHz,1800MHz,2600MHz,3500MHz,5000MHz)

Test Requirement: EN 55035: 2017+A11:2020

Test Method: EN IEC 61000-4-3: 2020

#### 7.12.1 Test Setup Diagram



#### 7.12.2 E.U.T. Operation

Operating Environment:

Temperature: 24.5 °C

Humidity: 51.2 % RH

Atmospheric Pressure: 1010 mbar

#### 7.12.3 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	Normal Working_Powered by adapter, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.
Final test	01	Normal Working_Powered by POE, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.

## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 64 of 132

### 7.12.4 Test Condition and Results:

Performance Criterion: A

Frequency Range: 80MHz to 1GHz, 1800MHz, 2600MHz, 3500MHz, 5000MHz

Antenna Polarisation: Vertical and Horizontal

Modulation: 1kHz,80% Amp. Mod,1% increment

Test Distance:3m

Frequency	Level (V/m)	EUT Face	Dwell time	Result / Observations
80MHz-1GHz	3	Front	3s	A
80MHz-1GHz	3	Back	3s	A
80MHz-1GHz	3	Left	3s	A
80MHz-1GHz	3	Right	3s	A
80MHz-1GHz	3	Top	3s	A
80MHz-1GHz	3	Underside	3s	A
1800MHz	3	Front	3s	A
1800MHz	3	Back	3s	A
1800MHz	3	Left	3s	A
1800MHz	3	Right	3s	A
1800MHz	3	Top	3s	A
1800MHz	3	Underside	3s	A
2600MHz	3	Front	3s	A
2600MHz	3	Back	3s	A
2600MHz	3	Left	3s	A
2600MHz	3	Right	3s	A
2600MHz	3	Top	3s	A
2600MHz	3	Underside	3s	A
3500MHz	3	Front	3s	A
3500MHz	3	Back	3s	A
3500MHz	3	Left	3s	A
3500MHz	3	Right	3s	A
3500MHz	3	Top	3s	A
3500MHz	3	Underside	3s	A
5000MHz	3	Front	3s	A
5000MHz	3	Back	3s	A
5000MHz	3	Left	3s	A
5000MHz	3	Right	3s	A
5000MHz	3	Top	3s	A
5000MHz	3	Underside	3s	A


A: No degradation in the performance of the EUT was observed

**7.13 Electrical Fast Transients & Burst at AC Power Port**

Test Requirement: EN 55035: 2017+A11:2020

Test Method: EN 61000-4-4: 2012

**7.13.1 Test Setup Diagram**



**7.13.2 E.U.T. Operation**

Operating Environment:

Temperature: 25 °C

Humidity: 55 % RH

Atmospheric Pressure: 1010 mbar

**7.13.3 Test Mode Description**

Pre-scan / Final test	Mode Code	Description
Final test	00	Normal Working_Powered by adapter, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.
Final test	01	Normal Working_Powered by POE, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.

**7.13.4 Test Condition and Results:**

Performance Criterion: B

Repetition Frequency: 5kHz

Burst Period: 300ms

Test Duration: 2 minute per level & polarity

Test Line	Level (kV)	Polarity	CDN/Clamp	Result / Observations
AC power port	1	+	CDN	A
AC power port	1	-	CDN	A


A: No degradation in the performance of the EUT was observed

### 7.14 Electrical Fast Transients & Burst at Signal Port

Test Requirement: EN 55035: 2017+A11:2020

Test Method: EN 61000-4-4: 2012

#### 7.14.1 Test Setup Diagram



#### 7.14.2 E.U.T. Operation

Operating Environment:

Temperature: 24 °C

Humidity: 55 % RH

Atmospheric Pressure: 1010 mbar

#### 7.14.3 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	Normal Working_Powered by adapter, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.
Final test	01	Normal Working_Powered by POE, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.

#### 7.14.4 Test Condition and Results:

Performance Criterion: B

Repetition Frequency: 5kHz

Burst Period: 300ms

Test Duration: 2 minute per level & polarity


Port	Level (kV)	Polarity	CDN/Clamp	Result / Observations
Signal port	0.5	+	Clamp	A
Signal port	0.5	-	Clamp	A

A: No degradation in the performance of the EUT was observed

**7.15 Surge at AC Power Port**

Test Requirement: EN 55035: 2017+A11:2020  
 Test Method: EN 61000-4-5: 2014 +A1: 2017

**7.15.1 Test Setup Diagram**



**7.15.2 E.U.T. Operation**

Operating Environment:  
 Temperature: 24 °C      Humidity: 55 % RH      Atmospheric Pressure: 1010 mbar

**7.15.3 Test Mode Description**

Pre-scan / Final test	Mode Code	Description
Final test	00	Normal Working_Powered by adapter, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.
Final test	01	Normal Working_Powered by POE, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.

**Compliance Certification Services (Kunshan) Inc.**

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 68 of 132

**7.15.4 Test Condition and Results:**

- Performance Criterion: B
- Interval: 60s between each surge
- Generator source impedance: 2Ω
- CDN coupling impedance(Line-to-ground):10Ω
- No. of surges:
  - Five positive pulses line-to-neutral at 90° phase
  - Five negative pulses line-to-neutral at 270° phase
  - Five positive pulses line-to-earth at 90° phase
  - Five negative pulses line-to-earth at 270° phase
  - Five negative pulses neutral-to-earth at 90° phase
  - Five positive pulses neutral-to-earth at 270° phase


Test Line	Level (kV)	Polarity	Phase (deg)	Result / Observations
Line to Neutral	0.5, 1	+	90°	A
Line to Neutral	0.5, 1	-	270°	A
A: No degradation in the performance of the EUT was observed				

### 7.16 Surge at Signal Port

Test Requirement: EN 55035: 2017+A11:2020

Test Method: EN 61000-4-5: 2014 +A1: 2017

#### 7.16.1 Test Setup Diagram



#### 7.16.2 E.U.T. Operation

Operating Environment:

Temperature: 24 °C

Humidity: 55 % RH

Atmospheric Pressure: 1010 mbar

#### 7.16.3 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	Normal Working_Powered by adapter, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.
Final test	01	Normal Working_Powered by POE, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.

#### 7.16.4 Test Condition and Results:

Performance Criterion: B

Interval: 60s between each surge

Generator source impedance: 2Ω

Port	Line	Waveform(μs)	Level (kV)	Polarity	Result / Observations
Signal port	Line-Ground	1,2/50 (8/20)	0.5, 1	+	A
Signal port	Line-Ground	1,2/50 (8/20)	0.5, 1	-	A


A: No degradation in the performance of the EUT was observed

### 7.17 Conducted Immunity at AC Power Port (150kHz-80MHz)

Test Requirement: EN 55035: 2017+A11:2020

Test Method: EN 61000-4-6: 2014

#### 7.17.1 Test Setup Diagram



#### 7.17.2 E.U.T. Operation

Operating Environment:

Temperature: 25 °C

Humidity: 55 % RH

Atmospheric Pressure: 1010 mbar

#### 7.17.3 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	Normal Working_Powered by adapter, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.
Final test	01	Normal Working_Powered by POE, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.

#### 7.17.4 Test Condition and Results:

Performance Criterion: A

Frequency Range: 0.15MHz to 80MHz

Modulation: 80%, 1kHz Amplitude Modulation

Step Size: 1%

Cable port	Level (Vrms)	CDN/Clamp	Dwell time	Result / Observations
AC power port	3(0.15MHz-10MHz)	CDN	3s	A
AC power port	3 to 1(10MHz-30MHz, Lines)	CDN	3s	A
AC power port	1(30MHz-80MHz)	CDN	3s	A


A: No degradation in the performance of the EUT was observed

### 7.18 Conducted Immunity at Signal Port (150kHz-80MHz)

Test Requirement: EN 55035: 2017+A11:2020

Test Method: EN 61000-4-6: 2014

#### 7.18.1 Test Setup Diagram



#### 7.18.2 E.U.T. Operation

Operating Environment:

Temperature: 24 °C

Humidity: 55 % RH

Atmospheric Pressure: 1010 mbar

#### 7.18.3 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	Normal Working_Powered by adapter, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.
Final test	01	Normal Working_Powered by POE, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.

#### 7.18.4 Test Condition and Results:

Performance Criterion: A

Frequency Range: 0.15MHz to 80MHz

Modulation: 80%, 1kHz Amplitude Modulation

Step Size: 1%

Port	Level (Vrms)	CDN/Clamp	Dwell time	Result / Observations
Signal port	3(0.15MHz-10MHz)	Clamp	3s	A
Signal port	3 to 1(10MHz-30MHz, Lines)	Clamp	3s	A
Signal port	1(30MHz-80MHz)	Clamp	3s	A


A: No degradation in the performance of the EUT was observed

**7.19 Voltage Dips and Interruptions**

Test Requirement: EN 55035: 2017+A11:2020

Test Method: EN IEC 61000-4-11:2020

**7.19.1 Test Setup Diagram**



**7.19.2 E.U.T. Operation**

Operating Environment:

Temperature: 25 °C

Humidity: 55 % RH

Atmospheric Pressure: 1010 mbar

**7.19.3 Test Mode Description**

Pre-scan / Final test	Mode Code	Description
Final test	00	Normal Working_Powered by adapter, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.
Final test	01	Normal Working_Powered by POE, establish communicatoin between Camera Module, Info Module, 2-wire Switch and IP Indoor Monitor.

## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 73 of 132

### 7.19.4 Test Condition and Results:

Performance Criterion:

<5% residual voltage for 0.5 Cycle: B

70% residual voltage for 25 Cycles: C

<5% residual voltage for 250 Cycles: C

No. of Dips / Interruptions: 3 per Level

Time between dropout: 10s

Level % UT	Phase (deg)	Duration	No. of Dips / Interruptions	Result / Observations
0	0°	0.5 Cycles	3	A
0	0°	250 Cycles	3	B
70	0°	25 Cycles	3	A

A: No degradation in the performance of the EUT was observed

B: During the test, the EUT working abnormally.



After the test, the EUT automatically recovering working normally.

### 8 Test Setup Photo



#### Electrostatic Discharge





### Radiated Immunity(80MHz-2.7GHz)





### Electrical Fast Transients & Burst at AC Power Port





### Electrical Fast Transients & Burst at Signal Port




### Surge at AC Power Port



### Surge at Signal Port





### Conducted Immunity at Power Port (150kHz-100MHz)





### Conducted Immunity at Signal Port (150kHz-100MHz)



### Mains Supply Voltage Variations




### Voltage Dips and Interruptions



### Conducted Emissions at Mains Power Port (150kHz-30MHz)



### Asymmetric Mode Conducted Emissions(150kHz-30MHz)



## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 86 of 132



## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801



Page: 87 of 132



### Radiated Emissions (30MHz-1GHz)



### Radiated Emissions (Above 1GHz)



### Voltage Fluctuations and Flicker





### Harmonic Current Emission





### Electrostatic Discharge





### Radiated Immunity (80MHz-1GHz, 1800MHz, 2600MHz, 3500MHz, 5000MHz)





### Electrical Fast Transients & Burst at AC Power Port





### Electrical Fast Transients & Burst at Signal Port




### Surge at AC Power Port



### Surge at Signal Port





### Conducted Immunity at AC Power Port (150kHz-80MHz)




### Conducted Immunity at Signal Port (150kHz-80MHz)







### Voltage Dips and Interruptions







## 9 EUT Constructional Details (EUT Photos)































## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 110 of 132







## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 112 of 132




## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 113 of 132







## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 115 of 132




## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 116 of 132




## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 117 of 132







## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 118 of 132








## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 120 of 132







## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 122 of 132





## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 124 of 132




## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 125 of 132






## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 126 of 132







## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 128 of 132






## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 129 of 132





Keypad module

DHI-VTO4202F-MK

5V  $\equiv$  ,100mA

P/N: 1.0.01.15.11251



S/N: AA03E48YAJ6EC89

**dhua**  
TECHNOLOGY



MADE IN CHINA



ZHEJIANG DAHUA VISION TECHNOLOGY CO.,LTD.

## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 131 of 132

Camera Module

DHI-VTO4202F-P1

48V  ,1A;POE(802.3af/at)

P/N: 1.0.01.15.12535



S/N: AA03E48YAJ6EC55

MADE IN CHINA

ZHEJIANG DAHUA VISION TECHNOLOGY CO.,LTD.

**dhua**  
TECHNOLOGY



Camera Module

DHI-VTO4202F-P-S3

48V  ,1A;POE(802.3af/at)

P/N: 1.0.01.15.12527



S/N: AA03E48YAJ6EC52

MADE IN CHINA

ZHEJIANG DAHUA VISION TECHNOLOGY CO.,LTD.

**dhua**  
TECHNOLOGY



## Compliance Certification Services (Kunshan) Inc.

CCSEM-TRF-001 Rev. 02 Sep 01, 2023

Report No.: KSCR240700123801

Page: 132 of 132



### Video Intercom KIT

Model: DHI-KTD03(S)

Weight: 3.96kg

Size: 342mm\*202mm\*413mm



P/N: 1.0.01.15.12626



S/N: AA03E48YAJ6EC71

MADE IN CHINA

Date:2024-06

Manufacturer:ZHEJIANG DAHUA VISION TECHNOLOGY CO.,LTD.

No.1399, Binxing Road, Binjiang District, Hangzhou, P.R. China



- End of the Report -