



SHB-9000H

Box Camera Housing



Key Features

- Compatible camera: TNB-9000
- Material
 - Body/Sun shield : Aluminum
 - Front&Rear cap : ABS
- Operating Temperature: -50°C ~ +60°C(-58°F ~ +140°F) / 10-100% RH (condensing)
- Weight: 6.2kg(13.67 lb)
- Color: White
- IP66

Compatible Accessories (Optional)



SBP-300KMW1

SHB-9000H

Box Camera Housing



Specifications

Environmental

| | |
|----------------------------------|---|
| Operating Temperature / Humidity | -50°C ~ +60°C(-58°F ~ +140°F) / 10-100% RH (condensing) |
| Storage Temperature / Humidity | -50°C ~ +60°C(-58°F ~ +140°F) / Less than 90% RH |
| Fan/Heater | Support (Thermostat controlled) |
| Certification | IP66 |

Electrical

| | |
|-------------------|--|
| Input Voltage | 220VAC |
| Power Consumption | AC Fan(10W): 5W * 2EA AC Heater(50W): 3.7W[Max.25W] * 2EA |

Mechanical

| | |
|-----------------------------|--|
| Color | White |
| Material | Body/Sun shield : Aluminum Front&Rear cap : ABS Bracket : SUS304 |
| RAL code | RAL9003 |
| Product dimensions / weight | Housing : 300(W)x184(H)x700(D)mm(11.81x7.24x27.56"), 6.2kg(13.67 lb) Bracket : 493(W)x110(H)x194(D)mm(19.41x4.33x7.64"), 3.5kg(7.72 lb) |
| Supported products | Camera : TNB-9000 Lens : Canon 24mm f1.4L, Auto-Iris, Canon 35mm f1.4L, Auto-Iris, Canon 50mm f1.4, Auto-Iris, Canon 85mm f1.2L, Auto-Iris, Canon 100mm f2.0, Auto-Iris, Canon 200mm f2.8L, Auto-Iris |

SHB-9000H

Box Camera Housing



CAD

Unit: mm [inch]

