




Report No.: ATS/220401/02	IS/IEC 60529: 2001	Page 1 of 6
ULR-TC543322000000558F		 TC-5433

Test item:	MOBILE VIDEO RECORDER (CCTV Recorder)		
Identification:	Lead Model: DHI-MNVR4104-GFW		
	Series Models: DHI-MNVR4104-GFWI, DHI-MNVR4208-GFW, DHI-MNVR4208-GFWI, DHI-MXVR4104-GFW, DHI-MXVR4104-GFWI, DHI-MXVR1004-GFWI, DHI-MXVR1004-GFW		Serial No.: Nil
Receipt No.:	220401/02	Date of receipt: 01/04/2022	
Testing laboratory and its address:	Accurate Test Solutions F-21, Sector-11, Noida-201301, U.P., (INDIA)		
Test specification:	IS/IEC 60529: 2001		
Other Aspects:	- This report consists of 6 pages.		

Tested by:	Approved by / Authorized Signatory:	Issued by:
		
Testing Engineer: Vishal Kumar	Authorised signatory: Subhash	Authorised signatory: Subhash
Date: 08/04/2022	Date: 08/04/2022	Date: 08/04/2022



Report No.: ATS/220401/02	IS/IEC 60529: 2001	Page 2 of 6	 TC-5433
ULR-TC543322000000558F			

TEST REPORT IS/IEC 60529: 2001 DEGREES OF PROTECTION PROVIDED BY ENCLOSURES (IP CODE) “MOBILE VIDEO RECORDER (CCTV Recorder)”	
Report Reference No.	ATS/220401/02
Date of issue	08/04/2022
Total number of pages	6
Applicant's name	Dahua Technology India Pvt. Ltd.
Address	9th floor, Tower A, DLF Cyber Greens, DLF Cyber City, Phase III, Gurugram, Haryana - 122002
Test specification:	
Standard	IS/IEC 60529: 2001
Test procedure	Compliance Report
Non-standard test method	N/A
Test Report Form No.	ATS/QF7.8/QF-01
Test Report Form(s) Originator	Accurate Test Solutions
Master TRF	01/04/2019
Test item description	MOBILE VIDEO RECORDER (CCTV Recorder)
Condition of sample	OK
Trade Mark	
Manufacturer	PACIFIC CYBER TECHNOLOGY PRIVATE LIMITED SURVEY NO. 57/3/55, 57/2/56, 57/1/57, SILVER INDUSTRIAL ESTATE, VILLAGE BHIMPORE, NANI DAMAN, DAMAN, DAMAN AND DIU, INDIA-396210
Model/Type reference	Lead Model: DHI-MNVR4104-GFW Series Models: DHI-MNVR4104-GFWI, DHI-MNVR4208-GFW, DHI-MNVR4208-GFWI, DHI-MXVR4104-GFW, DHI-MXVR4104-GFWI, DHI-MXVR1004-GFWI, DHI-MXVR1004-GFW
Ratings	Input Power rating: 6V-36V \equiv , 6A IP Rating: IP54

Tested by:	Approved by / Authorized Signatory:	Issued by:
		
Testing Engineer: Vishal Kumar	Authorised signatory: Subhash	Authorised signatory: Subhash
Date: 08/04/2022	Date: 08/04/2022	Date: 08/04/2022



Report No.: ATS/220401/02

IS/IEC 60529: 2001

Page 3 of 6



ULR-TC543322000000558F

TC-5433

Description	Measurement / Testing	Page No.
Protection against solid foreign objects	IP5X	5
Protection against water	IPX4	5

General product information:

Application details / Description of the product:

Equipment under test is a **Class III** Product.

Product Name: **MOBILE VIDEO RECORDER (CCTV Recorder)**

Lead Model: **DHI-MNVR4104-GFW**

Input rating: **6V-36V ===, 6A**

IP Rating: **IP54**

Product Weight: **1.97kg**

It is declared by the manufacturer that lead model and all series models are same in everything except difference in model name only.

It is certified that the above tests were performed and found to be passing.

Subhash
SUBHASH

.....
(Approving Authority)
Team Manager



Subhash

Report No.: ATS/220401/02

IS/IEC 60529: 2001

Page 4 of 6



ULR-TC543322000000558F

Table – List of Attachments

Attachment No.	Attachment Description	Page No.
1	Photo Document	6

General remarks:

1. The Test result presented in this report relate only to the object tested.
2. This test report shall not be reproduced, except in full, without the written approval of the testing laboratory.

Possible test case verdicts:

- test case does not apply to the test object: N/A
- test object does meet the requirement: P (Pass)
- test object does not meet the requirement: F (Fail)

Testing:

Date of receipt of test item : 01/04/2022
Date (s) of performance of tests : 01/04/2022 to 08/04/2022

Laboratory conditions :

Ambient Temperature : 25±10°C
Ambient Humidity : (45 to 75)% Rh



Report No.: ATS/220401/02

IS/IEC 60529: 2001

Page 5 of 6



ULR-TC543322000000558F

TC-5433

Cl. No.	Test / Requirement name	Test result/ observation	Verdict
13	Tests for protection against solid foreign objects indicated by the first characteristic numeral	See below	P
13.4	Dust test condition for enclosures category 1: With sup- atmosphere, or Category 2: with normal atmosphere at dust chamber	Category 1 condition Depression $\leq 2\text{kPa}$ (20 mbar), t=8 hour	P
13.5	No deposite of dust (for IP 5X)	Talcum powder has not accumulated in such a quantity that it could be interfere with correct operation of the equipment or impair safety. So device under test is working fine after the test.	P
14	Tests for protection against water indicated by the second characteristic numeral	See below	P
14.2.4	Test for second characteristic numeral 4 with the oscillating tube or spray nozzle.	After the test water was not sufficient to interfere with the correct operation of the equipment or impair safety. So device under test is working fine after the test.	P

It is certified that the above tests were performed and found to be passing.


.....
(Approving Authority)

SUBHASH
Technical Manger



Report No.: ATS/220401/02

IS/IEC 60529: 2001


Page 6 of 6




ULR-TC543322000000558F

TC-5433


Attachment: Photo Document




TOP VIEW



BACK VIEW



VIEW AFTER IPX4 TEST



VIEW AFTER IP5X TEST

****End of Test Report****

Wishu