



F50731 1W DUOX PLUS VID MARINE VEO-XS WIFI KIT

Reference	EAN
50731	8424299507316

Description.

Description

Fermax presents the new VEO-XS WIFI DUOX PLUS kits for single-family homes, offices and businesses .

The kits include all the necessary materials for its installation: MARINE entrance panel in high quality and resistant AISI 316L stainless steel, VEO-XS WIFI monitor and power supply.

In addition, they work with DUOX PLUS, a fully digital door entry and video door entry system and technology on two non-polarized wires, which simplifies their installation while maintaining the highest quality in the product and design,

They include the VEO-XS WIFI DUOX PLUS monitor as standard, equipped with a Wi-Fi connection that **allows calls to be forwarded to mobile devices**.

Thanks to the **Fermax BLUE application**, available for free in the Play Store and App Store, the video door entry functions can be managed directly from a mobile or tablet, to connect to your home, wherever you are. By connecting your WiFi DUOX PLUS monitors with the BLUE app, a range of possibilities will open up. Of all of them we highlight two that will be key: Divert calls from the video door entry unit to your mobile and open the door to the house from a distance.

They also come as a standard with the **Photocaller** function, which automatically captures an image of the caller. If the user decides to activate this function, the monitor stores up to 150 images, indicating the date and time when they were taken. When the maximum capacity has been reached, taking a new photo will erase the first one stored. The screen always indicates if there are photos not displayed or if the date / time are not configured.

The VEO-XS WIFI DUOX PLUS hands-free monitor is characterized by its small size and thickness, extra-flat. Thanks to its OSD menu and the layout of the buttons, its interaction with the user is simple and intuitive. It is made of high impact ABS plastic.



Includes a 4.3 "widescreen color display (16: 9).

Its balanced design of pure lines is distinctive, modern and minimalist.

DUOX PLUS is the new digital technology that exceeds all expectations. Because it makes the difficult easy.

Technical Details

Includes:

- 44338 MARINE DUOX PLUS 1/L plate .ST1: 150x180.
- 4641 ST1 built-in box: 130x160x55.
- 9449 VEO-XS WIFI DUOX PLUS 4.3" Monitor.
- 9447 DUOX PLUS connector
- 4826 Power supp. unit+filter DIN6 24VDC-1.5A
- 4802 12Vac/1A Power Supply. DIN4

Video:

- Sensor: 1/3" color CMOS.
- Effective pixels > 340K. (camera captures 720x480)
- Minimum external lighting: 0 lux. Since it has LEDs, no additional lighting is required.
- S/N >45dB.
- Frame rate 25 fps.
- Resolution > 368x288 pixels.
- Video Codec: H264 Highline Profile
- Auto iris.
- Auto BLC.
- Viewing angle 100° horizontal, 80° vertical.
- Fisheye correction.
- Color night vision through white LEDs.
- Pan & Tilt digital zoom.

Street sign:

- IP65
- IK09



Details.

Weight (kg)

3.175945

Packaging measurements (height x width x depth) cm 26x23,5x15 Video Door Entry system Technologie DUOX

Manuals

- 970048b_Config_VOZ_Placas_Puls_VIDEO_DUOX_Plus_V0 7_22.pdf
- 970061h GR Kit DUOX PLUS 1L MARINE VEO XS WIFI V12_23.pdf

Products included



F09447 DUOX PLUS CONNECTOR



F04802 P.S.U. DIN4 230VAC/12VAC-1A



F09449 DUOX PLUS VEO-XS WIFI 4,3 MONITOR



F04826 POWER SUPP. UNIT+FILTER DIN6 24VDC-1.5A



F44338 MARINE PANEL DUOX PLUS ST1 CP101



F04641 MARINE ST1 FLUSH BOX

Accessories



F03267 DUOX PLUS RELAY



ELECTRONIC EXTENSION CALL



MARINE ST1 HOOD



F04645 MARINE ST1 SURFACE BOX





F03388 UNIVERSAL FRAME



UNIVERSAL FRAME LARGE



F02438 VDS LIGHT/BUZZER ACTIVATOR



F09420 VEO-XS/VEO-XL MONITOR DESKTOP SUPPORT